Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



MAR 6 1910 INDEXED,


Owing to ever us a sing to the prices quoted are copy of allow the and subject to all nge villaos and



F. AND F. NURSERIES SPRINGFIELD, UNION COUNTY, N.J.

1918

Ornamental Trees, Shrubs, Roses, Vines, Evergreens, Plants, Fruits, Etc.



Our Nurseries are located in the beautiful Orange Valley in which may be seen many places of small and large area that have been improved with trees and plants purchased from us in the years that are passed. To meet the increased and increasing demand for fine Nursery stock, we have added more than one hundred acres to our real estate holdings, nearly all of which, together with our original tract of one hundred and fifty acres, is used for growing trees that will satisfy the most critical. Tested trees and plants are added to our collection as their merit proves them worthy. Our trees are cultivated and cared for, and defective and deformed ones are taken from the rows and destroyed. We allow no accumulation of old and unsalable stock. It is a good practice for intending purchasers to see and select the stock wanted, and we extend a cordial invitation to all interested to visit our Nurseries, which are only sixteen miles from New York City on the Lackawanna Railroad. near Milburn Station. We can be reached from Elizabeth or Newark by trolley lines which pass our office. We are only six miles from these cities.





Introduction

Our first thought is one of appreciation and thanks to our many friends who have bought our products during the past and whose confidence and patronage have been so great a factor in our success; and then some word of explanation to those receiving this Catalogue who are unacquainted with our Nurseries, the quality of our stock and our methods of business.

unacquainted with our Nurseries, the quality of our stock and our methods of business. This book describes briefly and without conscious exaggeration, the staple articles propagated in our nurseries. We do not grow everything; no location is possessed of the necessary soil and climatic conditions to make that possible; but we do claim to have as extended an assortment of the things worth planting over a very large area as can be found in the country. Having been established since 1882, we can claim experience and ability in propagating

Having been established since 1882, we can claim experience and ability in propagating and growing trees and plants; and the extent of our acreage and the stock we have are evidence of the success that comes of patronage that continues and increases from year to year. We invite inspection of our place; our nurseries are located in the center of the historic village of Springfield in the Orange Valley, and can be easily and quickly reached by train or trolley or over excellent roads by auto.

We also maintain an office in New York City at 149 Broadway for the convenience of our city customers. As personal inspection is always desirable and also interesting, we invite intending purchasers to call and see our trees and plants at any time.

PRICES. Quoted are for best commercial grade and quality. **Trees selected by customers** at the nursery will be charged for in accordance to their value. We quote by height but it must be remembered that the height does not always indicate the value of a tree or plant—a very short and compact specimen is more valuable than a slim, straggly one of the same height. Customers can rely upon our selecting full value for the prices charged. We are firm believers in the graded stock system not generally in use in the nursery business. We grade according to height and caliper.

DELIVERY. At prices herein quoted we will deliver free to near-by customers with our own wagons. Distant orders will be safely and securely packed in boxes or bales and delivered F. O. B. cars here, freight or express charges to be paid for by the purchaser.

TERMS. Customers with whom we have had no dealings heretofore should remit with order, or send satisfactory references. Old and known customers can, if they wish, remit on receipt of goods. All accounts are due, **net cash**, as soon as goods are received. Remit by Check, Draft, Express or Money Order, one and two-cent postage stamps accepted for small amounts.

EARLY ORDERS. Customers should send in their orders as early as possible so we can place them on our digging list. Our work in the digging season is necessarily very much crowded owing to our dependence on the weather conditions, and we can only in exceptional instance fill orders in other than regular turn.

DIGGING SEASON. Usually commences end of September in the fall continuing so long as ground holds open. In the spring from the middle of March until middle of May.

GUARANTEE. We guarantee all our stock true to name and in good condition on leaving our hands, but do not guarantee it to live and grow under all conditions, nor do we make up any loss whatever, due to climate effects, or after culture on the part of the purchaser. In case any mistake should happen in the naming of a plant we will replace it with the true variety as ordered, but we are not liable for more than its original invoice value in refunding money.

F. and F. NURSERIES, - Springfield, New Jersey

Planting Suggestions

We exercise care in digging, packing, shipping and delivery of our products, thus insuring to the planter the best possible results.

We do not guarantee plants to grow under all conditions, and do not replace stock that perishes on the customer's premises, unless such loss is directly due to negligence or carelessness on the part of our employees.

We have seen stock planted on adjacent places, in the same kind of soil and under like conditions, but the care and treatment different, the one an entire success, the other a failure; and the nurseryman commended or censured accordingly.

If the following instructions are adhered to our stock will grow. unless you are planting some species that are difficult to move such as Sweet Cherry, Birch, Beech, Oak, Tulip and Sweet Gum.

At once on arrival packages should be opened and the trees planted, or if that can not be done, open a trench in mellow moist soil and heel the stock therein, wetting the roots so that the earth will adhere thereto. Do not crowd the trees, and tramp the dirt about the roots that these may be in close contact with the soil. Trees so trenched can later be taken out as wanted and planted.

For permanent planting all trees should be set about the same depth as they were in the nursery but in heeling-in they should be covered deeper. The roots should always be wet before planting thus making the earth adhere closely.

It is of the utmost importance that good well drained soil be used in planting. After the roots are spread in their natural position the earth should be firmly tramped. More failures in transplanting result from lack of compliance with these conditions than from any other cause.

Mulching the surface around newly planted trees is desirable and in dry soil is indispensable for best results. Freshly cut grass, partially rotted manure or straw may be used for this purpose.

We do not approve of indiscriminate and extensive pruning at any period of a tree's life, but if the roots are much shortened, some pruning of the top is necessary to maintain a balance. Beech, Oak, Sweet Gum, Mulberry and Tulip Trees ought to be pruned severely. Cut off mutilated roots. Cut to the trunk or a bud always that you may not later have unsightly and dead spurs that delay the process of healing.

Planting Evergreens is more difficult than planting deciduous trees, particularly if large, and special care must be taken to keep the roots moist. Chances of success are much greater with small and medium sized trees. Choice and rare sorts should be moved with a ball of earth attached when possible. Another important factor to be considered is the time of planting. Most deciduous trees can be planted in Spring or Autumn, though some varieties are best planted in Spring only. Consultous on this matter and we will advise you. The Spring planting season opens in latter March while in Autumn plants can be moved in October and until the ground is frozen.

Evergreen Trees and Shrubs can be planted in April and May, and from the middle of August to November, depending upon climatic and weather conditions.

All plants should be copiously watered from time to time unless there are abundant rains.

Herbaceous stock can be planted in Spring or Autumn, preferably in September. Experience proves this the most favorable time and insures best results for the ensuing season. This stock should be well mulched before severe cold weather.

Landscape Work

To those who have time and who do not wish to employ a landscape architect, the following suggestions are offered:

Endeavor to picture in your mind the appearance of the work when completed, and also what the result will be in after years when the trees and plants have attained their growth.

The first step will be to locate your drives and walks, these should be conveniently placed and as few and short as possible; a slight curve however, is more graceful and pleasing to the eye than a straight line. In grading be sure to have at least a foot of good soil on top. Try to avoid steep terraces; slopes of easy natural curves will keep in order much longer, seldom requiring repair and are easier to care for. If a steep bank is unavoidable, it may be planted with suitable shrubbery in groups.

In placing trees and shrubs, preserve the desirable views, screening the objectionable. Trees with bold outlines, planted at a distance will give character, while masses of the smaller growing and more select varieties will add charm to the foreground. Procure such as are best adapted to the location, are easily taken care of and that will produce a variety of flowers and foliage to make your grounds attractive throughout the year.

In arranging plantings, leave as much open lawn as possible. On the margins plant in masses and beds with large bays and projections to which later new acquisitions may be added. Consider the size of the plants at maturity, placing the largest in the rear and those of dwarf habit in the foreground. Give each room for full development. If immediate effect is desired, the planting can be closely made by placing first what is to remain permanently, allowing ample room for development, then filling between these with plants which are later to be removed.

ORNAMENTAL DEPARTMENT

Deciduous Trees

All the trees offered have been one or more times transplanted, are of standard commercial grade, shapely and well rooted. Figures after specific names indicate approximately the height of the trees when approaching maturity.

Acer - Maple

campestre (English Cork Maple). 20 feet. A small round-headed tree of neat habit and foliage, having a peculiar corky bark Each 5- 6 ft
colchicum rubrum (Red Colchicum Maple).20feet. From Japan.Young growth of woodand foliage bright crimson.Medium size,round and elegant form.Each8-10 ft.\$2.0010-12 ft.2.50
dasycarpum (Silver Maple). 60 feet. Well known and popular. Of rapid growth; round, irregular form; leaves light green above, sil- very beneath.
Each101008-10 ft4, $1\frac{1}{4}$ in
-Pyramidalis. Each 6-8 ft
-Wieri laciniatum (Wier's Cut-leaved Maple). 50 feet. Leaves finely cut. Habit distinctly
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Negundo (Box Elder, Ash-leaved Maple). 25 feet. A native tree with light green foliage and greenish colored smooth bark. Each 10
8-10 ft., 1¼ in\$0.75 \$7.00
Pennsylvanicum (Moose-wood or Striped Bark Maple). 25 feet. A rather small tree with large leaves and bark curiously striped green and white. Each 6-8 ft
platanoides (Norway Maple). 40 feet. A large, round-headed, handsome tree. Foliage dense and dark green, remaining on the tree until late in the Fall. Reliable everywhere, and especially valuable for street planting. Each 10 100
8-10 ft., $11/4$ in. 100 $8-10$ ft., $11/2$ in. $$1.00$ $10-11$ ft., $11/2$ in. $$1.25$ $11-12$ ft., $13/4$ in. 1.25 $11-12$ ft., $13/4$ in. 1.50 $12-13$ ft., $2-21/2$ in. 2.00 $12-13$ ft., $21/2-3$ in. 3.00 28.00 $14-15$ ft., $3-4$ in.
platanoides Schwedleri (Purple-leaved Nor- way Maple). 35 feet. Bright crimson in early Spring, fading to dull purple in late Summer.
$\begin{array}{c c} \text{Each} & 10 \\ \text{8-10 ft., } 1\frac{1}{4} \text{ in.} & & & & \$1.25 & \$11.50 \\ 10-12 \text{ ft., } 1\frac{1}{2} \text{ in.} & & & & 1.50 & 14.00 \\ 10-12 \text{ ft., } 1\frac{3}{4} \text{ in.} & & & & 2.00 & 19.00 \\ 12-13 \text{ ft., } 2 \text{ in.} & & & & & 2.50 & 23.00 \\ 12-14 \text{ ft., } 2\frac{1}{2} \text{ in.} & & & & & 3.50 \end{array}$

sirable tree; particularly valuable near the
sea. Bark smooth, with large green leaves.
Each 10
8-10 ft., 11/4 in \$1.00 \$ 9.00
10-11 ft., 11/2 in 1.25 10.00
11-12 ft., $1\frac{3}{4}$ in. 14.00 14.00
12-13 ft., 2 in
13-14 ft., 21/2 in
13-14 ft., 3 in 4.00
rubrum (Scarlet or Red Maple). 40 feet. A
fine native tree, thriving everywhere, but
particularly in damp soil. Is much admired
for its red blossoms in Spring and deep
crimson foliage in Fall. Each 10
8-10 ft., $1\frac{1}{4}$ in. 31.25 \$11.50
$10-12$ ft., $1\frac{1}{2}$ in. 1.50 14.00
12-13 ft., 1 ³ / ₄ in
13-14 ft., $2-2\frac{1}{2}$ in
saccharum (Sugar Maple). 50 feet. A sym-
metrical, handsome tree. Finely colored
foliage in Autumn
1011ageInformationEach10100 $10-12$ ft., $1\frac{1}{4}$ in
$11-13 \text{ ft.}, 1\frac{1}{2} \text{ in.}$ 1000 s 3000 s 3000 s 10000 s $11-13 \text{ ft.}, 1\frac{1}{2} \text{ in.}$ 10000 s 10000 s
$12-14$ ft., $1\frac{3}{4}$ in 1.75 15.00
13-15 ft., 2^{-1}_{2} in \$2.00 to 3.50 14-16 ft., 2^{-1}_{2} in 3.50 to 5.00

Pseudo-platanus (Sycamore Maple). 50 feet.

A well-known and, in some localities, a de-

Tataricum Ginnala. (See Shrubs.)

Acer Japonicum - Japanese Maples (See Shrubs.)

Aesculus - Horse Chestnut

hippocastanum (European Horse Chestnut). 60 feet. Of rather slow growth, but attain-ing large size and in good soil becomes a magnificent tree. Its large panicles of white flowers in May are its glory.

 6- 8 ft., 1¼ in.
 Each

 8-10 ft., 1¼ in.
 \$1.00

 8-10 ft., 1¼ in.
 1.25

 8-10 ft., 1¼ in.
 1.50

 10-12 ft., 2 in.
 1.75

 10-12 ft., 21/2-3 in.
 \$3.00 to 5.00

 10-12 ft., 3-4 in.
 5.00 to 7.50

 10100 \$ 9.00 11.50 100.00 14.00 125.00 16.00 150.00 --flore plena (Double Flowering Horse Chestnut). 40 feet. Exactly like the type except that the flowers are double and in the fact that it bears no fruit. Each 8-10 ft., 1½ in. \$2.00 10-11 ft., 1¾ in. 2.50 10-12 ft., 2 in. 3.00 -rubicunda (Red-flowering Horse Chestnut). 40 feet. Form more rounded than the white flowering, bearing large panicles of showy red flowers. Each 6-8ft. 6- 8 ft. 8-10 ft., 1¼ in. 10-12 ft., 2 in. ...\$1.25 1.50 2.50

Amelanchier - Snowy Mespilus (See Shrubs.)



Acer platanoides (See page 3).



Acer var. Wierii laciniatum. (See page 3.)



Ulmus Americana. (See page 13.)



Acer polymorphum (See page 3).



Catalpa Bungei (See page 5).



Betula laciniata (See page 5).

Ailanthus - Tree of Heaven

glandulosa. 30 feet. A very rapid-grov	
open-headed tree, with large, pinnate fo	
of bright green color and tropical ap	
ance. Will thrive under conditions fat	al to
most other trees. Each	10
4-6 ft\$0.50	\$4.00
8-10 ft 1.00	7.50

Amygdalus - Flowering Peach

	10 feet. Double crimson, rose and	
	Extremely handsome and showy,	
bloomi	ng in April. Each	
	\$0.30	
6-8 ft.		

Andromeda

(See Shrubs.)

Aralia

(See Shrubs.)

Benzoin

(See Shrubs.)

Betula - Birch

green belt. 6-8 ft. 100 \$ 7.50 8-10 ft. 1.50 12.50 10-12 ft. 	alba (White Birch). 40 feet. Of rapid and symmetrical growth; particularly effective in Winter on the border of a wood or ever-
Like the preceding, except its habit, which is columnar. Each 6- 8 ft	6-8 ft\$1.00 \$ 7.50
6- 8 ft	Like the preceding, except its habit, which
feet. Of most graceful pendant habit; slen- der, yet vigorous growth, and white bark. Leaves finely cut. Each 10 6-8 ft	6- 8 ft\$1.00 8-10 ft
6-8 ft	feet. Of most graceful pendant habit; slen- der, yet vigorous growth, and white bark.
grotesque and striking irregular form and of distinctly pendulous habit. White bark. 4-6 ft	6- 8 ft. \$1.00 \$ 9.00 8-10 ft. 1.25 10.00 10-12 ft. 2.00 17.50
 4-6 ft\$1.50 6-7 ft	grotesque and striking irregular form and of distinctly pendulous habit. White bark.
has in it a tint of the same color. 6-8 ft. 1.50 lenta (Sweet Birch). 40 feet. Makes a large, shapely tree, with dark smooth bark of an aromatic odor and agreeable sweet flavor. Each 10 6-8 ft. 1.00 \$ 8.00 8-10 ft. 1.50 12.50 lutea (Yellow Birch). 45 feet. Sometimes confounded with Lenta, but quite distinct, its yellow bark alone identifying it. 6-8 ft. 1.00 nigra (Red Birch). 45 feet. Distinguished by its shaggy red bark. Does best in damp soil.	4-6 ft\$1.50 6-7 ft
<pre>lenta (Sweet Birch). 40 feet. Makes a large, shapely tree, with dark smooth bark of an aromatic odor and agreeable sweet flavor. Each 10 6- 8 ft</pre>	has in it a tint of the same color. Each
6- 8 ft	lenta (Sweet Birch). 40 feet. Makes a large.
 lutea (Yellow Birch). 45 feet. Sometimes confounded with Lenta, but quite distinct, its yellow bark alone identifying it. Each 6-8 ft. \$0.75 8-10 ft. \$1.00 nigra (Red Birch). 45 feet. Distinguished by its shaggy red bark. Does best in damp soil. 	Each 10 6- 8 ft. \$1.00 \$ 8.00 8-10 ft. 1.50 12.50
nigra (Red Birch). 45 feet. Distinguished by its shaggy red bark. Does best in damp soil.	lutea (Yellow Birch). 45 feet. Sometimes confounded with Lenta, but quite distinct, its yellow bark alone identifying it. Each 6-8 ft
	nigra (Red Birch). 45 feet. Distinguished by its shaggy red bark. Does best in damp soil.

papyrifera (Canoe. or Paper Birch). 50 feet. A native American tree of large size. Bark brilliant white, the leaves large and hand-
some. Each 10
$\begin{array}{c} 5-7 \text{ ft.} \\ 6-8 \text{ ft.} \\ 8-10 \text{ ft.}, 1\frac{1}{4} \text{ in.} \\ 10-12 \text{ ft.}, 1\frac{3}{4} \text{ in.} \\ 12-14 \text{ ft.}, 2\frac{1}{2} \text{ in.} \\ \end{array} \begin{array}{c} \$0.60 \\ \$7.00 \\ 9.00 \\ 9.00 \\ 10-25 \\ 12-14 \text{ ft.}, 2\frac{1}{2} \text{ in.} \\ \end{array}$
populifolia (American White Birch). 30 feet.
A small rapid-growing, short-lived tree, thriv-
ing in very poor soil. Bark white and con-
spicuous in Winter. Each
6-8 ft\$0.75 8-10 ft

Carpinus - Hornbeam

Americana (Hornbeam). 20 feet	. A	native
species in growth quite similar to		
but the foliage is thinner and	form	more
irregular.	Each	10
2-3 ft	\$0.45	\$3.50
3-4 ft.		
4-5 ft		
Betulus (European Hornbeam). 20		
dense habit and slow growth.		
screens and hedges.	Each	
2-3 ft.		
3-4 ft		

Carya - Hickory

			ll Bar						
ş	gui	shed	by its	loose	, sha	ggy	bark.	The	nuts
;	are	thin	shell	ed and	d of	best	quali	ty.	
]	Eacl	h							.\$1.00

Castanea - Chestnut

Americana (American Chestnut). 50 feet. A
valuable tree for ornament and timber, and
especially desirable for its nuts, which for
sweetness surpass all others. Each
3-4 ft
4-6 ft. 1.00
Japonica (Japan Chestnut). 20 feet. Habit
and foliage like Spanish Chestnut; produces
large fruit when young. Each
2-3 ft
3-4 ft 1.00

Catalpa

Bignoides (Indian Bean). Each
5-7 ft\$0.75
Bungei (Umbrella Tree). 8 feet. Grafted 6
feet high it makes a round-headed tree of
much use in ornamental planting.
Each 10
Medium heads, 1¼ in. stems\$1.25 \$10.00
First class heads, 11/2 in. stems 1.50 12.50
Extra large heads, 1 ³ / ₄ in. stems 1.75 15.00
Extra large heads, 2 in. stems 2.00
Extra large heads, 21/2 in. stems\$2.50 to 5.00
speciosa (Western Catalpa). 40 feet. Of very
rapid growth and tropical appearance. A
most desirable tree for ornament because of

> Celtis (See Shrubs.)

Cerasus - Cherry
avium alba plena (Double-flowering Cherry). 30 feet. Large double white flowers pro- duced in great abundance in early Spring. Each
3-5 ft
Jap. rosea pendula. 15 feet. A weeping form of Japanese origin. Grafted on tall stems the branches droop gracefully to the ground. In early May covered with rosy pink flowers. (Standard or Pyramidal.) 3-4 ft. 4-5 ft. 5-6 ft. 2.00
serotina (Native Black Cherry).25 feet.Cov-ered in May with long spikes of white flow-ers, followed by black cherries.Each104-6 ft.\$0.75\$6.006-8 ft.1.007.50
Sinensis flore plena (Chinese Double-flowering Cherry). Double white flowers. Each 3-4 ft. \$0.75 4-6 ft. 1.00
-James H. Veitch. 20 feet. The best double- flowering pink Japanese Cherry.
Each 10 3-4 ft
Cercis

(See Shrubs.)

Cercidiphyllum - Katsura

Japonicur						
size in :	its own	coun	try. H	Ieart-	shape	d leaves,
dark g	reen al	oove a	ınd si	lvery	belov	v. Leaf
stalks :	and ve	ins ha	ave a	purp	olish t	int. Of
handson	me pyr	amida	l grov	vth.	Prefer	s a damp
soil.					Ea	ch 10
					\$0.	75
8-10 ft.					1.	25 10.00
10 -1 2 ft.					2.	00 17.50

Cladrastis - Yellow Wood

			iful America	
of glob	ular form	bearing	racemes of	white
sweet-so	cented pea	a-shaped	flowers in J	une.
		-	Each	10
			\$0.60	
				7.00
6 - 8 ft			1.25	10.00

Cornus - Dogwood

florida (White Dogwood). 20 feet. A beauti-
ful small-sized native tree, bearing an abun-
dance of white flowers in May, followed by
scarlet fruit and brilliant crimson foliage in
the Autumn. Each 10
3-4 ft\$0.70 \$ 6.00
4-5 ft
5- 6 ft 1.00 8.00
6-8 ft. 1.50 12.50
8-10 ft 2.50 20.00
10-12 ft\$3.00 to 5.00
-pendula (Weeping Dogwood). 12 feet. Foli-

pendula (recepting Dogwood).	
age, flowers and fruit identica	1 with the
species, but of distinctly weeping	g habit.
0.4.0	Each
3-4 ft.	
4-5 ft	1.75

-rubra (Red-flowering Dogwood). 20 feet.
Habit and character same as its parent, but
bearing deep rose-colored flowers of great
beauty. Of recent introduction. A popular
and valuable variety. Each 2 ¹ / ₂ -3 ft
$2\frac{1}{2}$ -3 ft\$1.00
3 -4 ft 1.25
4 -5 ft 1.75
5 -6 ft 2.50
For other Species and Should

For other Species, see Shrubs.

Crataegus - Thorn

Clataegus - Thorn
Carriere. Foliage of a dark, glossy green;
fruit large, dark red, showy and hangs to
the tree long into the Winter. Each 4-5 ft\$0.75
4-5 ft\$0.75
coccinea (Scarlet-fruited Thorn). 20 feet. A
fine native variety; blooms in May, produc-
ing white blossoms, succeeded by scarlet
fruit; large foliage. Each 10 3-4 ft\$0.60 4-6 ft
3-4 ft\$0.60 \$5.00
4-6 ft.
cordata (Washington Thorn). 20 feet. A very
desirable species. Foliage colors beautifully
in Autumn. Abundant red fruit in clusters
remaining on the tree well into the Winter.
Each 10
Each 10 4-6 ft. \$0.75 \$6.50 Crus-galli (Cockspur Thorn). 10 feet. A
Crus-gain (Cockspur Thorn). 10 leet. A
widely distributed native variety with very
long and extremely sharp spines. Fruit abun-
dant and bright red. Makes a good hedge.
Each 10 3-4 ft\$0.60 \$5.00
4-5 ft. .80 7.50 5-6 ft. 1.00 9.06
mollis. Each
mollis. 4-6 ft. Oxyacantha (English Hawthorn). 15 feet. A
Oxyacantha (English Hawthorn). 15 feet. A
small-growing, attractive tree, bearing in
early May an abundance of white sweet-
scented flowers. Was formerly much used
for hedges. Double Pink, White and Scarlet.
Each 10 3-4 ft\$0.50 \$4.00
3-4 ft. \$0.50 \$4.00 4-5 ft. .75 6.00 5-6 ft. 1.00 7.50
5-6 ft 1.00 7.50
6-8 ft 1.25

Cytissus

Laburnum (Golden Chain). 20 feet. Distinguished for its lovely racemes of yellow flowers in May. Of thrifty habit and suitable for the background of shrubbery. Each

	ft.																																													
5-6	ft.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	4	.7	5	
6-77	ft.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	1,	.0	0	

Diospyros - Persimmon

Virginiana (American Persimm		
Flowers small yellowish white.		
in the South for its fruit.	Each	10
4-6 ft	\$0.75	\$6.00
6-8 ft.		

Euonymus

(See Shrubs.)

Fraxinus - Ash

Americana (American Ash). 50 feet. A tree	
of rapid growth and large size. An excellent	t
shade and ornamental tree. Each 10	
8-10 ft., 1¼ in\$1.00 \$7.50)
10-12 ft., $1\frac{1}{2}$ in 1.15	
10-12 ft., 1 ³ / ₄ in 1.25	
12-13 ft., $2-2\frac{1}{2}$ in\$1.50 to 2.50	
Viridis. A native tree of open growth.	
Each	
6-8 ft\$0.78	5
8-10 ft 1.00	

ORNAMENTAL DEPARTMENT—DECIDUOUS TREES

Fagus - Beech

We especially commend the Beeches for lawn and ornamental planting because of their great beauty and enduring character. When trans-planting, be careful to prune severely and judiciously, leaving a good supply of strong, well-developed buds. Beeches branched to the ground are in that shape the best trees for screens.

ferruginea (American Beech). 40 feet. A noble tree of large size and round spreading habit. Attractive at all times, but markedly so in Winter and early Spring on account of its light-colored bark. Each 3-4 ft. 4-6 ft. \$1.00 \$9.50 1.50 12.50 sylvatica (English Beech). 50 feet. Of more dense habit than the American, and without its light-colored bark. Makes a handsome, long-lived tree of sturdy and robust character.Each3-4 ft.\$1.004-6 ft.1.256-7 ft.1.75-heterophylla (Fern-leaved Beech).25 feet.Leaves very much dissected and fern-like.Habit dense and symmetrical.Each2-3 ft.\$0.753-4 ft.1.50\$12.504-5 ft.2.0017.50-pendula (Weeping Beech).40 feet.unique in habit and form of all weeping trees,and where it has sufficient room for developacter. Each and where it has sufficient room for development the best. Makes a large, handsome tree. Each age of copper color, and not so large as the Rivers. Each

 4- 5 ft.
 \$1.25

 5- 6 ft.
 1.75

 8-10 ft.
 2.00

 8-10 ft.
 \$2.50 to 3.50

 -pendula (Purple-leaved Weeping Beech).
 40

 feet. A recent acquisition of merit. Similar in form and appearance to the Weeping Beech except in color of foliage, which is deep purple. 4-6 ft. 6-8 ft. -Riversii (Rivers' Beech). 40 feet. Where a large and enduring tree of purple foliage is wanted, no mistake will be made in planting this. Needs full exposure to sunlight for best development and enduring color. Each 3-4 ft.\$1.00 **Gleditschia - Honey Locust** triacanthos (Three-thorned or Honey Locust). 40 feet. A native tree with delicate foliage. \$5.00

Gymnocladus - Kentucky Coffee

Canadensis. 35 feet. Of spreading, open ha	bit,
with pinnate leaves of a shade not comm	on.
Will thrive near the sea. Picturesque a	ınd
desirable. A tree of great vitality and sui	ted
ior planting in cities. Each	10
4-6 ft	

Halesia

(See Shrubs.)

Juglans - Walnut

Japonica. From Northern Japan, and as hardy as an Oak. The leaves are of immense size and of a charming shade of green. The nuts, produced in abundance, grow in clus-ters. The meat is sweet, of best quality; vigorous tree of handsome form. The trees bear young and are hardier and more pro-ductive than the English Walnut. Each Each nigra (Black Walnut). 50 feet. A very large spreading tree, with pinnate foliage. Well known and valuable both for its nuts and timber, furnishing the well-known walnut lumber of commerce. Each Each
 2-3 ft.
 Each

 3-4 ft.
 .75
 regia (English Walnut). 30 feet. A spreading tree of attractive form when developed. 2-3 ft.\$0.75 Koelreuteria - Varnish Tree paniculata. 25 feet. An ornamental tree from China. Forms a flat spreading head, has large pinnate leaves, and in July produces immense panicles of orange-yellow flowers. Desirable for its bloom and Autumnal color.

- Each

Larix - Larch

European. 50 feet. A pyramidal, coniferous
tree, remarkable for its beautiful light green
foliage in early Spring, expanding with the
first warm days of the advancing season; for
this reason it is best transplanted in Autumn.
Each
3-4 ft\$0.75
5-7 ft 1.00 7-8 ft 1.50
7-8 ft 1.50
leptolepis (Japan Larch). 30 feet. The foliage,
when young, is of light green, changing to
a fine golden yellow in Autumn. Each
3- 4 ft
4- 6 ft
6-8 ft 1.50
8-10 ft 2.00

Liquidambar - Sweet Gum

styraciflua. 40 feet. A handsome tree, with
star-shaped leaves; desirable for its beautiful
Fall coloring. Thrives in low, wet soil, al-
though doing well in all locations. Prune
closely. Each
4- 6 ft\$0.75
6-8 ft 1.00
8-10 ft 1.50

Liriodendron - Tulip Tree

tulipifera. 60 feet. One of our largest native trees, of rapid growth, large, handsome green leaves; flowers in early June, tulip shape, greenish yellow, blotched with orange. Difficult to transplant, except of small size.

	Each
6- 8 ft.	
8-10 ft.	1.00
10 -1 2 ft.	1.25
	\$2.50 to 5.00



Acer saccharum (See page 3).

Populus fastigiata (See page 10).

ORNAMENTAL DEPARTMENT-DECIDUOUS TREES

Magnolia

The Magnolia is one of the most profuse blooming trees. Especially is this true of the Chinese and Japanese sorts. Magnolias are not easily transplanted and should be moved when small with balls of earth attached. Since most of them bloom when only a foot or two high, there will not be any long waiting for flowers. Transplant in Spring only. acuminata (Cucumber Tree). 50 feet. One of

acuminata (Cucumber Tree). 50 feet. One of the largest Magnolias, of rapid growth, form- ing a pyramidal tree of much beauty; flowers yellowish white, in latter May. Each 10 4- 6 ft\$1.00 \$ 7.50
6- 8 ft. 1.25 10.00 8-10 ft. 1.50 12.50
alba superba. 15 feet. Nearly as fine as Con- spicua and much more floriferous. Each 3-4 ft., with ball
Alexandrina. Pink flowers of medium size
4-5 ft., with ball\$2.00
Amabilis. A nice white flowering kind.
3-4 ft
S-4 ft., with ball\$1.50
conspicua (Chinese White). 20 feet. Greatly esteemed for its abundant pure white flow- ers, expanding before the leaves in April. A large specimen is then worth going miles to see. Each 2-3 ft
glauca (Sweet Bay). 15 feet. A small tree common in the swamps of New Jersey;
nearly evergreen. Thrives very well on up- land soil, and is esteemed for its delicate, sweet-scented flowers, appearing in June.
Each 2-3 ft
hypoleuca. 40 feet. From Japan. A stately ornamental tree with large leaves. Good for avenues and streets. Flowers 7 to 8 inches
in diameter. Each 6-8 ft\$2.50
Kobus (Thurber's Magnolia). One of the hardiest kinds. It has an even, symmetrical development, branching from the ground, and splendid, shining green leaves that are attractive all the season. In May, fragrant white flowers appear and last longer than those of most kinds.
4-5 ft\$1.50
5-6 ft 2.00 Lennei (Lenne's Magnolia). 20 feet. A de-
sirable sort because of its distinct color and abundant bloom. Usually it bears some flowers throughout the Summer. A hybrid. Each
3-4 ft. \$1.50 4-5 ft. \$2.50 5-6 ft. \$3.50 6-8 ft. \$3.50 to 5.00
macrophylla. 3-4 ft\$1.50
parviflora. 15 feet. From Japan. White, fra- grant, globular, pendent flowers, with bright
red center. Each 2-3 ft

Soulangeana. 20 feet. The best of all the flowering Magnolias; of vigorous growth and most profuse bloom; flowers large, pink on outside of petals and white within, appearing Speciosa. Flowers white and light purple-remaining on the tree for a long time in good condition. Each 2-3 ft. \$1.50 3-4 ft. 2.00 stellata syn. Halleana. 12 feet. A dwarf and valuable species; flowers white, semi-double; fragrant. Earliest blooming variety. Japan.

 2½-3 ft.
 Each

 3
 -4 ft.
 \$2.00

 4
 -5 ft.
 3.00

 tripetala (Umbrella Tree). 25 feet. A tree of medium size, with large, fresh green leaves, and large white flowers in latter May. The fruit pods of this and the other native Magnolias change to carmine in Autumn. Each 3- 4 ft.\$0.50

 4-6 ft.
 1.00

 6-8 ft.
 2.00

 8-10 ft.
 2.50

 Malus (Pyrus) - Flowering Apple **Coronarius** (Fragrant Flowering Crab). 12 feet. Small growing tree bearing profusion of pink blossoms about middle of May._ Each Fruit small, bright red in Autumn.
 Each
 10

 3-4 ft.
 \$0.75

 4-5 ft.
 1.00

 5-6 ft.
 1.50
 \$12.50
 -Atrosanguinea. A darker flowered variety of M. floribunda-quite conspicuous. Each 10
 Each
 10

 3-4 ft.
 \$0.75

 4-5 ft.
 1.00

 5-6 ft.
 1.50
 Ioensis (Bechtel's Flowering Crab). 15 feet. Tree of medium size, covered in early Spring with large, double, fragrant flowers of a delicate pink color. Blooms when quite young.

 3-4 ft.
 Each

 4-5 ft.
 \$1.00

 5-6 ft.
 1.25

 arkmani
 (Parl-mark)

 \$7.50 Parkmani. (Parkman's Flowering Crab). 15 feet. The best flowering Apple, bearing in May an abundance of rosy-pink flowers, in bunches, on long stems. The leaves are a shining green. A lovely little tree at all times, especially when in bloom. Each 3-4 ft. \$0.75 4-5 ft. 1.50 5-6 ft. 2.00 Spectabilis, fl. pl. Beautiful pink or white flowers, sweet scented-double of good size. 3-4 ft. Each Scheideckeri. 12 feet. A double-flowered form of the above. Most attractive. Each

Morus - Mulberry New American. 20 feet. Leaves large; black fruit in great abundance throughout nearly the entire Summer. 6-7 ft	canesce lar). 5 but a form; v the Pop cially r
Fartarica Pendula. (Tea's Weeping).7 feet.The best dwarf weeping tree; grafted 5 to 6feet, the branches droop gracefully to theground.Picturesque and beautiful.Medium heads1.25Extra heads1.25Extra heads\$1.50 to 2.00Double extra heads2.50 to 5.00	8-10 ft., 10-12 ft., 11-12 ft., 12-14 ft., 12-16 ft., balsamife 50 feet. with ve
Nyssa Sylvatica - Sour Gum A beautiful medium size tree—exquisite fall coloring—but very difficult to transplant. Each, 75c to \$1.00.	tained metrica 8-10 ft., 8-10 ft., 10-12 ft.,
Ostrya Virginica - Iron Wood A native shrub—useful in low grounds. 5-6 ft	10-12 ft., f astigiata known tree an valuabl
(See Shrubs.)	8-10 ft.

Paulownia - Empress Tree

imperialis. 30 feet. A tree with immense leaves and decidedly tropical appearance, bearing very large panicles of blue, trumpetshaped, sweet-scented flowers in June.

		00
	\$1.50 to 2.5	60
F	or Dwarf PAVIA, see Shrubs.	

Phellodendron - Chinese Cork Tree

Amurense. 30 feet. Of spreading habit; pinnate; resembling the Ash; greenish	
flowers in May, and brown, nearly	
berries in Autumn. Each 6- 8 ft\$1.00	
8-10 ft	10.00

Platanus - Plane Tree, Sycamore

- occidentalis (American Sycamore, or Buttonwood). 60 feet. Of rapid growth and large size; leaves heart-shaped, with sharp-pointed lobes. Each, \$1.00 to \$2.50.
- orientalis (Oriental Plane). 60 feet. A lofty, wide-spreading tree of rapid growth, much used in Europe for avenues in cities, and rapidly gaining popularity here for the same purpose. Each 10 100

F E F E E E E E	10	100
8-10 ft., 1¼ in\$1.00	\$ 7.50	\$ 60.00
10-11 ft., $1\frac{1}{2}$ in 1.25	9.00	75.0u
11-12 ft., $1\frac{3}{4}$ in 1.50	13.00	125.00
12-13 ft., $2-2\frac{1}{2}$ in 2.00	18.00	150.00
12-14 ft., $2\frac{1}{2}$ -3 in\$3.00 to 5.00		

Populus - **Poplar**

alba (Silver Poplar). 40 feet. A rapid-growing, conspicuous tree of great beauty on account of its foliage, which is abundant, dark green above and silvery beneath.

Each 8-10 ft.\$1.00

-Bolleana. 3 feet. Of erect pairs silvery foliage. A tree of a	pyramic distinct	lal gr and	owth; strik-
8-10 ft., 1¼ in.	Each \$0.75 \$	6.00	100 \$ 50.00
10-12 ft., 1 ¹ / ₂ in 12-14 ft., 1 ³ / ₄ in 12-14 ft., 2-2 ¹ / ₂ in\$1.50 to	1.25 1	8.00 .0.00	70.00

-canescens (Green-leaved, or Canadian Poplar). 50 feet. Similar to the Silver Poplar. but a more rapid grower and much better form; without doubt the most desirable of all the Poplars for street planting, and we specially recommend it for this purpose.

	10	100
8-10 ft., $1\frac{1}{4}$ in\$0.75	\$ 6.00	\$ 40.00
$10-12$ ft., $1\frac{1}{2}$ in 1.00	7.50	50.00
11-12 ft., $1\frac{3}{4}$ in 1.25	9.00	70.00
12-14 ft., $2-2\frac{1}{2}$ in 1.50	12.50	100.00
12-16 ft., $2\frac{1}{2}$ -3 in \$2.00 to 3.50		

balsamifera (Balsam Poplar, or Balm of Gilead). 50 feet. A tree of rapid, luxuriant growth, with very large, glossy leaves which are retained late in Autumn; upright and symmetrical in habit.

		10
8-10 ft., 1¼ in.	\$0.75	\$ 6.00
$8-10$ ft., $1\frac{1}{2}$ in.	1.00	8.50
10-12 ft., $1\frac{3}{4}$ in	1.50	12.00
10-12 ft., 2 in.	1.75	

fastigiata (Lombardy Poplar). 60 feet. Well known and when well developed a striking tree anywhere, and in certain situations invaluable.

Each	10	100
8-10 ft\$0.75	\$ 5.00	\$ 35.00
$10-12$ ft., $1\frac{1}{4}$ in. 1.00	7.00	50.00
11-13 ft., 1 ¹ / ₂ in 1.25	10.00	65.00
12-14 ft., $1\frac{3}{4}$ in 1.50	12.50	75.00
13-15 ft., $2-2\frac{1}{2}$ in 1.75	15.00	90.00
14-16 ft., 2½ in 2.00	17.50	
14-16 ft., 3-4 in\$3.00 to 5.00		

monolifera (Carolina Poplar). 50 feet. Of strong, rapid growth, handsome green foliage, and while young of good habit and character. Is much planted where quick effects are wanted.

		10	100
8-10 ft., $1\frac{1}{4}$ in.	. \$0.50	\$ 4.00	\$ 30.00
11-12 ft., 1½ in.		6.00	40.00
$12-13$ ft., $1\frac{3}{4}$ in.	. 1.00	7.00	50.00
13-14 ft., $2-2\frac{1}{2}$ in	. 1.25	9.00	60.00
14-15 ft., $2\frac{1}{2}$ in	. 2.00	17.50	
14-16 ft., 3-4 in\$2.50 t	o 3.50		

Van Geertii (Golden Poplar). 30 feet. Foliage decidedly golden-tinted throughout the Summer, and useful for contrasts.

												Eacn	
8-10 ft.	 	 	 			 				 		\$0.75	
8-10 ft.													
10-12 ft.													

Suaveolens. A poplar different from the other kinds—a prominent new variety—with attractive foliage and quite substantial wood. Each, \$1.00 to \$2.00.

Prunus

(See Shrubs.)

Ptelea - Hop Tree

trifoliata. 12 feet. A' small shrubby tree, bearing clusters of white flowers in June, followed by hop-like seeds in Autumn. 5-6 ft. 6-8 ft. 75

--aurea (Golden Hop Tree). 12 feet. Same as the above, but with golden-colored foliage. 5-6 ft. 6-8 ft. 75

Pyrus - Mountain Ash

(See Sorbus; and Malus.)

Quercus - Oak

Possibly no other species of tree equals the Oak in all its characteristics; certainly none compare with it in enduring majesty. No tree is better suited for avenues on extensive places, and for this purpose it is steadily gaining ground in cities as well, though its com-plete adaptability is by no means established. The large-growing sorts, given room for development, have few equals for lawns. Prune severely when transplanting.

alba (White Oak). 60 feet. A noble and en-during tree of great beauty. Requires a large space for proper development.

Each\$2.50 8-10 ft.

- bicolor (Swamp White Oak). 50 feet. A native species, with handsome, large sinuatetoothed leaves, which turn to a bright scarlet in Autumn. Each
- 6-8 ft.\$2.00 Cerris (Turkey Oak). 40 feet. Medium size; thick, dense growth; foliage green until killed by frost. Each 6- 8 ft.\$1.50 12-14 ft.\$3.00 to 5.00
- coccinea (Scarlet Oak). 50 feet. Makes a large shapely tree, especially attractive in Autumn, when the leaves change to a bright scarlet. Each

 8 ft., 1¼ in.
 \$2.00

 8-10 ft., 1½ in.
 \$2.50

 10-12 ft., 1¾ in.
 3.00

 12-14 ft., 2 in.
 3.50

imbricaria (Shingle Oak). A nice tree of no particular value. Each

macrocarpa (Mossy Cup Oak). 40 feet. A very beautiful tree, of massive open growth and large, heavy leaves. Each 6-8 ft.\$1.50

most beautiful of all the Oaks, leaves	
green and finely divided; grown sing	
should be allowed to branch low. Ma	akes a
fine avenue tree. Each	10
8-10 ft., 1¼ in\$1.50	\$12.50
8-10 ft., $1\frac{1}{2}$ in. 2.00	17.50
8-10 ft., $1\frac{3}{4}$ in 2.25	20.00
10-12 ft., 2 in	25.00

12-13 ft., 2¹/₂-3 in.\$3.50 to 5.00 pedunculata (English Oak). 40 feet. Leaves long and much divided, retaining their green color until killed by heavy frosts.

Each

- 6-8 ft.\$1.00 -fastigiata. (Pyramidal Oak). Medium size and erect habit, like the Lombardy Poplar. Each
- Phellos (Willow Oak). 40 feet. Of medium size and pyramidal form, leaves long and entire, like the Willow, very persistent, and retaining their green color until late in Autumn.
- 6-8 ft.\$2.00 Prinus (Chestnut Oak). 30 feet. One of finest species, resembling a Chestnut tree. Each
 - 8-10 ft., 1¼ in.\$1.50 8-10 ft., 1½-2 in.\$2.00 to 3.00

Robur. ped. concordia (Golden Oak). 25 feet. A rare sort, with golden-yellow foliage in Spring and early Summer. Perhaps one of the best golden-colored foliage trees. Each

2-3 ft.\$2.00

rubra. 70 feet. Makes a large and attractive
tree. The young leaves and shoots are red
in Spring, and in Autumn the foliage turns
a purplish crimson. Each
8-10 ft., 1¼ in\$1.50
8-10 ft., $1\frac{1}{2}$ in 2.00
8-10 ft., $1\frac{3}{4}$ in. 2.50
$10-12$ ft., $2-\overline{21/2}$ in\$3.00 to 5.00

Rhamnus

(See Shrubs.)

Rhus

(See Shrubs.)

Robinia - Locust

pseudacacia (Black or Yellow Locust). 50
feet. A native tree of large size and rapid
growth. Leaves pinnate, of a lovely tint of
green. The flowers, which are abundant,
are borne on long pendulous racemes, and
are white or yellowish in color and fragrant.
Flowers in early June. Each
4-6 ft\$0.50
6-8 ft

See also Shrubs.

Salisburia

Adiantifolia (Ginkgo, or Maiden Hair Tree). 40 feet. One of the most beautiful of Japa-nese trees. Medium size; growth quite rapid and very handsome; distinct fan-like foliage. $\begin{array}{c} \text{S-10 ft., 11/4 in.} \\ \text{Each} \\ \text{S-10 ft., 11/2 in.} \\ \text{10-12 ft., 11/2 in.} \\ \text{10-12 ft., 13/4 in.} \\ \text{10-12 ft., 2-21/2 in.} \\ \text{2.00} \\ \text{10-12 ft., 2-21/2 in.} \\ \end{array}$ \$ 9.00 12.50 17.50 22.50

Salix - Willow

Babylonica (Weeping Willow). 40 feet. A
well-known and particularly graceful tree.
Each 10 6-8ft\$0.75 \$ 5.00
8-10 ft 1.00 8.50
10-12 ft 1.50 10.00 12-14 ft\$2.00 to 3.50
Solomoni (Solomon's Weeping). Very similar to Thurlow's Weeping Willow — slightly
more pendulous. Each 10
6-8 ft
10-12 ft
Caprea (Pussy Willow). The well known kind.
3-4 ft.
pentandra (Laurel-leaved Willow). 25 feet.
Foliage bright shining green, adherent until
late Autumn. A valuable seashore tree. Each 10 100
Each 10 100 4-5 ft\$0.35 \$ 3.00 \$ 25.00
5-6 ft
6- 8 ft
rosmarinifolia (Rosemary Willow). 8 feet.
Grafted 5 feet high, makes a handsome dwarf
ornamental tree, with light green foliage and
slender twigs. Each 10

\$2.50


3.50



Platanus Orientalis (See page 10).



Salix Babylonica (See page 11).



Morus pendula (See page 10).



Cerasus Japonica pendula (See page 6).

WILLOWS-Continued

WILLOWS-Continued
elegantissima(Thurlow's Weeping Willow).40 feet.Similar to, but more upright-grow-ing than Babylonica.Is a better grower anda more hardy tree.Each6- 8 ft.\$0.75 \$ 5.008-10 ft.1.00 7.5010-12 ft.1.50 12.5012-14 ft.\$2.00 to 3.50
vitellina aurea (Golden Bark Willow). 25 feet.
Dut for allen salart accossilly attractive
Bark of a golden color; especially attractive
in Winter. Each 10
3-4 ft\$0.30 \$2.50
4-6 ft
6-8 ft
-Britzensis. 25 feet. Conspicuous in Winter,
when its red bark is most attractive.
Each 10
3-4 ft \$0.35 \$3.00 4-6 ft 50 4.50
-pendula. One of the newer kinds, of splen- did weeping habit. It is considered hardier than Salix Babylonica and will be more de-
sirable on that account. Each 4-6 ft
Wisconsin (Weeping). Similar to Babylonian Willow-but hardier. Each, 50c to \$1.50.

Sophora

Japonica (Pagoda Tree). 25 feet. A tree
quite rare and of distinct character, bearing
abundant racemes of yellowish-white flowers
in August when almost no other tree is ir
bloom. Each
3-4 ft\$0.7
4-5 ft 1.00
-pendula (Weeping Sophora). 12 feet. Graft
ed on stems 6 feet high, it makes a tree o
unique and attractive character. Each
6-7 ft\$2.50
Sorbus - Mountain Ash

Aucuparia (European Mountain Ash). 25
feet. Handsome small tree, with pinnate
foliage and bearing clusters of bright red
berries in Fall. Each 10
6-8 ft\$0.75 \$ 6.50
8-10 ft 1.00 9.00
10-12 ft 1.50 12.50
10-12 ft., 2 in 2.00 17.50
-pendula (Weeping Mountain Ash). 15 feet.
Grafted 5 to 6 feet high forms a spreading
tree of much beauty. Each
2 year heads\$1.00
-quercifolia (Oak-leaved Mountain Ash). 20
feet. Habit pyramidal, with deeply lobed
Oak-like leaves, green above and pubescent
underneath. Each
6-8 ft\$1.00
8-10 ft 1.50

Syringa

Pekinensis pendula (Weeping Lilac).

See also Shrubs.

Tilia - Linden, or Lime

Americana (American Linden).	60 fe	et. A
rapid-growing native tree of		
Large heart-shaped leaves, frag		
	10	100
8- 9 ft., 1¼ in\$1.00	\$ 8.5 0	\$ 60.00
9-10 ft., $1\frac{1}{2}$ in 1.25	10.00	75.00
$10-11 \text{ ft.}, 1\frac{3}{4} \text{ in.} \dots 1.50$	12.50	100.00
11-12 ft., 2 in 2.00	15.00	125.00
12-13 ft., 2 ¹ / ₂ in 2.50	22.50	
13-14 ft., 3-4 in\$3.00 to 5.00		

Dasystyla (Crimean Linden). Beautiful glossy dark green foliage with yellow twigs.
Each 8-10 ft., 1½ in\$1.50 10-12 ft., 2 in
Europaea Alba Argentea. (Silver Leaf Lin- den). 50 feet. Of symmetrical habit. Leaves green above and silvery white beneath. A valuable tree.
Each 8-10 ft., 1½ in. \$1.50 10-11 ft., 1¾ in. 2.00 10-12 ft., 2-2½ in. \$2.50 to 3.50 12-14 ft., 3-4 in. 4.00 to 6.00
Spectabilis Tomentosa. A stately Linden, of good growth and fine foliage. Is similar to Silver Linden; leaves are larger and more glossy and more persistent, hanging on to the tree until late Fall.
Each 6- 8 ft
platyphylla (Broad-leaved European Lin- den). 50 feet. A tree about the same size as Tilia vulgaris, but easily distinguished by its larger and rougher leaves. Is usually sold for European Linden.
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
12-13 ft., 2 ¹ / ₂ -3 in

grant.	
Eac	h 10 100
8- 9 ft., 1¼ in\$1.0	0 \$ 7.50
9-10 ft., $1\frac{1}{2}$ in 1.2	5 10.00
10-11 ft., $1\frac{3}{4}$ in 1.5	0 12.50 115.00
11-12 ft., $2-2\frac{1}{2}$ in 2.0	0 17.50 150.00
$12-13$ ft., $2\frac{1}{2}-3$ in. 3.0	0 27.50
13-14 ft., 3-4 in\$4.00 to 7.5	0

Virgilia

(See Cladastrus.)


Ulmus - Elm

Americana	(Americ	can El	m).	60 fee	et. A	large,
lofty-gro						
in wide	sweepin	g cur	ves t	hat a	ire pa	rticu-
larly at	tractive	and	grace	eful.	The	best
avenue t	ree.					

		10	100
8-10 ft., 1¼ in.	\$1.00	\$ 7.00	\$ 50.00
	1.25	10.00	75.00
$10-12 \text{ ft.}, 1\frac{3}{4} \text{ in.}$	1.50	12.50	100.00
	2.00	15.00	125.00
12-14 ft., 2 ¹ / ₂ -3 in.	\$2.00 to 5.00		

Montana, Syn. Scabra (Scotch Elm). 60 feet. A spreading tree of rapid growth and attractive foliage.

Each
8-10 ft., 1¼ in\$1.25
9-11 ft., $1\frac{1}{2}$ in 1.50
10-12 ft., $1\frac{3}{4}$ in 1.75
10-12 ft., 2-3 in\$2.00 to 5.00
-pendula (Camperdown Weeping Elm). 10
feet. Grafted 6 to 7 feet high this forms
one of the most distinct and picturesque
drooping trees. Growth luxuriant.
Each
1 year heads\$1.00
2 year heads 1.50
Wheatleyi (Pyramidal Elm).
Each
6-8 ft\$1.25




Cornus florida-White Dogwood. (See page 6.)



Cerasus avium alba plena—Double Flowering Cherry. (See page 6.)



Crataegus Coccinea—Scarlet Fruited Thorn. (See page 6.)



Magnolia Soulangeana. (See page 9.)



Pyrus Ioensis var. Bechtels. (See page 9.)

List of Trees for Avenue or Street Planting

Suitable also for the lawn where there is sufficient space. Described in their respective places in the catalogue.

Deciduous Trees

Acer dasycarpum. (Silver Maple.) -Wieri. (Wier's Silver Maple.) - platanoides. (Norwav Maple.) - pseudo-platanus. (Sycamore Maple.) -rubrum. (Red Maple.) - saccharum. (Sugar Maple.) Æsculus hippocastanum. (English Horse Chestnut. Ailanthus glandulosa. (Tree of Heaven.) Catalpa speciosa. (Western Catalpa.) Fraxinus Americana. (American White Ash.) Gymnocladus. (Kentucky Coffee Tree.) Liouidambar styraciflua. (Sweet Gum.) Liriodendron tulipifera. (Tulip Tree.) -- scabra. (Scotch Elm.)

Magnolia acuminata. (Cucumber Tree.) Platanus orientalis. (Oriental Plane.) Populus fastigiata. (Lombardy Poplar.) - monilifera. (Carolina Poplar.) Quercus coccinea. (Scarlet Oak.) — palustris. (Pin Oak.) -rubra. (Red Oak.) Salisburia adiantifolia. (Madenhair.) Tilia Americana. (Amercan Linden.) -vulgaris. (European Linden.) -platyphylla. (Lime Tree.) - tomentosa. (Silver-leaved Linden.) Ulmus Americana. (American Elm.)

Weeping Trees

Acer dasycarpum Wier's. (Wier's Maple.) Betula alba laciniata. (Cut-leaved Birch.) -- Youngii. (Young's Weeping Birch.) Cerasus rosea pendula. (Weeping Cherry.) Cornus florida pendula. (Weeping Dogwood.) Corylus Avellana pendula. (Weeping Hazel.) Fagus sylvatica pendula. (Weeping Beech.) - purpurea pendula. (Purple Weeping Beech.)

Morus pendula. (Teas' Weeping Mulberry.) Salix Babylonica. (Weeping Willow.) — caprea pendula. (Kilmarnock Willow.)

- Sorbus Aucuparia pendula. (Weeping Mountain Ash.)
- Syringa Pekinensis pendula. (Weeping Lilac.) See Shrubs.
- Taxodium distichum pendula (Decid. Cypress). Ulmus scabra pendula. (Camperdown Elm.)

Flowering and Ornamental Fruited Trees

Æsculus. (Horse Chestnut.) Amelanchier. (Snowy Mespilus.) Amygdalus. (Peach.) In variety. Aralia. (Herculus Club.) Benzoin. (Spicewood.) Castanea. In variety. Catalpa. (Indian Bean, or Catalpa.) Cerasus. (Cherry.) In variety. Cercis. (Judas.) Cladrastis tinctoria. Yellow Wood.

Cornus. (Dogwood.) Cratægus. (Hawthorn.) In variety. Kælreuteria. (Varnish Tree.) Laburnum. (Golden Chain.) Magnolia. In variety. Oxydendron arborea. (Sorrel Tree.) Paulownia. (Empress Tree.) Pyrus. (Flowering Apple.) Robinia. (Locust.) Sorbus Aucuparia. (Mountain Ash.)

Trees with Colored Foliage

Acer Japonicum aureum. Yellow. - platanoides Reitenbachi. Purple.

- polymorphum atropurpureum. Purple. - dissectum atropurpureum. Purple. Betula alba purpurea. Purple.

Fagus sylvatica purpurea. Purple. - Riversii. Deep Purple. Populus monilifera van Geertii. Yellow. Quercus pedunculata atropurpurea. Purple. - concordia. Golden.

Trees with Bright Colored Bark in Winter

Acer Pennsylvanicum.

Salix vitellina aurea.

Betula alba. In variety. Tilia. In variety. Salix Britzensis.

⁻ Schwedleri. Purple.

DECIDUOUS SHRUBS

The use of shrubbery about the home adds materially to the beauty and attractiveness of the place, and affords opportunity for a display of artistic development with the varying color of foliage and flowers, and different habits of growth. Shrubs provide material of a permanent character for the adornment of property at less cost and more effectively than anything else.

Pruning

The practice of indiscriminate pruning of shrubs in Winter should be discouraged since, by doing so, you will in most sorts cut away the flower-bearing wood. and when the season of bloom is come suffer disappointment in consequence.

The early April, May and June shrubs are of this character, and what pruning they receive should be done after the period of bloom.

The late Summer and Fall-blooming species bear flowers on wood of the same season's growth, and the more of this you have the greater the amount of bloom. Severe Winter pruning tends, for a time at least, to encourage strong new growth, though unquestionably it tends, too, to lower vitality, and should not, therefore, be practiced continually.

Indeed, the object of pruning should be chiefly to accentuate the beauties of natural forms, which are always best, and should as much as possible be sought for. To this end thin judiciously and cut back sparingly, remembering to do this at the seasons and for the reasons stated. It is better in small places to use small and dwarf shrubs and allow free development, rather than the large-growing sorts that, to be kept within bounds, must suffer mutilation and disfigurement.

Figures after specific names indicate approximately the height of the shrubs when approaching maturity.

Abelia

rupestris. 4 feet. Native of China. Is of dwarf habit and flowers profusely all Summer. The flowers are in compact clusters, very fragrant; requires protection in the North. Each

2 year\$0.50

Acer Japonicum - Japanese Maple

The Japan Maples are trees of dwarf habit, with very graceful and often deeply colored foliage. They may be treated as shrubs in masses, and for this reason we group them separately. There are a great many variations in these trees, but we select only the most pronounced, hardiest and best.

-aureum (Golden-leaved Maple). 10 feet. A rare and distinct variety. Foliage of pro- nounced golden color.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
polymorphum (Green Leaved). 15 feet. The parent type of most Japan Maples and a shrubby tree of very great merit. Of slow growth, dense habit, and deeply lobed foliage. The very best if natural green is wanted. Each
3-4 ft
—atropurpureum. (Purple Leaved). 10 feet. The most popular variety. Foliage of in- tense purple, and in early Spring especially

The most popular variety. Foliage of intense purple, and in early Spring especially beautiful. Is effective grown singly or in groups.

~ -	100001	10	100
11/3-2 ft.	\$0.75	\$ 6.50	
2- 21/2 ft.	1.25	10.00	
21/3-3 ft.	1.50	12.50	\$100.00
.3 -4 ft.	1.75	15.00	125.00
	\$2.50 to 5.00		

-dissectum. (Green Cutleaf). 5 feet. The foliage of this and the next variety is in- deed most handsome, the habit dwarf and pendulous. A lovely little tree. Each
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
-atro-purpurea dissectum (Purple Cutleaf). 6 feet. A variety with deeply cut almost fern- like foliage of dwarf and pendulous habit. Foliage green and purple, and tree hardy. Each
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Tataricum Ginnala (Tartarian Maple). 12 feet. A shrubby tree with divided leaves. Good for grouping, or singly on small lawns or in angles.

	Each	10
2 - 3 ft.	\$0.40	\$3.50
3-4 ft.		4.00
4 - 5 ft.		5.00

Amelanchier - Mespilus

Botryapium (Dwarf Juneberry). 8 feet. Bush, or small tree; leaves and flower-stalk whitish woolly when young; showy white flowers in
April; fruit juicy; of good flavor. Each 10
3-4 ft
canadensis. Very much similar to the variety named above.

Each \$0.35

Amorpha Canescens - Lead Plant

	blue	flowers-foliage	light	grey—
hairy.			Each	h 10

12 -18 in.	 \$0.25	\$2.00

Amorpha

fruticosa (False Indigo). 4 feet. A larg	e and
handsome bush with whitish foliage,	and
abundant spikes of chocolate-colored flo	wers.
Each	10
2-3 ft\$0.25	\$2.00
3-4 ft	3.00

Amygdalus - Flowering Almond

Pink and white varieties. 3 feet. The long shoots of these shrubs are full of double white and Rose-like blossoms in early Spring.

		10
2-3 ft.	\$0.35	\$2.50
3-4 ft.		3.50

Andromeda Arborea

(See Oxydendron.)

For Evergreen Sorts, see Evergreen Shrubs.

Aralia - Hercules Club

pentaphylla. 10 feet. A prickly shrub or small
tree, with lustrous bright green foliage.
Each 10 100
2-3 ft\$0.25 \$ 2.00 \$ 15.00
3-4 ft
spinosa (Hercules' Club.) 15 feet. Tree of
small size, with very prickly stem and trop-
ical appearance. Leaves pinnate. Immense
panicles of white flowers in August.
panicles of white flowers in August.
panicles of white flowers in August. Each 10 3- 4 ft. \$0.35 \$ 3.00 4- 6 ft. .50 4.00 30.00
panicles of white flowers in August. Each 10 3-4 ft. \$0.35 \$ 3.00 4-6 ft. 50 6-8 ft. 60
panicles of white flowers in August. Each 10 3- 4 ft. \$0.35 \$ 3.00 \$ 25.00 4- 6 ft. .50 4.00 30.00

Aronia Arbutifolia (Black Chokeberry)

Nigra. A beautiful, bushy shrub, bearing clus-
ters of white flowers in May, followed by
glossy black berries. Each 10
2-3 ft. \$0.30 \$2.50
3- 4 ft
rubra (Red Chokeberry). Similar to Nigra,
flowers followed by brilliant red berries.
Both are suitable for planting in low grounds.
Each 10
2-3 ft\$0.35 \$3.00 3-4 ft

Azalea

arborescens (Wood Honeysuckle). 3 feet. Grows to a large-sized bush. Its pinkish white flowers appear about July 10th. It can be grown successfully in the woods or
in open situations. Each 10
12 -18 in. \$0.75 \$6.50 $1\frac{1}{2}$ - 2 ft. 1.00 7.50
calendulacea (Flame-colored Azalea). 4 feet.
Native of the southern Alleghanies. Blooms in latter part of May. Very showy.
Each 10
12-15 in\$0.65 \$5.00
15-18 in
1.50
kaempferi. From Japan. Brick red, medium-
sized flowers. Very conspicuous.
12-15 in \$ 7 50
10 04
18-24 in. 1.50 10.00

mollis (Japanese Azalea). 3 feet. A most desirable and attractive dwarf shrub, bearing an abundance of large, bright red and yellow blossoms, and varying shades of color in May. In masses they are most gorgeous; entirely hardy. Colors mixed. Red, yellow and white.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
-J. C. Van Tol. Flowers bright red or clear yellow.
yellow. Each 10 $1\frac{1}{2}$ -2 ft. \$1.25 \$10.00
-Sinensis.
-Anthony Koster. A very distinct yellow
flowering variety. Each 18 in\$1.25
nudiflora (Pinxter Flower). 4 feet. A com-
mon native shrub of great beauty, bearing a profusion of pink blossoms about the middle
of May. Each 10 12-18 in
pontica (Ghent Azalea). 4 feet. Better known than Mollis, affording a greater range of color, running from cream color through yellow and orange to scarlet. Each 10 15 -18 in
Vaseyi (Carolina Azalea). 8 feet. A new
plant from the southern Alleghanies. Is en- tirely hardy, and bears in June a profusion
of delicate pink flowers. Each 12-18 in
viscosa (Small White Azalea). 6 feet. An-
other neglected native shrub of great beauty; bears in latter June pure white, exceedingly
fragrant flowers. Each 10
12-18 in. \$0.75 \$6.50 18-24 in. 1.00
See also Evergreen Shruhs

See also Evergreen Shrubs.

Baccharis - Groundsel Bush

halimifolia.							
seashore,					near	the	sea.
Blooms, ir	ı la	ate Su	mn	ier.	Ea	ch	10

2 - 3 ft.	 \$3.00
3 - 4 ft.	 4.50

Berberis - Barberry

Hakodate.	А	vigorous	grower	with	dark	green
foliage.					Each	10

	0.25	\$2.00
Sieboldi.	Similar to Hakodate.	

-			Each	10
	12 - 18 in.		\$0.25	\$2.00
	2- 2½ ft.	•••••		3.50

Thunbergii (Japanese Barberry). 4 feet. Of very dense, dwarf, spreading habit. Foliage neat and abundant, coloring gorgeously in Autumn. One of the very best shrubs extant; makes an excellent ornamental hedge. Scarlet fruit adherent nearly all Winter.

			10	
12 -18	in	 .\$0.15	\$1.25	\$10.00
11/2-2	ft., heavy .	 25	2.00	12.00
2 - 21/2	ft	 35	3.00	18.00
$2\frac{1}{2} - 3 f_1$		 50	4.00	



Double Flowered Almond. (See page 17.)



Philadelphus Grandiflora. (See page 25.)



Spirea Anthony Waterer. (See page 32.)



Althea—Hibiscus Syriacus alba plena (See page 23.)



Spirea Van Houttei. (See page 32.)



Double Lilac—Syringa. (See page 33.)

BARBERRY-Continued

vulgaris (Common Barberry). 6 feet. Of erect growth and with prickly stems, bearing pretty yellow flowers in May. Fruit purplish red, abundant and adherent. Makes a good
hedge. Each 10 100
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
-purpurea. 6 feet. A desirable purple-leaved shrub of upright habit and prickly stem, bear- ing an abundance of yellow flowers in May

Buddleia

variabilis	(Sweet-	-scented	Buddlei	a). 4	feet.
A very					fra-
grant lil	ac and	orange-	yellow fl	owers.	
U				\mathbf{E} ach	10
2 year				\$0.35	\$2.50

Callicarpa

purpurea.							
small, l							
in Autu						in	great
profusio	on ai	nd of s	stril	king be			
-				-	Ē	lach	10

1½-2 ft.	\$0.25	2.00
2 -3 ft.		3.00

Calycanthus - Sweet Shrub

	Strawberry			
	and prized			
flowers	in May; the	whole p	olant is	aromatic.
				0 100
1½-2 ft.		\$.50
2^{-3} ft.			.25 2	.00 15.00
3 -4 ft.			.35 3	.00 20.00

Caragana - Siberian Pea Tree

arborescens. 4 feet. June. Showy,	
low flowers. Dark green wood	and neat
foliage.	Each 10
2-3 ft	\$0.25 \$2.00
3-4 ft	
4-5 ft	.50

Caryopteris - Blue Spiraea

mastacanthus. 2 feet. A late-blooming shrub, introduced as the Blue Spiraea incorrectly, as it does not belong to the Spiraea family. It is, however, most desirable, bearing in the axil of each leaf a bunch of bright blue flowers. Flowers through September and October. Requires protected situation: Each, 35c; 10, \$2.50; 100, \$15.00.

Ceanothus - Jersey Tea

Americanus. 3 feet. A dwarf shrub, bearing a profusion of white flowers in panicles in June. Suited for woodland borders. Each, 35 cents.

Celtis - Nettle Tree

occidentalis. 80 feet. A large, native tree, much resembling the Elm.

	Each	10
2-3 ft.		\$2.50
3-4 ft.		3.50
4-5 ft.		4.00
5-6 ft.		6.50

Cephalanthus - Button Bush

occidentalis. 5 feet. A good-sized native shrub, bearing globular heads of white flowers in July. Delights in a wet soil, but will thrive in upland.

	Each	10	100
2-3 ft.	\$0.25	\$2.00	\$15.00
1 0 10.			

Cercis - Judas Tree

Canadensis (American Judas). 20 feet. A small round-headed tree, bearing an abundance of rosy-pink flowers in early May before the leaves appear. Foliage heart-shaped and shining green.

		Lach	10
2 -21/2	2 ft.	\$0.30	\$2.50
21/2-3	ft.		3.50
3 -4	ft.		4.00
4 -5	ft.		
5-6	ft.		

Chionanthus - White Fringe

Virginica. 8 feet. Another very desirable large-growing shrub, bearing racemes of fringe-like white flowers in latter May. Its purple fruit is highly ornamental, as is also its deep lustrous green foliage.

	11401	
2-3 ft.	\$0.4	\$3.50
3-4 ft.	.50	4.00
4 -5 ft.		5

Clethra - Sweet Pepper Bush

alnifolia. 4 feet. A native shrub, bearing profusely spikes of yellowish-white, scented flowers in August.

			10	
$1\frac{1}{2}-2$	ft.	 \$0.25	\$1.50	\$12.00
2 -21/2	ft.	 .35	2.50	15.00
21/2-3	ft.	 .50	4.00	

Colutea - Bladder Senna

Comptonia - Sweet Fern

asplenifolia. 2 feet. A native shrub, with aromatic, Fern-like foliage. Grows and thrives in poor, dry soils and open woodlands. Each, 35 cents.

Corchorus (See Kerria)

Cornus - Dogwood

Cornus - Dogwood
alba Siberica, (Red-twigged Dogwood). 5 feet.
Flowers white, in June. It is valued chiefly
for its blood-red bark in Winter, and is
highly ornamental and effective. To secure
the vivid color the plant must be severely
pruned annually in early Spring. Each 10 100
2-3 ft\$0.25 \$2.00 \$15.00
3-4 ft
$4-5 \text{ ft.} \dots \dots$
-elegantissima (White Variegated Dogwood).
3 feet. Of dwarf habit; conspicuous with its variegated foliage and blood-red bark.
Each 10 100
$1\frac{1}{2} - 2$ ft
$2^{-}-2\frac{1}{2}$ ft
-Spaethi (Golden-leaved Dogwood). Similar
to C. sanguinea variegata, except in this we
have yellow instead of white variegation.
Constant during the Summer.
$1\frac{1}{2}$ -2 ft 10 100 Each 10 100 $1\frac{1}{2}$ -2 ft 10
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
alternifolia (Blue Dogwood). 6 feet. Forms
a large shrub or small tree. The peculiar
arrangement of the branches gives the shrub
a flattened aspect. The bark is greenish,
striped with white; fruit deep blue.
Each 10 2-3 ft\$0.35 \$2.50
3-4 ft
Kousa. 15 feet. A small tree, native of China
and Japan. Foliage more abundant and
leaves narrower than our common Dog-
wood. Flowers creamy white, appearing
after the leaves in June and contrasting finely
with the green foliage. Each
2-3 ft\$0.75
2-3 ft
2-3 ft
2-3 ft. \$0.75 3-4 ft. 1.00 mascula (Cornelian Cherry). 12 feet. Native of Europe, distinguished in very early Spring
2-3 ft\$0.75 3-4 ft
2-3 ft\$0.75 3-4 ft
2-3 ft
2-3 ft\$0.75 3-4 ft
2-3 ft\$0.75 3-4 ft
2-3 ft\$0.75 3-4 ft
2-3 ft\$0.75 3-4 ft
2-3 ft\$0.75 3-4 ft\$0.75 3-4 ft
2-3 ft\$0.75 3-4 ft\$0.75 3-4 ft\$0.76 mascula (Cornelian Cherry). 12 feet. Native of Europe, distinguished in very early Spring by its dense clusters of small yellow flowers, and in late Summer by large bright red fruit. 2-3 ft
2-3 ft
2-3 ft
 2-3 ft
2-3 ft
2-3 ft
2-3 ft
 2-3 ft
2-3 ft
2-3 ft
2-3 ft
 2-3 ft
 2-3 ft
2-3 ft
2-3 ft
2-3 ft
2-3 ft. \$0.75 3-4 ft. 1.00 mascula (Cornelian Cherry). 12 feet. Native of Europe, distinguished in very early Spring by its dense clusters of small yellow flowers, and in late Summer by large bright red fruit. Each 10 2-3 ft. \$0.35 3-4 ft. \$0.35 3-4 ft. \$0.35 4-5 ft. 60 paniculata (Gray Dogwood). One of the best native shrubs; free flowering; very handsome when in bloom with its white fruit on red peduncles in the Fall. 2-3 ft.
2-3 ft. \$0.75 3-4 ft. 1.00 mascula (Cornelian Cherry). 12 feet. Native of Europe, distinguished in very early Spring by its dense clusters of small yellow flowers, and in late Summer by large bright red fruit. 2-3 ft. Each 10 2-3 ft. \$0.35 \$2.50 3-4 ft.
2-3 ft. \$0.75 3-4 ft. 1.00 mascula (Cornelian Cherry). 12 feet. Native of Europe, distinguished in very early Spring by its dense clusters of small yellow flowers, and in late Summer by large bright red fruit. Each 10 2-3 ft. \$0.35 3-4 ft. \$0.35 3-4 ft. \$0.35 4-5 ft. 60 paniculata (Gray Dogwood). One of the best native shrubs; free flowering; very handsome when in bloom with its white fruit on red peduncles in the Fall. 2-3 ft.

For other Cornus, see Deciduous Trees.

Corylus - Hazel Nut

Avellana (European Hazel Nut). 6 feet	
Each 2-3 ft\$0.35	$\begin{array}{c} 10 \\ \mathbf{\$3.00} \end{array}$
(See also Fruit Department.)	
-purpurea (Purple Hazel Nut). 6 feet. Le	
when first expanded, a deep purple, fad	ingas
the season advances to a lighter tint.	Valu-
able for making color effects. Each	10
$1\frac{1}{2}-2$ ft\$0.30	\$2.50
	3.50
3 -4 ft	

Crataegus (See Trees)

Cydonia - Japan Quince

· · · ·			
Japonica. 4 feet. An old favorite. The plant			
in early Spring is enveloped in bloom of a			
rich red color. Each 10 100			
2-3 ft\$0.25 \$2.00 \$15.00			
3-4 ft			
-alba (White Japan Quince). 4 feet. A very			
beautiful variety of the Scarlet, with delicate			
white and blush flowers. Each			
$1\frac{1}{2}-2$ ft			
$2^{-21/2}$ ft			
Mauli (Dwarf Flg. Quince). 4 feet. Beautiful			
orange-colored flowers; a distinct shade.			
Each			
2-3 ft\$0.50			
Danhna			
Daphne			
Mezereum. 2 feet. A beautiful and sweet-			

Mezereum. 2 feet. A beautiful and swe	
scented flowering shrub. The pink flower	
appear on the naked stems in the first wa	rm
days of Spring. Each	10
12 -18 in\$0.50	
$1/2^{-2}$ 2 10	5.50
-alba. 4 feet. White flowers. Each	10
12 -18 in\$0.50	0
$1\frac{1}{2}$ - 2 ft	.50

Desmodium

penduliflorum. 5 feet	. A low shrub	with r	ose-
colored flowers in	September. I	Dies to	the
ground in Winter.		Each	

Deutzia

An elegant species of strong, erect-growing shrubs, except the dwarf sort, D. gracilis. They bear numerous elongated clusters of white and pinkish-white flowers in May.

	Each	
2-3 ft.	\$0.25	\$2.00
3-4 ft.		3.00
	.50	
1 0 10	(Except where noted.)	

candidissima (Double White Deutzia). 6 feet. Flowers very double and snow white.

crenata fl. pl. (Double Pink Deutzia). 6 feet. Flowers double, distinctly marked on the outside of the petals with pink or red stripes.

gracilis (Slender Deutzia). Of dwarf and bushy habit, bearing racemes of pure white drooping flowers.

	Each	10	100
12-15 in	\$0.20	\$1.50	\$10.00
15-18 in		2.00	15.00
18-24 in.		3.00	20.00
Lemoinei (Lemoine's Deut	tzia). 4	feet.	White
flower. A hybrid betwee	en Grac	ilis at	nd the
tall-growing varieties.		Each	10
$1\frac{1}{2}-2$ ft		\$0.25	\$2.00
$2^{2}-2\frac{1}{2}$ ft			

DEUTZIA-Continued

parviflora.						
China.						
in June	cream	y w	hite	flower	s, in	large
corymbs					Each	
2 -2½ ft.	 				\$ 0. 30	\$2.50
21/3-3 ft.	 				.40	3.50

Pride of Rochester (Large Flowered Deutzia). 6 feet. Is very double, floriferous, and the petals faintly tinged with rose.

Vilmorin (New). Discovered in the moun-tains of China. Panicles of 20 to 30 large flat flowers, snow-white, 1 inch in diameter.
 1½-2 ft.
 Each

 2
 -3 ft.
 \$0.40
 \$3.50

Diervilla (See Weigela)

Trifida. Native plant adapted to shady posi-tions. Small yellow flower. Good foliage. Each 10 \$2.50

Eleagnus

Angustifolia (Russian Olive). 8 feet. A large shrub, sometimes forming a small tree, with long, narrow, silvery-green foliage; flowers vellow, followed by vellow fruit.

	i jenen ed bj jenen	TT CIT		
-		Each	10	100
2 - 3 ft.		\$0.25	\$2.00	\$15.00
3-4 ft.		.35	3. 0 0	2 5.0 0
4-5 ft.		.50	4.00	

Longipes (Goumi). 5 feet. Of dwarf spreading habit. Leaves dark green above, silvery beneath; flowers yellow; fruit bright red, covered with small white dots. Fruit abun-dant and edible. Highly ornamental and recommended. Each 10 \$2.50 3-4 ft. 3.50

Enkianthus Japonica

	growing	small	shrub	with	neat	white
flowers.						Each
2-3 ft						\$1.50

Euonymus - Strawberry Tree

- alatus. 10 feet. Corky bark. Of dwarf, com-pact habit. Leaves small, followed by red fruit in Autumn. This shrub is beautiful when the foliage turns to a bright red. 10 \$ 4.00 6.50 7.50 12.50Americana (Burning Bush). 12 feet. A tall-growing shrub with deep purple flowers in June. Fruit scarlet in Autumn. Broad foliage. Each 10 \$3.00 Bungeanus. A strong grower. Beautiful yel-low fruit. Bright fall coloring. Good for massing. \$3.00 Europaea (English Strawberry Bush). 12 feet.
- A shrubby tree, and valued for its orna-mental fruit, which is adherent nearly all Winter. Each 10 \$2.50 3.50

obovatus (Running Strawberry Bush). A low procumbent shrub, the stems rooting wherever they come in contact with the ground. Leaves bright green, from 1 to 2 in. long. Flowers purplish. Each 18-24 in.\$0.30

Exochorda

grandiflora (Pearl Bush). 6 feet. A beautiful shrub, bearing racemes of large white flow-ers, covering the bush about the middle of May. Each 10

	······································	Ψ2.00
3-4 ft.		3.00
4 -5 ft.		

Forsythia - Golden Bell

			100
2-3 ft.	\$0.25	\$2.00	\$15.00
3 - 4 ft.			
4-5 ft			

- Fortunei. 5 feet. Bears golden-yellow flowers in great abundance before the leaves expand in early Spring. Habit pendent and graceful.
- intermedia. 5 feet. Slender, erect, sometimes arching branches. Foliage resembles Suspensa; very floriferous.
- suspensa (Weeping Forsythia). 5 feet. Growth more delicate and slender than the preceding, and habit more pendent. Graceful and beautiful.
- viridissima (Dark Green Forsythia). 5 feet. Robust grower; habit straggling; flowers and bark of more intense color.

Fothergilla

Each 2-2½ ft.\$0.50

Genista

scoparia (Scotch Broom). This plant bears golden-yellow blossoms in June and attracts attention when grown in masses. Requires protected situation.

Each 10 2-3 ft.\$0.35 \$3.00

tinctoria (Dyer's Greenwood). A native plant. Full of small yellow flowers. Good for dry places and rock work.

Each

Halesia - Silver Bell

tetraptera. 15 feet. A most interesting and desirable shrubby tree, bearing pendent bellshaped white flowers in May.

	Each	10
2-3 ft.	\$0.35	\$2.50
3-4 ft.	.50	3.50
4-6 ft.		

Hamamelis - Witch Hazel

Virginiana. 8 feet. A curious and interesting shrub of large growth, bearing ribbons of bright yellow blossoms in late Autumn. Has large rounded leaves of a delicate goldengreen tint, changing to a full yellow in Autumn. Each 10

2-3 ft.	\$0.35	\$3.00
3-4 ft.		4.00



Deutzia Crenata—Pride of Rochester. (See page 20.)



Deutzia Gracilis. (See page 20.)



Forsythia Fortunei. (See page 21.)



Exochorda Grandiflora. (See page 21.)



Calycanthus floridus. (See page 19.)



Hydrangea paniculata grandiflora. (See page 23.)

Hibiscus - Rose of Sharon - Althea | -Standard (Tree Form).

monscus - Rose of onut on meneu
Syriacus. 8 feet. Well known and valuable shrubs for their abundant and continuous
bloom through August and September. As they bloom on new wood only, must be
trimmed in Winter. Flowers pink, purple, red in white, and in varying shades, single
and double.Each101002-3 ft\$0.25\$2.00\$15.00
3-4 ft. .35 3.00 20.00 4-5 ft. .50 4.00 25.00
variegata. Double purple, variegated, foliage constant, and where such foliage is wanted
the best plant for the purpose extant. Each 10
2-3 ft. \$0.25 3-4 ft
4-5 ft
Standard (Tree Form). Each 10 4-5 ft. \$0.50 \$4.00
5-6 ft

Hippophae - Sea Buckthorn

Hvdrangea

arborescens (Wild Hydrangea). 5 feet. Of erect habit, bearing in June white flowers
in terminal cymes. Each 10 2-3 ft\$0.35 \$3.00
-grandiflora alba (Hills of Snow). 4 feet. This new introduction bears larger clusters of sterile flowers and of clearer white than the type. The flowers are very lasting, and are borne abundantly in Midsummer. It is being extensively introduced and winning wide perpendicut
wide popularity. Each 10 2-3 ft. \$0.25 \$2.00 3-4 ft. .35 3.00
nivea, or radiata. 4 feet. Large, heart-shaped foliage, bright and silvery beneath. These contrasting colors produce a pleasing effect. Flowers are white, in flat corymbs.
Each 10 2-3 ft\$0.35 \$3.00 3-4 ft
Otaksa. 2 feet. Foliage deep green; flowers rose-colored in immense trusses in July. Re-
quires protection in Winter. Each Pot grown\$0.50
-hortensia (Japanese Hydrangea). 2 feet. Large, dark green leaves; massive globular heads of rose-colored and blue flowers. Not
entirely hardy. Each Pot grown\$0.50
paniculata (Panicled Hydrangea). 5 feet. A
vigorous Japanese shrub, bearing long, loose panicles of white flowers. Each 2-3 ft
3-4 ft
popular Hydrangea, bearing immense pyram-
idal panicles of flowers from August to frost. Flowers very lasting, at first white, chang-
ing to rose color with age. Prune severely
in Winter. Each 10 100 2-3 ft

						-																		E	Ľε	a c	h	-		1	0	
1st class										•			•										 	\$	0	.8	50		00	\$4.	0()
Extra	•	 •	•	•	• •		•	•	•	•	•	•	•	•	•	•	•	•				•	 			.7	75			6	5()
					4					a										~												

Each 10 2-3 ft.\$0.35 \$3.00 quercifolia (Oak-leaved Hydrangea). 3 feet. A hardy native shrub, remarkable for its large leaves, which are lobed like those of the Oak, and downy beneath; flowers cream colored in panicles. August. Each

....\$0.50

Hypericum - St. John's Wort

aureum. 3 feet. An upright, hardy shrub, bearing a great profusion of golden-yellow flowers in latter Summer, which continue a long time. Each \$2.00

- 3.00 densiflorum (Shrubby St. John's Wort). 3 feet. A species with large clusters of yellow flowers appearing July and continuing for a long time. Each

 Each
 $1\frac{1}{2}$ -2 ft.
 \$0.25

 2
 -3 ft.
 .35

 10 \$2.00
- 3.00 kalmianum. A native shrub with yellow flowers. Each, 35 cents.
- Moserianum (Golden Flower). 11/2 feet. A shrub of dwarf habit, valuable for its per-sistent and beautiful bloom; flowers very large, rich yellow, from July to late Fall. 2 year\$0.25 100

\$2.00 \$12.00

Ilex

- Sieboldi. A fine shrub, bearing an abundance of red berries. Each
- 2-3 ft.\$0.50 verticillata (Black Alder). 5 feet. A fine native shrub of upright habit and darkcolored bark, particularly attractive in late Autumn and early Winter on account of its abundant bright red berries. Each 10

 1½-2 ft.
 \$0.25

 2
 -3 ft.
 .35

 3
 -4 ft.
 .50

 \$2.00 3.00

Itea

Jasminum

nudiflorum. 3 feet. A small, slender shrub, bearing yellow flowers in March or April, or even earlier, if the weather is very mild. Of twining habit and will cover a trellis. Each 10 100 2 year\$0.25 \$2.00 \$15.00

Kerria - Corchorus

Japonica. 5 feet. A slender green-branched shrub, of spreading habit, with globular yellow single flowers, blooming from June to October. Each 10 1½-2 ft.\$0.25 \$2.00 3.00

4.00

3

KERRIA–Continued

-flore pleno (Double-flowering). 5 fe	
medium-sized shrub, with double	yellow
flowers. July to October.	
Each	10
2-3 ft\$0.25	\$2.00
3-4 ft	
-variegata. 2 feet. A delicate-twigged,	
shrub with white and green variegated	leaves
and single pale yellow flowers. Each	10
12-18 in\$0.25	\$2.00
18-24 in	3.00

Laurus Benzoin - Spice Bush

10 feet. A small shrubby tree. Smooth, dark-colored bark and dark green leaves. The whole plant is fragrant. Yellow flowers in whole plant is fragrant. Yellow flowers in early Spring, before the leaves appear, and scarlet fruit in Summer; highly ornamental.

10 Each \$2.50 4.00

Lespedeza - Desmodium

bicolor (Bush Clover). 3 feet. A shrub from Japan, with slender branches. becoming tall and graceful; foliage resembles Clover leaf; small purple flowers in July; a good slender shrub for adding variety to a border.

Each 10 \$0.25 \$2.00 Sieboldii, syn. Desmodium penduliflorum. A very desirable late-blooming plant; produces rosy-purple flowers in September, drooping in numerous long racemes, which at the top of the plant are panicled. 25c each.

Ligustrum - Privet

Amurense (Amoor River Privet). 8 feet. The Chinese variety, hardy, with dark green leaves, which persist almost through the Winter. Evergreen in the South. Bears erect panicles of handsome white flowers in June, followed by black berries. Each 10 100

2-3 ft\$0.25 \$2.00 \$15.00
3-4 ft
ciliatum, syn. medium. Spreading habit. One
of the hardiest kinds. Drops its leaves early,
revealing an abundance of black berries
which make the plant very attractive. Suited
best for the shrubbery border. Each, 25c.
Ibota (Japan Privet). 5 feet. Very highly
recommended, and a distinct and valuable
sort. Very hardy. Each 10 100
$1\frac{1}{2}$ -2 ft\$0.15 \$1.20 \$ 8.00
$2 -3 \text{ ft.} \dots \dots$
3 -4 ft
-Regelianum. 4 feet. A low, dense shrub,
with almost horizontal spreading pendent
branches. Leaves are oblong or obovate.
Each $10 100$
$1\frac{1}{2}-2$ ft\$0.20 \$1.50 \$12.00
$2^{1/2}$ = $2^{1/2}$ ft
$2\frac{1}{2}-3$ ft
Lucidum. Glossy green foliage of good size.
Each 1 year\$0.40
ovalifolium (California Privet). 10 feet. The
well-known variety so extensively used for
hedging. Makes a fine, large specimen
shrub, bearing white, odoriferous flowers.
Each 10 100 1000
12 -18 in., well branched\$0.05 \$0.40 \$2.00 \$15.00 1½-2 ft., well branched 05 .50 3.00 25.00
1 ¹ / ₂ - 2 ft., well branched
3 - 4 ft., well branched10 .80 6.00 55.00
3 - 4 ft., well branched .10 .80 6.00 55.00 4 - 5 ft., extra transplanted .25 2.00 15.00

	and
-Globe Form.	Each
18 in. diameter\$0.75 to 24 in. diameter and larger 1.00 to	\$1.00
-Standard (Tree Form).	Each
4-5 ft., 2 yr. heads	\$0.75
4-5 ft., 3 yr. heads\$1.00 to	2.50
Pulaski (Polish Privet). Claimed to be	
hardiest privet grown.	Each
$2-2\frac{1}{2}$ ft.	\$0.20
Vulgaris (European Privet). 5 feet. Le	aves
dark green and smaller than Ovalifol	ıum.
Habit more spreading. Each	10
2-3 ft\$0.25	\$2.00
3-4 ft	3.00

Lonicera - Bush Honeysuckle

Alberti. A small creeping variety with nice lilac colored flowers. Each 10 2 year\$0.35 \$2.50 fragrantissima. 5 feet. An irregular spreading shrub, bearing in great profusion creamy white, exceedingly fragrant flowers, very early in Spring. Nearly evergreen habit. $\begin{array}{c} \text{Each} & 10 & 100\\ \text{Each} & 10 & 100\\ \text{Solution}\\ 3-4 \text{ ft.} & ...$ to a height of 10 feet, covered with trumpetshaped white flowers in Spring, followed by bright red berries. New. Each 2 year\$0.50 Morrowi (Morrowi Honeysuckle). 5 feet. A new sort from Japan, bearing cream-white flowers, followed later by a great profusion of amber and red fruit, which is its crowning Autumn glory. Each 2-3 ft.\$0.25 \$2.00 3.00 \$15.00 20.00Ruprechtiana (Manchurian Honeysuckle). An excellent variety bearing an abundance of berries. Each 10 2-3 ft. 3-4 ft. Standishii. 5 feet. A native of China, with creamy white, fragrant flowers, blooming in May, before the leaves appear. Each 10 \$2.00 3.00 Tatarica (Upright Tartarian Honeysuckle). 4 feet. In colors of pink, red and white; very handsome and attractive shrub in flower and fruit, and deserving more extensive use.

 2-3 ft.
 Each

 3-4 ft.
 .35

 4-5 ft.
 .50

 100 10 \$2.00 \$15.00 3.00 20.00

Myrica - Bayberry

cerifera (Candleberry, or Wax Myrtle). 3 feet. A handsome, dense-growing shrub of rounded habit, with rich, dark green, per-sistent foliage. A shrub thriving in the poorest soils and most exposed situations. Each 10 100

						\$			52.25	\$25.00	
11/2-	2	ft.					.40		3.50	30.00	
Gale.				varie	ety	simil	ar t	to	the	above	
name	ed	kin	ıd.						Each	10	
18 in.									\$0.35	\$3.00	

Oxydendrum - Sorrel Tree (Andromeda)

arborea. 20 feet. A valuable medium	n-sized
tree or large shrub, bearing racemes of	white
flowers in Mid-summer. Autumn fol	iage a
brilliant crimson and very showy.	
Each	
2-3 ft\$0.50	\$4.50
3-4 ft	
Paeonia	

Moutan (Tree	Paeony).	3 feet.	Of	slow
growth; flow sorted colors	Plant in r	nd attra	ictive.	As-
2 year				Each \$1.00

Pavia - Dwarf Horse Chestnut

macrostachya. 6 feet. Irregular habit; from the apex of each shoot a panicle of white flowers is produced in July. Very attractive and ornamental. 12 -18 in. 1½-2 ft. 50.50

Philadelphus - Mock Orange

The Philadelphus are most valuable shrubs. They are hardy, have good foliage and bear a profusion of flowers, nearly all of which have a marked and pleasing odor. Their season of bloom is just after the Diervillas and early Spiraeas. Are suited for planting singly as specimens or in the shrubbery border.

Avalanche. Flowers white, smaller than those of Coronarius, round, possessing a sweet odor, and produced abundantly. Dwarf,
compact habit. Each 10 2-3 ft. \$0.35 \$2.50 3-4 ft. .50 4.00
coronarius (Sweet Syringa). 5 feet. Well known and valuable for its sweet-scented
white flowers in June. Each 10 100
2-3 ft. \$0.25 \$2.00 3-4 ft. .35 3.00 15.00 4-5 ft. .50 4.50
-aureus (Golden Leaf Syringa). 3 feet. Habit dwarf and compact; foliage bright golden
and enduring. Each 10 1 -1½ ft. \$0.25 \$2.00 1½-2 ft.
Gordonianum. 7 feet. July. A late bloomer, and valuable for this quality. Large, fra-
grant flowers. Each 10 2-3 ft\$0.25 \$2.00
grandiflora. 7 feet. A large-flowered, strong-

ranumora. / rect. ri large		reu, si	
growing sort.			100
2-3 ft	\$0.25	\$2.00	
3-4 ft.		3.00	15.00
4-5 ft	50	4.50	

Potentilla

	(Shrubt					
	shrubby					
compa	ct, long,	silky, p	ubesc	ent le	eaves.	The
	are pre					
and qu	ite showy	y when	the p	lants	are m	assed
togethe	er.				Each	10
12 in					.\$0.30	\$2.50

Prinos (See Ilex)

Prunus - Plum

maritima (Beach Plum). 6 feet. A valuabl shrub for seashore planting; low bush, ova leaves; soft. downy underneath. Round pur ple or crimson fruit. Each 10 2-3 ft	-
Pissardi (Purple-leaved Plum). 8 feet. Th	e
best purple-leaved plant we have, the colo	
being intense and enduring; flowers white i	
April	
$\begin{array}{cccc} A p 1 11. & Each & 10 & 100 \\ 2-3 \text{ ft.} & \dots & \$0.25 & \$2.00 \end{array}$	
3-4 ft	0
4-6 ft.	
tomentosa. Each 10)
2-3 ft\$0.35 \$3.0	
3-4 ft.	0
triloba (Double-flowering Plum). 4 feet. Thi	s
is planted for its large, double pink flower	
which are among the first in May.	,
Each 10)
2-3 ft\$0.35 \$3.0)0
3-4 ft	

Ptelea

(See Deciduous Trees.)

Pyrus Japonica

(See Cydonia.) Arbutifolia (Malus, see Trees.)

Rhamnus - Buckthorn

cathartica (Common Buckthorn). 8 feet. A fine hardy shrub from Europe, with dark green foliage, white flowers and small fruits. Excellent hedge plant.

	Each	10	100
2-3 ft.	\$0.25	\$2.00	\$12.00
3-4 ft.		3.00	15.00
4-5 ft.		4.00	
frangula (Carolina Bucktho	orn).	A hand	some
lawn shrub with greenisl			ber-
ries, changing to black in	n the	Fall.	
		Each	10
2-3 ft.		\$0.25	\$2.00
3-4 ft			3.00

Rhodotypos

Rhus - Sumach

aromatica (Fragrant Sumach). 2 feet. Low- spreading shrub with glossy, aromatic foli-
a ge. Each 10 1½-2 ft. \$0.25 \$2.00 2 -3 ft.
copallina (Shining Sumach).6 feet.Beauti-ful native shrub, glossy foliage, which in theFall is very brilliant.2-3 ft.3-4 ft
Cotinus (Purple Fringe).8 feet.The well- known Smoke Tree; small, round, glossy foliage.foliage.Seed vessels a reddish purple in great profusion.Each 10

ORNAMENTAL DEPARTMENT-DECIDUOUS SHRUBS

SUMACH—Continued

Sourcer commute
glabra (Smooth Sumach). Large-growing shrub, with smooth bark. Very effective in Autumn with its crimson seeds and foliage.
Each 10 2-3 ft. \$0.25 3-4 ft.
-laciniata (Cut-leaved Sumach). 3 feet. A beautiful shrub, with large leaves, deeply and finely cut, with a drooping, graceful habit. Leaves assume a gorgeous crimson color in
Autumn. Each 10 $1\frac{1}{2}-2$ ft. $$3.00$ \$3.00 2 - $2\frac{1}{2}$ ft. .50 4.50 osbecki. Fach
2-3 ft\$0.50
typhina (Staghorn Sumach). 10 feet. A small shrubby tree of irregular form and conspicu- ous Autumn fruit and foliage. Each 10
2-3 ft
feet. Of the same character as the species, but with delicately cut, almost Fern-like foliage. Each 10 100
2-3 ft. 10 10 100 3-4 ft.
Ribes - Currant
aureum (Yellow-flowering Currant.) 5 feet. Flowers yellow, with pink stamens and sweet
scented. Very good habit. Bears edible
It utt.Each10100 $2-3$ ft. $$0.25$ $$2.00$ $$15.00$ $3-4$ ft. $$ $.35$ 3.00 20.00
Alpinum.Fragrant yellow flowers of dwarf, compact habit.Each101½-2 ft\$0.30\$2.50
Gordonianum (Pink Flg. Currant). Very at- tractive fall foliage. Each 10 12-18 in\$0.25 \$2.00
sanguineum. 5 feet. Blooms in May, bright
pink, almost carmine flowers. Each 10 1 ¹ / ₂ -2 ft
Robinia - Locust
hispida (Rose Acacia). 4 feet. This is valued for its elegant clusters of rose-colored flow- ers, which expand toward the close of May, and continue for several weeks. The
branches resemble a moss Rose. It is a beautiful shrub for planting in large masses, and produces a most desirable effect. Each -10
Each -10 2-3 ft
Rosa - Rose
We class the wild Roses among shrubs since they best fit in such place. They are used largely in shrubbery and hedge borders, where their generally good foliage, graceful habit, abundant bloom and bright fruit seem espe- cially fitting. Also for ground covering.
blanda. 3 feet. Slender red branches, almost thornless; foliage oval, pale green; flowers

Diditidu. O i					
thornless;					
are large,	bright r	ose-co	lored,	single,	blooms
in May.			Eac	h 10	100
$1\frac{1}{2}$ ft			\$0.2	25 \$2.00	\$15.00

Carolina. 4 feet. The tall-growing Wild Rose,
with single pink flowers during the Summer months; its bright red fruit is very showy.
Each 10 100
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
lucida. 3 feet. A native sort of rather dwarf
habit. Bears rosy-pink, single flowers in early June, and red fruit in the Fall. Showy
in masses on the borders of a wood.
Frah 10
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
multiflora Japonica. 6 feet. Of very robust
habit, making long, arching canes. Covered
in June with white fragrant flowers, fol- lowed by scarlet hips adherent all Winter.
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
rubiginosa. 4 feet. The well-known Sweet-
brier. The whole plant exhales a delightful
fragrance. Each 10 100 2-3 ft\$0.25 \$2.00
2-3 ft \$0.25 \$2.00 3-4 ft
rubrifolia (Purple-leaved Rose). 4 feet. This
is valued for its beautiful reddish-green foli-
age, as well as for its pink flowers in early June. It is one of the most attractive
shrubs, especially when set among a mass
of other shrubs or when planted by itself
in large groups. Each 10
In large groups. Each 10 18-24 in. \$0.25 \$2.00 2- 3 ft.
rugosa (Japan Rose). 4 feet. We class this
among shrubs, for while it will adorn any
location, we especially recommend it for the shrubbery border. Its vigorous robust habit,
handsome foliage and flowers especially rec-
ommend it. The latter possess a delightful
fragrance, and are followed by large bright hips, that prolong the attraction of the plant
well into the Winter. Hardy everywhere
and should be planted by everybody.
Each 10 100 2-3 ft. \$0.25 \$2.00 \$15.00
3-4 ft
-alba. 4 feet. Similar in all respects to the
preceding except in color of flowers, which are pure white.
$1\frac{1}{2}$ -2 ft
$2^{-}-2\frac{1}{2}$ ft
-Belle Poitevine. Bright pink; buds long and perfumed. Each, 35c; ten, \$3.00.
-Blanc double de Courbet. Pure white, bloom-
ing in clusters; double; very sweet; flowers nearly five inches in diameter, produced
freely and lasting well. Each, 35c; ten, \$3.00.
-Conrad Ferdinand Meyer. A strong, robust
grower, with stout stems thickly covered with prickles. Flowers are delightfully fra-
grant, large and double; clear silvery rose. Each, 35c; ten, \$3.00.
setigera (Prairie Rose). 5 feet. Of most vigorous growth and clean, healthy foliage,
bearing in July a profusion of delicate pink
single flowers on long, arching canes.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3-4 ft
spinossima (Scotch Rose). Each 10
12-15 in\$0.35 \$3.00



Roses

The Rose is the "queen of flowers" and all flower lovers are striving continually to secure and cultivate the best. They are confused often by the plethora of varieties offered. Their exquisite form and shades in color and their effectiveness for house adornment com-

mend them to all. Their culture is not easy. They require a rich and well drained soil and high culture with abundant plant food.

Mulching at all seasons and close planting insure best results. Before planting prune them severely and indeed annually thereafter. This remark does not apply to climbing roses which must not be so pruned. It is usually enough to cut out old and decaying branches and if de-sirable shorten the longest shoots. The other sorts here considered bear their flowers on new wood and to secure good blooms a vigorous growth is necessary. Insect control is essential. Use a tobacco solution for the green aphis; use a tobacco water

solution with arsenate of lead as poison for all eating insects. The rose chafer or beetle can only be controlled by catching 'em alive and killing 'em dead. As soon as the leaves are developed the Rose caterpillar appears and must be looked for and destroyed daily by pinching in its shelter of leaves glued together.

To aid intending purchasers we classify roses as June flowering (Hybrid Perpetuals); ever-blooming (Teas and Hybrid Teas) and the Baby Rambler (Polyantha) type, also everblooming.

The first bloom abundantly in June and some sorts sparingly in Autumn. Are hardier, more easily grown and produce the finest and best flowers. They bear neglect better and are suited for those who are unwilling or unable to give the attention required for the Tea and Hybrid Tea roses. But for great variety in form and shades of color these are the best and under favorable conditions will bloom continuously from June to November.

The Polyantha roses are recommended for their dwarf habit, their suitability for borders and in masses. Flowers are borne in clusters in pink, red and white and a new variety has distinctly yellow buds, becoming white when fully blown. They bloom all Summer and in masses are effective for house decoration. Are of easy culture.

Use Roses abundantly, care for them intelligently and be rewarded by magnificent flowers. Potted Roses are desirable for late Spring and Summer planting.

Hybrid Perpetual Roses, or June Roses

These are the June Roses, so admirably suited for garden culture, the formation of beds, hedges and permanent plantations, where hardy varieties are desired. In May and June these hardy Roses are brilliant with large, perfumed flowers of richest colors; far excelling the everblooming class in size and vivid effect. Many of those offered give occasional flowers through the Summer, and again in Autumn. All varieties 25c each and \$20.00 per hundred, except where otherwise noted.

Alfred Colomb. Extra large flowers, very double; color clear cherry red. Very fragrant.

- American Beauty. Large, double flowers, valuable both for house and garden culture. Color rich rosy crimson, fragrant. 35c each. Anna de Diesbach. Color, brilliant carmine.
- double; color, rich dark red; highly scented. Baron de Bonstettin.
- Baroness Rothschild. Color, bright rosy pink. Clio. Flesh color. One of the finest Roses, having the most delicate texture and coloring.
- Duke of Edinburg. Dark, velvety maroon; medium size; very handsome and fragrant.Fisher Holmes. Dark, rich scarlet, passing to
- deep velvety crimson.
- Frau Karl Druschki. Of strong, upright growth. Flowers extra large, of purest possible white. 35c each.



Killarney White (See page 29).



Gruss an Teplitz (See page 29).



Jonkheer J. L. Mock (See page 29).



Prince de Bulgaria (See page 29).



Sunburst (See page 29).



Kaiserin Augusta Victoria (See page 29).

ROSES--Continued

- General Jacqueminot. Bright, shining crimson, very rich and velvety; one of the most desirable.
- Gloire de Dijon. A magnificent Rose in every respect; large, double and tea-scented; color rich, creamy white, beautifully tinged with amber and pale blush.
- Hugh Dickson. Brilliant crimson, shaded scarlet; large size; highly perfumed; free flowering.
- Louis Van Houtte. Crimson-maroon; medium size.
- Mabel Morrison. Extra large; color pure snow white. sometimes faintly tinged with pink.
- Mme. Gabriel Luizet. One of the most beau-tiful of all Roses; large, double and fragrant; color an exquisite shade of clear rose.
- Mme. Plantier. Is the most profuse blooming, white hardy Rose in cultivation.
- Magna Charta. Extra large, very double; color bright rose.
- Margaret Dickson. In color, it is the most beautiful waxy white.
- Marshall P. Wilder. Large; color bright scarlet-crimson, richly shaded with maroon; fragrant.
- Mrs. J. H. Laing. This is one of the finest Roses of its class; soft delicate pink with a satin tinge; very fragrant.
- Mrs. R. G. Sharman Crawford. Deep, rosy pink, white at base of petals; flowers are large and fragrant.
- Paul Neyron. Flowers of immense size; color deep, clear rose.
- Perle des Blanches. A splendid white Rose of good form; very double and fragrant.

Persian Yellow. Dark golden yellow, single.

- Prince Camille de Rohan. Deep, rich. velvety crimson, passing to intense maroon, shaded black.
- **Soleil d'Or.** Flowers large; color varies from gold and orange-yellow to reddish gold. 35c each.
- Ulrich Brunner. Flowers large, with shellshaped petals; color cherry red.

Hybrid Tea Roses, or Everbloomers

This class includes some of the finest varie-es. They are very free flowering, fragrant ties. and beautiful, but need some protection during the Winter.

All varieties, 35c each, and \$25.00 per hundred, except where otherwise noted.

- Chateau de Clos Vougeot. Deep, velvety crimson; free bloomer; very fragrant. Each, 50 cents.
- Countess of Gossford. Clear salmon pink. Each, 50 cents.
- Duchess of Wellington. Saffron - yellow, changing to a coppery-yellow of a distinct shade. Each, 50 cents.
- General MacArthur. Vivid crimson-scarlet, the most beautiful shade of any garden Rose, retaining its brilliancy when expanded. Each, 50 cents.
- Gruss an Teplitz. One of the best growers and most profuse bloomers of this class of Roses; color bright scarlet; very fragrant.

- Geo. C. Waud. Orange; fine color. Each, 50 cents.
- J. B. Clark. Scarlet, shaded crimson-maroon; fragrant.
- Jonkheer J. L. Mock. Clear pink, reverse of petals rosy. silvery white; blooms of mag-nificent size and form, produced on stiff, erect stems.
- Kaiserin Augusta Victoria. Pure white, large buds and superb, full, double blooms, making choicest cut flowers.
- Killarney. Brilliant pink with large, pointed
- buds; one of the very finest. Killarney White. Same habit as Pink Kil-larney, but of pure white color.
- Lady Ashtown. Soft rose, shading to yellow at the base of the petals.
- Lady Hillingdon. Deep apricot yellow to orange; long. pointed buds. Free flowering. Each, 50 cents.
- La France. Silvery rose, with pink shades and satin-like petals of unsurpassable beauty; large, symmetrical and deliciously fragrant blooms.
- Madame Abel Chatenay. A good grower and perpetual bloomer; beautiful in bud and bloom; petals of rose pink, with a tinge of salmon. Each, 50 cents.
- Madame Caroline Testout. Large, clear, satin rose; very vivid; petals bordered with tender rose; very fragrant.
- Madame Jules Grolez. Bright rose; very floriferous; splendid for bedding and massing. Often called the Red Kaiserin. Each, 50 cents.
- Madame Segond Weber. Rosy salmon; large flowers. Each, 50 cents.
- Maman Cochet. Rich, rosy pink, shaded sil-very rose on outer petals; exquisite in color and graceful in form from bud to bloom.
- Melody. Saffron yellow. Each, 50 cents.
- Mevrouw Dora van Tets. Deep glowing crimson, with velvety shading; retains its fiery red color in the open flower. Each, 75 cents.
- Mrs. Aaron Ward. A most striking color. Indian yellow, shading to lemon cream at edges of petals. Each, 50 cents.
- Mrs. Chas. Russell. Exquisite pink with rosy, carmine center. Petals of good substance; bud long and solid. Each, 50 cents.
- Mrs. Geo. Shawyer. Brilliant rose pink; flow-ers large and well-formed; free bloomer and good grower. 50 cents each.
- Ophelia. Salmon flesh, shaded with rose on outer edges of petals. Each, 50 cents.
- Prince de Bulgarie. Deep, rosy salmon; large full flower. Each, 50 cents.
- Radiance. Brilliant, rosy carmine, shaded with rich pink.
- Reine Marie Henriette. Beautiful red.
- Richmond. Scarlet crimson of most brilliant hue; long pointed buds.
- Souvenir du President Carnot. Superb in color. Delicate flush white, shaded a trifle deeper at the center, very slightly suffused with fawn. Each individual flower distinctly apparent on a long stiff stem. Each, 50 cents.
- Sunburst. Orange-copper and golden yellow, giving an extremely brilliant effect. Each, 50 cents.



Frau Karl Druschki (See page 27.)



Baby Dorothy Perkins (See page 31).



Excelsa (See page 31).



Mrs. John Laing (See page 29).



Gen. Jacqueminot (See page 29).



Paul Neyron (See page 29).

ROSES—Continued

William R. Smith. Creamy white with shadings of pink; beautiful in form and colors. Each, 50 cents.

Polyantha Roses, or Baby Ramblers

25 cents each, unless otherwise noted.

The Polyantha or Baby Rambler Roses are a distinct class of Everblooming Roses, distinguished by their dwarf, bushy habit of growth, medium size and very double flowers, borne in large clusters. They are vigorous growers and constant bloomers.

- Baby Dorothy. Carnation pink; habit and growth similar to Baby Rambler.
- Baby Rambler. Rosy crimson; very free flowering; dwarf habit; very useful for massing.
- **Baby Tausendschon.** Blooms of veined rose with edges of soft, clear pink. A fine novelty, each bush forming a symmetrical bouquet.
- Catherine Zeimet, or White Baby Rambler. Pure snow white double blooms in clusters. A compact, bushy grower of dwarf habit.
- Clothilde Soupert. A wonderful Rose for bedding or pot culture; medium size and very double; white, shading to a deep pink at the center; a profuse bloomer and strong dwarf grower. Each, 35 cents.
- Erna Teschendorff. Carmine red; blooms from May to end of October.
- Jessie. Bright, cherry crimson. Excelling all Baby Rambler in beauty of color. Splendid for pot culture, bedding and massing; blooms constantly until frost.
- Mademoiselle Cecile Brunner. Rosy pink on a rich, creamy-white ground, shaded light salmon pink. Each, 35 cents.
- Mrs. W. H. Cutbush. Flowers in large trusses and of a beautiful pink color. A charming, perpetual flowering Polyantha.
- **Orleans.** Brilliant red, suffused rose and deep cerise; bushy habit; grows and blooms freely. The showiest and prettiest of the pink "Baby" varieties.
- Yellow Baby Rambler. Color is deep, golden yellow in the bud, changing to lemon yellow as the flowers open. Under strong sunlight the open flowers will sometimes become nearly white. Each, 35 cents.

Climbing Roses

2 to 3 ft., 25 cents; 3 to 4 ft., 35 cents, each, except where noted.

- American Pillar. Large single flowers of rich, rosy pink. A valuable climber. 2 to 3 ft., each, 35 cents; 3 to 4 ft., each, 50 cents.
- Aviateur Bleriot. The new Yellow Climber. A strong grower, with beautiful foliage and large clusters of medium-sized flowers.
- Crimson Rambler. An exceedingly vigorous, rapid grower; handsome, rich, glowing crimson flowers, which are semi-double and borne in immense clusters in the greatest profusion. 2 to 3 ft., each, 25c; 10, \$2.00; 100, \$15.00. 3 to 4 ft., each, 35c; 10, \$3.00; 100, \$20.00.

- Climbing American Beauty. Same as its namesake in size, color and fragrance, with the addition of the climbing habit. 2 to 3 ft., each, 50 cents; 3 to 4 ft., each, 75 cents.
- Dr. W. Van Fleet. A delicate shade of flesh pink, deepening to rosy flesh in the center; high center, petals beautifully undulated and cupped; buds pointed, flowers full and double, open to an immense diameter, sweetly perfumed. Beautiful bronze-green foliage. 2 to 3 ft., each, 35c. 3 to 4 ft., each, 50c.
- Dorothy Perkins. Beautiful shell-pink color, which holds for a long time, fading finally to a lovely, deep rose; very sweet scented; fully equal to Crimson Rambler in foliage, hardiness, habit of growth and blooming qualities. 2 to 3 ft., each, 25c; 10, \$2.00; 100, \$15.00. 3 to 4 ft., each, 35c; 10, \$3.00; 100, \$18.00.
- **Excelsa** or **Red Dorothy Perkins.** Intense crimson scarlet; double flowers in brilliant clusters, set in glossy, shining foliage. Extremely vigorous and the handsomest of all red climbers.
- Gardenia. A Wichuraiana Hybrid. Good grower and fine foliage; cream colored flowers.
- **Hiawatha.** Glowing ruby crimson, with a clear, white eye; single flowers in clusters; light, glossy, green foliage; excellent for climbing, trailing or forcing.
- Miss G. Messman. Climbing Baby Rambler. A true everblooming Crimson Rambler, a climbing sport from the original Crimson Baby Rambler, Mme. Norbert Levavasseur.
- Pink Rambler. Old fashioned, well known climber. Single flowers.
- Silver Moon. Silvery white with a mass of bright yellow stamens; petals of splendid substance and beautifully cupped; exceedingly large, fragrant flowers; very free bloomer; desirable climber. 2 to 3 ft., each, 50c; 10, \$4.00. 3 to 4 ft., each, 75c; 10, \$6.00.
- **Tausendschon** or **Thousand Beauties.** Varying shades from a delicately flushed white to a deep pink or rosy carmine, in bright clusters of blossoms, almost covering the handsome, pale green foliage; a vigorous, hardy climber with few thorns.
- White Dorothy Perkins. A pure white sport from Dorothy Perkins, with which it is identical in foliage and habit. A valuable addition to the hardy climber class.
- White Rambler (Thalia). Of Crimson Rambler type, but bearing innumerable clusters of small, pure white flowers.
- Wichuraiana (Memorial Rose). Creeping sort, with small, dark green and shining leaves. Flowers single, white, with prominent yellow stamens. Good for covering banks, rocks or similar places. 2 to 3 ft., each, 25c; 10, \$2.00; 100, \$12.00. 3 to 4 ft., each, 35c; 10, \$3.00; 100, \$15.00.
- Yellow Rambler (Aglaia). The only yellow hardy climbing Rose. Similar to Crimson Rambler except in color but not quite so hardy.

Moss Roses

Moss Rose. Old-fashioned pink and white. Each, 25 cents.

Rubus Odoratus - Flg. Raspberry	crispifolia. V small foliag
Each 10 2-3 ft\$0.25 \$2.00	6-8 in., 2 yrs.
3-4 ft	opulifolia (N
Sambucus - Elder	right; white
Acutiloba (Cut Leaf Elder).	2-3 ft 3-4 ft
2-3 ft\$0.35 \$3.00 Canadensis (American Elder). The great cymes of snow-white flowers are exceed- ingly showy and the Autumn display of deep purplish fruit is likewise attractive.	aurea (Gold ous golden early June Summer.
Durphish fittil is fikewise attractive. Each 10 2-3 ft.	2-3 ft 3-4 ft 4-5 ft
nigra aurea (Golden Elder). 5 feet. Foliage bright golden yellow, much used for color effect in shrub planting and very desirable. Each 10 100	prunifolia (E handsome o branches in are expand
Each 10 100 2-3 ft\$0.25 \$2.00 3-4 ft	Autumn. 2-3 ft 3-4 ft
thicker than Canadensis and bark warty. Flowers and the red fruit borne on paniculate	4-5 ft Reevesii. 4
cymes, the latter ripening in June while the other varieties are still in flower. Each 10	ers in clust 2-3 ft 3-4 ft
3-4 ft\$0.50 \$4.50	rotundifolia.
Spiraea An indispensable class of medium-sized shrubs. Of easy culture in all soils. They	spreading h leaves which tumn. Sho
embrace a wide range of foliage, habit of growth, color of flowers and season of bloom. arguta. 3 feet. Of dwarf habit, with clear	racemes in 2-3 ft 3-4 ft
white flowers in early Spring. Foliage very attractive, and habit graceful. Each 10 114.2 ft \$\$0.25 \$\$2.00	salicifolia (W row, pointe in June an
 2 -2½ ft	2 ¹ / ₂ -3 ft 3 -4 ft sorbifolia (A upright-gro
Flowers are white. (New.) Each 10 2-3 ft. \$0.25 \$2.00 3-4 ft. .35 3.00 4-5 ft. .50 P:11 aligned for the set of the set o	bearing pi green colo right panio tractive an
Billardi. 5 feet. Bright rosy pink flowers in terminal spikes, from July to October. Each 10	2-3 ft 3-4 ft
2-3 ft\$0.25 \$2.00 3-4 ft	Thunbergii (habit; ver before the
ous flat heads of rosy-pink flowers from June until Autumn is well advanced. To have good blooms cut away all fading flowers. Each 10	distributed coloring pa 1½-2 ft 2 -2½ ft
2^{-2} 2^{-2} ft	tomentosa () mer bloom
crimson, showy and attractive. Observation satisfies us that this is the best all Summer blooming dwarf shrub in cultivation. Each 10 100	in panicles 2 -2 ¹ / ₂ ft 2 ¹ / ₂ -3 ft
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Van Houtte 5 feet. white flow
Callosa alba. 2 feet. Dwarf. Similar to Cal- losa rubra, but bearing pure white flowers. Each 10 114-2 ft \$2.00	May. One 2-3 ft
$1\frac{1}{2}-2$ ft	3-4 ft Veitchii. A
inal shoots and leaves having a rosy tint, and bearing flowers of similar color in July.	good grow 2-3 ft
Each, 25c; ten, \$2.00.	3-4 ft

crispifolia. Very dwarf grower, with peculiar small foliage and red flowers. Each 10 6-8 in., 2 yrs\$0.30 \$2.50
opulifolia (Ninebark). 6 feet. Vigorous, up- right; white flowers in May.
Each 10 100 2-3 ft. \$0.25 \$2.00 \$15.00 3-4 ft. .35 3.00
aurea (Golden Ninebark). 6 feet. A vigor- ous golden-leaved variety, white flowers in early June. Foliage attractive in early Summer. Each 10 100 2-8 ft
prunifolia (Bridal Wreath). 4 feet. Bears handsome double white flowers all along the branches in early Spring before the leaves are expanded. Foliage colors finely in Autumn.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Reevesii. 4 feet. Bears beautiful white flow- ers in clusters about June 1. Desirable. Each 10 2-3 ft\$0.25 \$2.00
3-4 ft
tumn. Showy white flowers in umbel-like racemes in June. Each 10 2-3 ft
salicifolia (Willow-Leaved Spirea). Long, nar- row, pointed leaves and rose-colored flowers in June and July. Each 2½-3 ft
3 -4 ft
Thunbergii (Snow Garland). 4 feet. Of dwarf habit; very graceful; single white flowers before the leaves expand in early Spring, distributed all over the plant. Autumnal coloring particularly good.
$\begin{array}{c} \text{Each } 10 \\ 1\frac{1}{2}-2 \\ 2 \\ -2\frac{1}{2} \\ \text{ft.} \\ \dots \\ 35 \\ 3.00 \\ \end{array} $
tomentosa (Steeple Bush). 3 feet. Midsum- mer blooming variety, bearing pink flowers
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Van Houttei (Van Houtte's Bridal Wreath). 5 feet. Habit of plant graceful, bearing white flowers in great abundance in latter May. One of the best.
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Veitchii. A novelty introduced from China; a good grower and fine foliage. Each 10
2-3 ft

Staphylea - Bladder Nut

colchica. 5 feet. One of the finest early-flowering shrubs. Flowers white, fragrant, disposed in clusters. Flowers at the same time as the Lilacs. Each, 50 cents.

Stephanandra

flexuosa. 4 feet. A graceful shrub of compact growth, with small, Hawthorn-like leaves. Foliage of good color, delicate, bearing extremely pretty white flowers in June. 10100 \$15.00 \$2.00 3.00 20.00

Straunsvesia

Each

10

\$3.00

12-18 in.\$0.35

Stuartia - American Camellia

pentagyna. 6 feet. A rare and beautiful shrub bearing in June lovely white flowers 2 inches or more in diameter. The flowers have wavy crenulate margins, white stamens and orange-yellow anthers. The Autumnal coloring of the foliage is brilliant. Each 2-3 ft.\$0.50

Styrax

Japonica. 8 feet. A shrub or small tree elegant form and habit, bearing white be shaped flowers all along the branches, a pendent on long pedicels. Very showy.	ell- and
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$)0 5.00
obassia (Broad Leaved). Large leaved. Sm	iall
tree; nice white flowers. 4-5 ft\$	lach 0.75

Symphoricarpos - Snowberry

racemosus (Snowberry). 4 feet. Much valu	eđ
for its white berries borne abundantly	
Autumn. Especially conspicuous in mass	
Each 10 10	
2-3 ft\$0.25 \$2.00 \$15	.00
3-4 ft	.00
vulgaris (Red Indian Currant). 3 feet. Fra	
not so large as the preceding, but more abu	n-
dant. Habit of plant graceful.	
Each 10 100)
2-3 ft\$0.25 \$2.00 \$12	.00
3-4 ft	.00

Syringa - Lilac

The Lilac is a well-known and deservedly popular shrub. Its thick leathery foliage and lovely sweet-scented flowers commend it to all. There are no better sorts than the old-fashioned purple and white varieties, but there are many whose bloom is as good and that are much more floriferous. We, therefore, heartily commend the other varieties listed here.

Each Each	10
2-3 ft\$0.25	\$2.00
3-4 ft	3.00
(Except where otherwise noted.)	

Japonica (Japan Lilac Tree). From Japan, where it attains the height and dignity of a tree. It is of upright growth with heavy, strong branches. The foliage is abundant and of leathery texture. Flowers white, late, a month after other Lilacs, in large terminal panicles. A most satisfactory shrubby tree.

- Josikaea (Hungarian Lilac). Fine, distinct species, of tree-like growth, with dark, shining leaves and purple flowers in June, after the other Lilacs have finished flowering.
- villosa (Hairy-leaved Lilac). 6 feet. One of the newer species quite distinct from the older Lilacs. Foliage large, not unlike that of the White Fringe. Flowers later than the others, rosy pink, and in large panicles. A very desirable species.
- Persica (Persian Lilac). 5 feet. Purple. A profuse and early-blooming sort, bearing light purple flowers.
- -alba. 5 feet. Same habit and form as the preceding, but almost white flowers.
- -Rothomagensis. 5 feet. Beautiful, reddish purple, large, fine and free-blooming. One of the best.
- -Saugeana. Similar to the above named variety.
- vulgaris (Common Purple Lilac). 8 feet. Known everywhere and valued for its abundant sweet-scented flowers.
- -alba (Common White Lilac). 8 feet. Whiteflowering variety; not so strong a grower as the purple.
- -Alphonse Lavalle. Very large panicle, beautiful blue, shaded violet. Each, 50c to \$1.00.
- -Charles X. 5 feet. An old Lilac, but still in demand for its abundant large panicles of reddish-purple flowers. Each, 50c to \$1.00.
- -Madame Casimir Perier. 5 feet. Creamv white; superb. Each, 50c to \$1.00.
- -Madam Lemoine. 4 feet. Superb double white. Each, 50c to \$1.00.
- -Marie Le Graye. 5 feet. Large panicles of fragrant white flowers. Each, 50c to \$1.00.
- -Michael Buchner. 4 feet. Pale Lilac. Double. **-President Grevy.** 5 feet. A beautiful blue; individual flowers very double and very large; the panicle is magnificent; one of the finest Lilacs. Each, 50c to \$1.00.
- -Rubra de Marly. 5 feet. Similar in growth to the Common Lilac, bearing purplish flow-Used for forcing by the Parisian ers. florists. Each, 50c to \$1.00.
- -Souvenir de la Spaeth. 4 feet. The most distinct and beautiful of all the Lilacs; panicles immense and very compact; flowers very large, deep purplish red. Each, 50c to \$1.00.
- -Virginalis alba. Pure single white. Each, 50c to \$1.00.
 - -Wm. Robinson. Beautiful violaceous mauve; double. Each, 50c to \$1.00.

(See also Deciduous Trees.)

Tamarix - Tamarisk

Tall shrubs, native of the Eastern hemi-sphere, but generally hardy in America, espe-cially near the sea, where they thrive excep-tionally well. Leaves bright green in color, small and delicate. Flowers pink or rose colored, in panicles.

Atricana.	8	teet.	Blooms	in May;	an	upright
grower.				Each	10	100
2-3 ft				\$0.25	\$2.00	\$15.00
3-4 ft.					3.00	18.00
4-5 ft		••••				

TAMARIX—Continued

Gallica Indica. 8 feet. Pale rose-colored flow- ers in August. Not entirely hardy.
Each 10 2-3 ft. \$0.25 3-4 ft.
hispida æstivalis (Kaschgarica). A handsome
and distinct species with bluish foliage and
carmine-rose flowers in September. Each 2-3 ft
2-3 ft
plumosa. One of the handsomest Tamarisks. Foliage very feathery. This variety is, in
our experience, one of the hardiest.
2-3 ft. \$0.25 \$2.00 3-4 ft.
Vaccinum Corymbosum
The well known wild Blueberry plant. Each, 50 cents.
Viburnum - Snowball
acerifolium (Maple-leaved Arrow-Wood). 3 feet. A medium-sized native shrub, with smooth, slender branches and ovate, pubes- cent leaves, 3-lobed and coarsely toothed. The white flowers conspicuous and hand-
some. Each
2-3 ft\$0.35
Carlesii. An early-flowering Viburnum of fine

- habit, bearing deliciously fragrant white flowers in May, being one of the first shrubs to flower. We consider this one of the most important introductions of recent years. Each, 75 cents.
- cassinoides (White Rod). 5 feet. Of medium size, with erect grayish branches, thick, ovate shining leaves and large cymes of small white flowers. Grows mostly in low grounds, but succeeds perfectly in high locations.

 Autumn.
 Each

 1½-2 ft.
 \$0.35

 2 -3 ft.
 .50

-	-rugosum (Rough-leaved Viburnum). larger and rougher leaves than Lantar	Has na, and
	terminal cymes of white flowers in Very ornamental in foliage and fruit.	Mav.
	Each 2-3 ft\$0.25 3-4 ft	10 \$2.00
L	entago (Sheep-Berry). 6 feet. A large	
	bearing clusters of white flowers towa end of May.	rd the
	2-3 ft	\$3.00 4.50
Ν	udum (Larger Withe Rod). June. A	
	ive, tall-growing shrub with creamy flowers. Berries pink changing to	white
	Leaves oval, bright green persisting late Autumn.	until
	$1\frac{1}{2}$ -2 ft	
0	2 -3 ft xycocos (High Bush Cranberry). 6 fe	
Ŭ	attractive and showy shrub at all time	es, and
	particularly in the Fall, when covere	d with
	2-3 ft\$0.25 \$2.00	100 \$15.00
	3-4 ft. .35 3.00 4-5 ft. .50	20.00
_	-nana (Dwarf Guelder Rose). 2 feet. a round, cushion-like bush, not ove	Makes
	teet. Valued for its dwarf habit.	
	Each 8-10 in	\$2.00
	10-12 in	
	12-18 in	et. A
	large balls or masses of white flower	·s.
	Each 10 2-3 ft\$0.25 \$2.00	100 \$15.00
	2-3 ft. \$0.25 \$2.00 3-4 ft.	20.00
$\mathbf{P}_{\mathbf{I}}$	runifolium (Black Haw). Plum leaf	Vibur-
	num. Flowers white. 1½-2 ft.	Each \$0.40
Ð	2 -3 ft	60
К.	hytidophyllum. Belongs to the Chine burnums and forms a plant of striking	ig ap-
	pearance, much unlike the ordinary	Vibur-
	nums. 2 yr.	Each
Si	eboldii (Japonicum). 6 feet. Clust white flowers in May. The leaves are	ers of
	than any other Viburnum, heavy and	larger dark
	green. Desirable, especially when gro	wn as
	a specimen shrub. Each 2-3 ft	10 \$3.00
	3-4 ft	4.50
to	mentosum. 6 feet. Single Japan Sno	wball.
	A symmetrical, handsome bush, with branches and beautifully ribbed foliage,	brown
	above and bronzy purple beneath.	Pure
	white flowers on large, flat cymes, su ed in late Summer by scarlet berries, tr	cceed-
	to a blue black. Each 10	-
	2-3 ft	$100 \\ \$25.00 \\ 35.00$
	4-5 ft	
	plicatum (Japan Snowball). 6 feet. (right, bushy growth, entirely dark	green
	leaves, and large heads of enduring	white
	flowers; superior to the common sort. of the finest shrubs in cultivation.	
	Each 10	100
	2-3 ft. \$0.35 \$3.00 3-4 ft. .50 4.00	\$25.00

-Standard (Tree Form). Each, 75 cents.

Vitex - Chaste Shrub

Agnus-castus.	3 to 4 feet.	A valuable	e shrub
for its August	and Septen	iber bloom.	Flow-
ers lilac colo	r in loose p	anicles. _{Eac}	h 10
2-3 ft		\$0.2	5 \$2.00
4-5 ft.			0

Weigela

A very ornamental and popular class of shrubs, flowering in latter May and June, in pink, red and white. Adapted to all soils and nearly all locations. The last named species is native of America, the others being of North China origin and hybrids of same.

	0	2	Each	10	100
2-3 ft.			 .\$0.25	\$2.00	\$15.00
3-4 ft.			 35	3.00	20.00

(Except where otherwise noted.)

- amabilis. 5 feet. Of more irregular form and somewhat pendent habit. A free and intermittent blooming variety.
- candida. 6 feet. A strong and upright-growing sort bearing pure white flowers.
- Eva Rathke. 4 feet. Flowers crimson, making a striking contrast with the white stamens. A most profuse bloomer in Spring and again late Autumn. A most desirable sort. Each 10 100 \$2.00

3.00 \$20.00 4.50

- floribunda. 5 feet. Crimson flowers, white stamens. Free blooming in the Spring and
- sparingly in late Summer. Lavallei. 5 feet. Plant of more vigorous growth and bearing smaller and deeper-colored flowers.

Lutea, Diervilla (Sessifolia). 3 feet. A dwarf native shrub bearing terminal panicles of yellow flowers in June and at intervals throughout the Summer.

- variegata nana. 5 feet. An excellent variegated leaf plant having abundant foliage.
- sea. 6 feet. The first introduced Diervilla, well known and popular. The foliage and rosea. habit are good, the flowers often variable in color, pink, rose and nearly white, being often seen on the same bush.
- Steltzneri. 5 feet. Flowers dark red; form upright.

	Lach 10
2-3 ft	 \$0.35 \$3.00
2_1 ft	 50 4.50
0-410	 4.00

Van Houttei. 5 feet. A free-blooming and strong-growing sort, bearing carmine-colored flowers.

Xanthoceras

sorbifolia. A rare and choice shrub bearing white flowers with crimson center, in latter May. Foliage pinnate, resembling the Mountain Ash. To a h

																- 44	au	-11	
12 - 18 in.	 	• •			 					 •						.\$	0.5	0	
18-24 in																	6	0	

Xanthorrhiza

Apiifolia (Yellow Root). A native shrub of neat, dwarf habit, especially suited for banks and borders. Flowers plum colored, on racemes in May.

	Each	10	100
8 - 12 in.	\$0 .20	\$1.50	\$12.00
15 - 18 in.			

STANDARD SHRUBS IN TREE FORM

We cultivate a variety of shrubs in tree form, and in certain locations they produce a very good effect. Among the most satisfactory and best we name: ALTHEAS, HYDRANGEAS, LILAC, PRIVET and SNOWBALL.

SHRUBS BEARING ORNAMENTAL FRUITS

F S

Berberis. (Barberry.) In variety. Callicarpa purpurea. Cornus. (Dogwood.) In variety. Elaeagnus. (Silver Thorn.) In variety. Euonymus. (Strawberry Tree.) In variety. Ilex verticillata. (Black Alder.) Ligustrum. (Privet.) In variety. Lonicera. (Bush Honeysuckle.) In variety.

SHRUBS WITH VARIEGATED FOLIAGE

Berberis purpurea. (Purple Barberry.) Cornus. (Dogwood.) In variety. Corylus purpurea. (Purple Hazel.) Diervilla variegata. (Weigela.) Hibiscus variegata. (Rose of Sharon.)

SHRUBS WITH BRIGHT COLORED BARK IN WINTER

Cornus alba. Bright red. —elegantissima variegata. Bright red. —Sibirica. The most brilliant red of all.

Kerria Japonica. Green. --flore pleno. Green.

Mahonia aquifolia.

Kerria variegata.

SHRUBS SUITABLE FOR PLANTING IN SHADY SITUATIONS

Berberis. (Barberry.) In variety. Ceanothus. (Jersey Tea.) Clethra alnifolia. (Sweet Pepper Bush.) Cornus alba. (Red Branched Dogwood.) —paniculata. —stolonifera. (Red Osier.) stolonifera. (Red Osier.) Diervilla. (Weigela.) In variety. Forsythia viridissima. Ligustrum. (Privet.) In variety. Lonicera fragrantissima. (Fragrant Bush Honeysuckle.)

Mahonia aquitolia. Myrica cerifera. (Wax Myrtle.) Rhus aromatica. (Fragrant Sumach.) Symphoricarpos racemosus. (Snowberry.) -vulgaris. (Red Fruited Snowberry.) Viburnum acerifolium. (Arrow Wood.) -cassinoides. (White Rod.) -dentatum. (Arrow Wood.) -Lentago. (Sheep Berry.) -tomentosum. SHRUBS FOR SEASHORE PLANTING

Baccharis halimifolia. (Groundsel Shrub.) Berberis. (Barberry.) In variety. Cornus. (Dogwood.) In variety. Hippophae rhamnoides. (Sea Buckthorn.)

Ligustrum vulgaris. (Common Privet.) Myrica cerifera. (Wax Myrtle.) Rosa rugosa. (Japanese Rose.) Tamarix. (Tamarisk.)


Rhodotynos

through post
Rhus. (Sumach.) In variety.
Ribes. (Flowering Currant.)
Rosa. (Rose.) In variety.
Sambucus. (Elder.) In variety.
Symphoricarpos. (Snowberry.) Red and white.
Viburnum. (Snowball.) In variety.


(Golden Spirea.)

Ligustrum aurea. (Golden Privet.) Prunus Pissardi. (Purple-leaf Plum.) Sambucus nigra aurea. (Golden Elder.) Spiraea opulifolia aurea. (Golden Spire

Cornus stolonifera. Dull red or purplish.



Lonicera Halleana.



Ampelopsis Veitchii.



Clematis paniculata.



Clematis Jackmani.



Wistaria.

CLIMBING VINES

Those kinds that cling to smooth, perpendicular surfaces by little tendrils or roots we designate as self-climbers, and are the kinds suited to covering walls and buildings. The others re-quire a trellis or support of some sort.

Actinidia

arguta (The Silver Vine). A Japanese vine of rapid growth, with large leaves, and white flowers with purple center, followed by edible fruit. Each 100 10 2 yr.\$0.35 \$3.00 \$20.00

Akebia

quinata (Five Leaved Akebia). A beautiful, rapid-growing vine, bearing curious plumcolored, cinnamon-scented flowers. Each

\$3.00 2 yr.\$0.35

Ampelopsis

- Engelmanni Self Climber. Is being used to a large extent in the West on account of its hardiness. Otherwise very much like the ordinary Virginia Creeper.
- 10 100 \$2.00 \$12.00 3.00 15.00 heterophylla, vitis (Variegated Grape). Self climber. A very pretty vine with deeply lobed leaves like the Grape, marbled with white, pink and green. Berries light blue. Each 2 yr.\$0.30 \$2.50
- quinquefolia (Virginia Creeper). Self climber. A very useful and handsome climbing shrub, of vivid crimson color in Autumn.

	Lach	10	100
. class	\$0.25	\$2.00	\$12.00
ra		3.00	15.00

2 yr., 1st. 2 yr., exti Veitchii (Boston Ivy). Self-climber. Of deli-cate and graceful habit, and most desirable of all for covering buildings. Each 10 100

2 yr., 1st. class\$0.25	\$2.00	\$12.00
3 yr., strong	3.00	15.00

Aristolochia - Dutchman's Pipe

Sipho. A robust, vigorous plant, bearing curious pipe-shaped flowers. Very large leaves. 10 \$4.50

Bignonia

- radicans (Common Trumpet Vine). Self-climber. Abundant flowers in July and August; a rampant grower; good for concealing unsightly objects.
- Each 10 100 \$15.00
- More dwarf than radicans and of nearly shrubby habit. Blooms when quite small, bearing yellowish-scarlet flowers in great profusion. Each 10 2-3 ft.\$0.35 \$3.00

Celastrus

Known as Staff Vine, Bitter Sweet, etc. A very vigorous grower. Its scarlet fruit, ad-herent nearly all Winter, is an object of much beauty. Each 10100 \$2.50 2 yr.\$0.35 \$20.00

Clematis

Among climbing plants none equal the Clematis in the beauty of their flowers. There are an infinite number of varieties among the large-flowering sorts, from which we select the most distinct and vigorous in habit and the most floriferous.

LARGE-FLOWERING SORTS.

Duchess of Edinburgh. Fine, large, double white flowers.

Gipsy Queen. Deep purple.

- Henryi. Large flowering. handsome and abundant. Flowers white, The best white variety.
- Jackmani. Large, intense violet purple, re-markable for its velvety richness, free growth and abundant bloom. The best variety of its color.
- Mad. Andre. New single crimson, free blooming and very fine.
- Ramona. A strong, rampant grower, and a true perpetual bloomer, flowers appearing on the last year's growth and on the new shoots, giving an abundance of bloom all through the season. Color deep, rich lavender.
- Ville de Lyon. Best red flowering variety. Each, 50c; ten, \$4.00.

SMALL-FLOWERING SORTS.

- paniculata. From Japan. Panicles of small, pure white fragrant flowers borne in great profusion. Very desirable and entirely hardy. Blooms in late Summer. 10 100 Each
 - 2 yr., extra field grown\$0.25 3 yr., extra field grown35 \$12.00 \$2.00 3.00 15.00

Euonymus (See Evergreen Shrubs)

Hedera

Helix (English Ivy). Self-climber. This is well known, and its broad, glossy, dark leaves retain their beauty all Winter if plant-ed on the eastern and northern sides of buildings away from the sun. It is hardy here. Each 100 10 \$2.00 \$12.00 3.00 2.00

Hydrangea

scandens (Climbing Hydrangea). Self climbing. One of the rarest and most beautiful vines cultivated, having flowers similar to Hydrangea Hortensia. Each, 50 cents.

Jasminum (See Shrubs)

Kudzu Vine

This is a most remarkable rapid-growing perennial vine, and is unparalleled for ornament and shade. If planted in rich soil will produce graceful, twining stems 40 feet long in a season. The beautiful pea-shaped flowers are borne in racemes 4 to 6 inches long, resembling miniature racemes of Wistaria. Each

2 yr.\$0.35 \$2.50 \$20.00

Lonicera - Honeysuckle

- Belgica (Monthly Fragrant). Red flowers; bushy habit. Each
- 2 yr. **\$0.25** \$2.00 Brachypoda (Japanese). Similar to Hall's Evergreen Honeysuckle. Yellow flor Each 10 2 yr.\$0.25 \$2.00 Yellow flowers. Each 10 100 \$12.00
- Aurea (Japanese Golden.) A golden leaf variety; quite conspicuous. Each 100 10
- \$2.00\$0.25 \$12.00 Halleana (Hall's Japanese Honeysuckle). Of robust growth; abundant foliage and good habit; blooms freely in June and intermittently afterward. Flowers cream yellow and very fragrant; the most common and the best sort. Each 100 10
-\$0.25 \$2.00 2 yr. \$12.00 Heckrotti. A rare variety and one which should be grown, as its large and showy flowers are most attractive. Flowers are rose color on the outside and yellow in the center. Blooms all Summer. Each 2 yr. . . . \$2.00\$0.25
- punicea (Scarlet Trumpet Honeysuckle). Very showy. Each

.....\$0.25 2 yr. \$2.00 sempervirens (Red Coral). An American spe-cies bearing bunches of scarlet trumpetshaped flowers in latter June. More beautiful, but not so free blooming as the others and without fragrance. Each 2 vr.

.....\$0.25

Lycium

barbatum (Matrimony Vine.) A neat, half climbing plant, bearing small, light pink flowers, followed by scarlet fruit in Autumn. when it is exceedingly ornamental. **1**0 Each

\$15.00 20.00 \$2.00 2.50

Sinensis. Similar to the above named variety. 10 100 \$2.00 \$15.003.00 20.00

Wistaria

frutescens (American Wistaria). A free-growing vine bearing racemes 6 to 8 inches long. Flowers lilac in color, appearing abundantly in May. Fach 10 100

	Dach	10	100
2-3 ft.	00 9F	00 00	COF OA
4-0 II.		JJ.UU	325.00
0 / 0/			,
3-4 ft.		4.50	
0 1 10		1.00	


Magnifica. An improved variety of the above named sort. Flowers early. Large racemes lilac colored.

	Lach	10	100
2-3 ft.	\$0.35	\$3.00	\$25.00
3- 4 ft.		4.50	

multijuga. A Japan variety, with dark blue flowers. One of the best Wistarias. Each 10 100 \$3.00 4.50 \$25.00 Sinensis (Chinese Wistaria). The best Wistaria. Bears large and handsome racemes of light purple flowers in latter May. 100

2-3 ft\$0.35 3-4 ft	\$3.00 4.50	\$25.00
-alba (Chinese White Wistaria).	Pure	white
2-3 ft		10 \$4.50 7.00

Standard (Tree Form). Each, \$2.00.



A Beautiful Window Decoration of Vines and Geraniums.



Winter View of Evergreens.

EVERGREENS

It is much to be regretted that the planting of Evergreens is so much neglected. They aid materially in giving color to the landscape in Winter; are useful for making windbreaks and hedges, and especially for screening unsightly objects from view; and there is, by judicious selection, a fine opportunity to afford pleasing contrasts of color and habit. They are more difficult to transplant than deciduous trees; must be carefully handled, upon no account permitting the roots to become dry. Use water abundantly and tramp the earth on the roots firmly.

The use of Evergreens in landscape adornment has increased greatly and their value for such purpose is warranted by experience. They add charm and color to any landscape, especially in winter. The dwarf sorts in variety are especially adapted for planting in angles of porches and about the foundations of buildings. and their use in such places, add an air of distinction and beauty that no other class of plants can equal or even rival. The variation in shades of green and their habit make them most fitting and attractive for

The variation in shades of green and their habit make them most fitting and attractive for such purpose. Large growing and choice sorts on the borders or in groups on the lawn are desirable, and their effectiveness for hedges and windbreaks is well known but too little appreciated.

Are best transplanted in April and May in Spring, and in latter August until November in Autumn. Use them freely and in handling expose the roots as little as possible, watering copiously when planted, and at intervals afterward until there are abundant rains.

Figures after specific names indicate approximately the height of the plant when approaching maturity.

Abelia (See Deciduous Shrubs)

Abies - Fir

balsamea	(Balsam	Fir).	40 feet.	The well-
known	native Ar	merican	Fir; very	r attractive
while y	oung, bu	t grows	unsightly	with age.
2-3 ft.				Each \$1.00
3-4 IL				1.50
				utiful glos-
	k green	foliage.	Grows	in conical
form. 12-18 in				Each

cilicica (Cilician Fir). A very desirable variety
growing to 50 feet high, with narrow, flat
leaves which are dark green above and white
beneath. Perfectly hardy in the north.
Each
12-18 in\$0.75
concolor (Colorado Fir). 35 feet. One of the
choicest Evergreens, of distinct habit and
color, which is a silvery green, and most
attractive. Very rare and hardy. Each 10
1 ¹ / ₂ -2 ft\$1.50 \$12.50
2^{-2} -21/2 ft. 1.75 15.00 3 -4 ft. 3.00
3 -4 ft 3.00
4 -5 ft 4.50



Mugho Pine. (See page 46.)



Weeping Hemlock. (See page 50.)



Hemlock Spruce. (See page 50.)



Retinispora Filifera. (Japan Cedar.) (See page 47.)

ORNAMENTAL DEPARTMENT-EVERGREENS

10 \$4.00 5.00 7.00 9.00

ABIES_Continued

ABIES—Continued
Douglasi (Pseudo Tsuga, Douglas Fir). One of the most desirable Firs. Of excellent, quick growth; dull green foliage.
$\begin{array}{c} \text{Each} & 10 \\ 2 & -2\frac{1}{2} \text{ ft.} & \dots & \$1.25 \\ 2\frac{1}{2} -3 & \text{ft.} & \dots & 1.50 \\ 3 & -4 & \text{ft.} & \dots & 2.00 \\ 4 & -5 & \text{ft.} & \dots & 3.00 \end{array}$
5 -6 ft 4.00
Fraseri (Fraser's Silver Fir). 40 feet. Much resembles Balsam Fir in general appearance, but the color is more pronounced, and it has the merit of enduring beauty.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Nordmanniana (Nordmann's Fir). 30 feet. A noble tree, with large leaves of dark green color, maintained throughout the year. Each 10
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 -5 ft\$3.50 to 4.00 pectinata (European or Comb-like Silver Fir).
30 feet. Spreading horizontal branches. Fo- liage broad and silvery. Young shoots some-
what tender. Each $1\frac{1}{2}-2$ ft. \$0.75 2 -3 ft. \$1.00 3 -4 ft. 1.50
Veitchii (Veitch's Silver Fir). 30 feet. A rare sort, combining the appearance of Nobilis and Nordmanniana. Small trees.
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Picea - Spruce
alba (White Spruce). 25 feet. A medium-
sized native tree; close, pyramidal growth; foliage bluish gray. Each 10 1½-2 ft
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Alcockiana (Alcock's Spruce). 20 feet. Of medium size; pyramidal habit, with short
leaves, dark green above, glaucous beneath, choice. Each 2-3 ft
Engelmanni. 20 feet. From Colorado; slow growth dense and regular in form
$ \begin{array}{c} \text{Each} & 10 \\ 1\frac{1}{2}-2 \text{ ft.} & & & \\ 2 & -3 \text{ ft.} & & & \\ 3 & -4 \text{ ft.} & & & \\ \end{array} $
excelsa (Norway Spruce). 50 feet. A well-
known and widely distributed everyreen of rapid growth; symmetrical form. Hardy everywhere Invaluable for windbreaks and

everywhere. Invaluable for windbreaks and

-aurea. 20 feet. A golden variety of dwarf

habit. Each 2-3 ft. 3-4 ft. 3.00

 everywhere.
 invaluable for windbreak

 hedges.
 Each

 $1\frac{1}{2}$ -2
 ft.
 \$0.50

 2
 -21 $\frac{1}{2}$ ft.
 .60

 $2\frac{1}{2}$ -3
 ft.
 .75

 3
 -4
 ft.
 .100

 4
 -5
 ft.
 .2.50

 6
 -7
 ft.
 .3.50

-conica. 25 feet. Of very dense and full
conical form. Foliage of a lighter shade of color than the type. Each 10
color than the type.Each10 $1\frac{1}{2}$ -2ft. $$1.25$ \$10.002 $-2\frac{1}{2}$ ft. 2.00 17.50
$2 -2\frac{1}{2}$ ft 2.00 17.50
-Gregoriana (Gregory's Spruce). 4 feet. Of
dwarf, hemispherical form, dense habit and dark green foliage. Useful for cemeteries
and small places. Each, \$1.00 to \$2.00.
—inverta (Inverted Norway Spruce). 10 feet.
Of curious and varied form, the branches
growing downward. Foliage dense.
Each 10 2-3 ft\$2.00 \$17.50
3-4 ft. 2.50
4-5 ft 3.00
-procumbens. A dwarf Spruce of spreading
habit. Grows only about 4 feet high and slowly. Each, \$1.00 to \$2.00.
dense sort with dark foliage. Entirely hardy.
Each, \$1.50.
—pygmea (Dwarf Spruce). 2 feet. A dense
dwarf variety, hardly ever growing more
than 3 feet high. Each, \$1.50.
-pyramidalis. 25 feet. Like the Norway
Spruce except the form, which is columnar.
Effective in certain locations. Each
5-6 ft\$3.00
nigra Doumetti. 6 feet. A dense and com- pact tree; needles small with a pronounced
bluish tint. Each, \$1.25.
Omorika (Servian Spruce). A handsome vari-
ety of dwarf and compact habit; foliage a
glaucous green, silvery underneath.
Each
Each 2½-3 ft\$1.50 to \$2.50
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each $2\frac{1}{2}$ -3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 $1\frac{1}{2}$ -2 ft\$1.00 2 - $2\frac{1}{2}$ ft\$1.00 2 - $2\frac{1}{2}$ ft\$1.50 $2\frac{1}{2}$ -3 ft\$2.00 3 -4 ft\$2.75 25.00
Each $2\frac{1}{2}$ -3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 $1\frac{1}{2}$ -2 ft 2 -2 $\frac{1}{2}$ ft 2 -2 $\frac{1}{2}$ ft 2-00 17.50 3-4 ft 4-5 ft polita (Tiger Tail Spruce). 25 feet. A slow
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each $2\frac{1}{2}-3$ ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 $1\frac{1}{2}-2$ ft
Each $2\frac{1}{2}-3$ ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 $1\frac{1}{2}-2$ ft
Each $2\frac{1}{2}-3$ ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 $1\frac{1}{2}-2$ ft\$1.00 $2'-2\frac{1}{2}$ ft\$2.00 4'-5 ft\$1.00 4'-5 ft\$1.00 4'-5 ft\$2.00 4'-5 ft\$2.00 5'-6 ft\$2.00 5'-6 ft\$2.00 5'-6 ft\$2.00 5'-6 ft\$2.00 5'-6 ft\$2.00 5'-6 ft\$3.50 pungens (Colorado Spruce.) 35 feet. From
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
 Each 21½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each 21/2-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 11/2-2 ft
Each 21/2-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 11/2-2 ft\$1.00 2 -21/2 ft\$2.00 3 -4 ft\$2.00 5 -6 ft\$2.00 5 -6 ft\$1.00 1 locations; of good habit and form, and in color a cheerful tint of green. Each, \$1.00 to \$2.50. glauca. 35 feet. The Colorado Spruce seed- lings are variable in color, running from light green to intense steel blue. They are alike in form and habit. Each 11/2-2 ft\$1.00 2 -21/2 ft\$1.00 2 -21/2 ft\$1.00 2 -21/2 ft\$2.00 3 -4 ft\$2.00 3 -4 ft\$2.00 3 -4 ft\$1.00 2 -21/2 ft\$1.00 2 -21/2 ft
Each 2¼2-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½2-2 ft
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 1½-2 ft
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 $1\frac{1}{2}-2$ ft
Each 2½-3 ft\$1.50 to \$2.50 orientalis (Oriental Spruce). 40 feet. An erect-growing symmetrical tree. Foliage finer and better than Norway Spruce, and in every way a superior tree. Does not grow so large. Each 10 $1\frac{1}{2}-2$ ft

41

PICEA—Continued

Sitchensis. 40 feet. From the Island Sitka,
British Columbia. A rapid grower, foliage
bluish underneath, bright green above. Each
$1\frac{1}{2}$ -2 ft\$1.00
umbellicata. Resembling the Nordman Fir.
Leaves are stiffer, however, and not quite so
dark green; makes a very handsome Spruce
and is very hardy. Each
5-6 ft\$3.50 to \$5.00
Andromeda
Catesbaei (Leucothoe). Long recurving branch-
es, ovate lanceolate leaves of a rich green in
Summer, turning bronze in Winter; flowers

white in early Spring. Especially useful in damp and shaded situations. Each 10 \$6.50 8.50 floribunda (Mountain Fetter Bush). Low round-headed bush, bearing abundant spikes of one-sided racemes of pure white flowers in Spring. A peculiar characteristic of this and the next variety is their habit of developing their flower buds in Autumn, thereby giving an appearance of constant Winter bloom. Splendid ornament to the lawn. Each 10 100 bloom. Splendid ornament to the lawn. Each 10 100 8-12 in.\$1.00 \$ 9.00 \$80.00 12-18 in. 1.25 10.00 18-24 in. 1.50 12.50 Japonica (Lily of Valley Tree.) A most de-sirable and attractive sort with the same general characteristics of the last, but rather more delicate and graceful; the terminal shoots and buds having a distinct coppery hue. Each 10 \$ 8.50 10.00

Azalea

amoena. From China. Very dwarf and bushy
foliage, which is abundant, becoming brown-
ish-bronze in Winter. Entirely covered in
May with masses of small dark red flowers.
An entirely hardy shrub of singular beauty
at all times, but especially showy when in
bloom. Each 10
12-15 in\$1.00 \$9.00
15-18 in 1.25
Benigiri. From Japan. A striking variety;
brilliant rod flowers An improvement over

- orilliant-red flowers. An improvement over Hinodigiri. Each
- habit, bearing larger leaves than the Amœna. The plant grows in vigor with age, and in bloom is an object of great beauty, being literally covered with bright carmine-pink flow-ers. The finest shrub of recent introduction. Each 10 \$9.00
- 12-15 in. \$1.00 18-24 in. 1.25 Indica alba (Chinese White Azalea). Fine white variety, not entirely hardy, should be planted in sheltered spots. Each
- ¹¹/₂-2 ft.\$1.25Kaempferi (Rhododendron). A novelty, recently introduced from Japan. The flowers are not very large, but abundant, of a bright red color, foliage is small, shining dark green. Each 10 12-18 in. \$1.00 18-24 in. \$1.00 Macrantha. A Japanese variety; flowering with large clear pink flowers of very good foliage.

	Each
12 -15 in.	\$1.25
$1\frac{1}{2}$ - 2 ft.	1.50

Yodogawa. (See	also	Deciduous	Sh	rubs.)
Not entirely eve	rgreen.	Flowers	hand	lsome
mauve color.	0			10
$1\frac{1}{2}-2$ ft			\$1.25	\$10.00
$2 - 2\frac{1}{6}$ ft				12 50

Berberis

ilicifolia	(H)	olly-le	eaved	Barber	rry).	5 feet.
Large,	dark	gree	n Ho	lly-like 1	eaves, a	dherent
		into	the	Winter.	A de	esirable
variety				Eac		100
$1\frac{1}{2}-2$				\$0.4		\$30.00
$\bar{2}^{\prime 2} - \bar{2}^{1/2}$	ft			5	4.50	40.00

Biota - Chinese Arborvitae

Biota - Chinese Arborvitae
Orientalis (Chinese Arborvitae). 15 feet. The flat growth of the young branches and its bright green color make it interesting and valuable. Each 10
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
-aurea conspicua. 10 feet. Of compact, erect and symmetrical habit. Foliage intense gold, some of its branches being of a solid metallic tint, others suffused with green. 2-3 ft. 3-4 ft. 2.50
compacta (Chinese Compact Arborvitae). 5 feet. Of dark green color and rounding compact habit of growth. Each
12 -18 in. \$0.75 $1\frac{1}{2}$ - 2 ft. 1.00 2 - 2\frac{1}{2} ft. 1.50 $2\frac{1}{2}$ - 3 ft. 2.00
elegantissima (Rollinson's Golden Arbor- vitæ). 10 feet. Of upright, torch-like form. Foliage golden in Summer, bronze in Winter. Each 10
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
nana aurea (Berckman's Arborvitae). 4 feet. A variety of recent introduction. Good form and habit. Does well near the sea. Each 8-12 in
pyramidalis (Chinese Pyramidal Arborvitae). Grows 10 feet high, light green foliage. Each 10
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Rosedale Hybrid. Very fine foliage, feathery blue color, dwarf grower. Very handsome. Each 10
12-15 in. \$0.65 \$5.50 18-24 in. 1.00 7.50

Buxus - Box

Arborescens (Common Tree Box, Bush Form). A large shrub with thick leathery dark green leaves. Bears shearing well and can be shaped in any form desired. A most important gardening plant.

1	0	0	1	Each	10	100
10 in.				\$0.35	\$ 3.00	\$ 25.00
12 in.				.50	4.50	40.00
15 in.				.75	6.50	50.00
1½ ft				1.00	8.50	75.00
2 🗍 ft				1.25	11.50	100.00
$2\frac{1}{2}$ ft				2.50	22.50	
3 🗍 ft.				3.50		
41/2-5	ft		.\$6.00 to	10.00		

BUXUS-Continued

Sempervirens Globosa (Globe-shaped Box).
Clipped in round globe-shaped form close
to the ground
to the ground. Each 10
12 in\$1.75 \$15.00
-Pyramids. Fine, compact plant.
Each 10
2 ft., sheared plants\$1.50 \$13.00
21/2 ft., sheared plants 2.00
3 ft., sheared plants
31/2 ft., sheared plants
41% ft., sheared plants 4.50
5 ft., sheared plants\$5.00 to 7.50
-Standards. Very compact, evenly clipped
form, good specimens.
Each
15-18 in. diam., 2-21/2 ft. stem\$2.00
18 in. diam., 2-21/2 ft. stem 3.00
20 in. diam., 2-21/2 it. stem
The mail langer (Deneri Dere) The mail langer
suffruticosa (Dwari Box). The well-known
Box used for edging, and invaluable for this
purpose. It makes, too, a handsome orna-
in a second the second
3.4 in., \$40.00 per 1,000\$0.10 \$0.60 \$ 5.00
3-4 in., \$40.00 per 1,000 \$0.10 \$0.60 \$ 5.00 4-5 in., 50.00 per 1,000

Calluna Vulgaris - Scotch Heather

This plant should be more generally known. It is of the easiest possible culture, growing well in ordinary soils. Blooms continuously from July to September. They are of a dwarf nature and serve to cover banks and border beds of shrubbery. Each, 35c; ten, \$3.00.

Cedrus - Cedar

Atlantica glauca (Blue Cedar). 25 ieet. Vig-
orous, pyramidal and open growth. Foliage
of a light glaucous tint, rivaling the Blue Spruce in color effect. Each
3-4 ft
4-5 ft. 3.00 5-6 ft. \$3.50 to 5.00
Deodara (Deodar Cedar). 30 feet. Of upright pyramidal form and graceful silvery foliage,

pyramidal form and graceful silvery foliage, which is more abundant than either of the other sorts. When young it excels both in beauty. 2-3 ft. Each

Cotoneaster

- Aplanata. A new variety. Large, glossy ioliage. Each, \$1.00.
- Horizontalis (Davidiana). One of the best
Cotoneasters. Nearly climbing if planted
near a wall. Its small shining leaves, with
red berries during the Winter make it one
of the finest shrubs.Each
10
12 in.
12 in.
12 in.
15 6.50Macrophylla (Small-leaved Cotoneaster).An

Crataegus Pyracantha, Lalandi (Evergreen Thorn)

		10
1½-2 ft.		\$ 6.00
2 -3 ft.	1.25	10.00

Cryptomeria Lobbi, Compacta

43

50 ieet. A graceiul and handsome tree. It forms a rather narrow head of somewhat open growth. Foliage is light green and very distinct. Endures the Winter without injury in this latitude. Each

2-3 ft	 	 	 \$1.50
3-4 ft	 	 	 2.00
4-5 ft	 	 	 3.50

Daphne

cneorum (Garland Flowers). Very dwarf	i habit;
small, narrow, abundant foliage. The s	spread-
ing horizontal branches are covered in	Spring
with light pink, rosette-like flowers of	of deli-
cate iragrance. Each	n 10
10-12 in	

Euonymus

Sieboldi. Similar to Euonymus Japonica; foliage is not quite so thick and leathery and is hardier. Each 18-24 in. \$0.35

- -Carrieri. Larger leaves than the ordinary Radicans. Very good.
 - Each 10 12-18 in.\$0.35 \$3.00
- -variegata (Variegated Creeping Euonymus). Very distinctly variegated with white, yellow and pink shades. An equally strong grower and very attractive on low walls. Each 10
- -Vegetus. A very handsome large leaf variety. Good climber and conspicuous on account of the orange fruit produced in Autumn. Each 12-15 in. \$0.35

Ilex - Holly

crenata (Japanese Holly). 8 feet. A much lauded and very attractive Holly from Japan, bearing small. shining, Myrtle-like leaves in great abundance. Not entirely hardy here. Each
15 -18 in. $\$1.00$ 1^{L_2} - 2 ft. $\$1.50$ 2 - 2^{L_2} ft. 2.00
-Macrophylla. A small leaved variety of the
above. Each 12-15 in
opaca (American Holly). 25 feet. A beautiful Evergreen, bearing red berries in abundance, contrasting finely with the bright green
leaves. Each 1 ¹ / ₂ -2 ft



Juniperus - Juniper

Juniperus - Juniper	-globosa. A handsome dwarf Juniper grow-
Canadensis. 5 feet. A dwarf Juniper of bushy upright growth. Foliage is brownish green,	ing ball shaped and of a pleasing green color.
resembling in general appearance Juniperus communis, but the latter is of more spread-	12-15 in. across\$1.00 -variegata (Japan Var. Juniper). Foliage
ing habit of growth. Valuable for rock-	dotted with white and yellow specks.
$\begin{array}{ccccccc} planting. & Each & 10 \\ 12 & -18 \text{ in.} & & & \$0.50 \\ 1\frac{1}{2} - 2 \text{ ft.} & & & .75 & \$6.00 \end{array}$	12-18 in. across
communis (Common Juniper). 3 feet. Our	the ground. Excellent for rock planting. Foliage grey green. Each
native prostrate or trailing Juniper, widely scattered over the temperate regions of	12-15 in. across
America. Is of spreading irregular form, growing in rocky and nearly sterile soil in	Sabina (Savin Juniper). 5 feet. A low, wide spreading, thickly branched evergreen shrub.
the most exposed situations. Valuable for covering slopes. Each 10	Desirable for borders. Each 12 -18 in\$0.75
12 -18 in. across \$0.50 1½- 2 ft. across	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
-aurea (Douglas' Golden Juniper). 3 feet. Similar in habit and form to the preceding,	prostrata. A very spreading form. Each 12 -15 in. across
but the foliage is beautifully tipped with golden color. Distinct and attractive.	1 ¹ / ₂ - 2 ft. across 1.00 —tamariscifolia. 2 feet. A most picturesque
Each 12 -18 in. across $\$0.50$ $1\frac{1}{2}$ - 2 ft. across	half procumbent variety of ironclad hardi- ness and most distinct character. Each
2^{-2} - $2\frac{1}{2}$ ft. across 1.50 to 2.00 Cracovica. 6 feet. Of slow growth, pyram-	12 -15 in. across \$1.00 $1\frac{1}{2}$ - 2 ft. across 1.25
idal, very hardy. Foliage bluish green, and resembles much the following variety, which	sinensis. A very hardy Cedar. Bluish green foliage; upright grower. Each
however grows more rapidly. Each 10 12 -18 in\$0.50 \$4.50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$1\frac{1}{2}$ - 2 ft	-argentea (Chinese Var. Juniper). 15 feet. Makes a very handsome plant, bluish-green
-Hibernica. 8 feet. The Irish Juniper is of very dense and upright habit. Fine for col-	foliage, dotted with white specks. Very
umnar effects in landscape work. Each 10 1½-2 ft	$1\frac{1}{2}-2$ ft\$1.00 2 -21/2 ft\$1.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 -4 ⁷² ft. 2.50 —Neoboriense. 10 feet. An erect, dense grow-
prostrata. 3 feet. A very much more spreading plant than the type and very valu-	er, somewhat resembling our native Cedar; very hardy and a good grower. Foliage is
able for rockwork. Each 12 -18 in. across	sea-green. Each 10 1½-2 ft\$1.00
$1\frac{1}{2}$ - 2 ft. across	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Suecica (Swedish Juniper). 6 feet. More hardy than the Irish Juniper, but not so rapid	Pfitzeriana. 15 feet. One of the most strik- ing Junipers of recent introduction. Grows
in growth. Foliage of a yellowish-green	to a fair-sized plant, with branches spreading nearly horizontally, as broad as tall, the
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	feathery bluish-green foliage giving the plant a very distinct and graceful appearance.
excelsa stricta. 5 feet. One of the most use- ful and hardy Junipers. Its habit of growth	Will become very popular without doubt. Each
is pyramidal, dense and the foliage is of a pleasing bluish-green color. Being a slow	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
grower it can be used for small hedges and	4 -5 ft\$5.00 to 7.50
$1\frac{1}{2}$ -2 ft\$1.25 2 -2 $\frac{1}{2}$ ft\$2.00	ing Cedar. Heavy foliage; pea green. Each
3 -4 ft 3.50 Japonica (Japan Juniper). 5 feet. A very	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
hardy and reliable sort, of upright rather irregular form. Each	Squammata (Scaly-leaved Juniper). A pecul- iar dwarf form; very low-spreading habit.
$1\frac{1}{2}$ -2 ft\$1.00 2 -3 ft\$1.25 to 1.50	Each 1½-2 ft. across\$1.50 Virginiana (Red Cedar). 25 feet. Form taper-
3 -4 ft 2.00 —aurea (Golden Japan Juniper). 5 feet. Most	ing, symmetrical; color good at all times, but its bronzy appearance in Fall and early
distinct golden color which is constant and unchanging throughout the year. Quite	Winter is very attractive. Each 2 -2 ¹ / ₂ ft\$1.00
dwarf and spreading. Each 15 -18 in\$0.75 11/ 2 ft	2½-3 ft 1.25 3 -4 ft., sheared plants 1.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4 -6 ft., sheared plants
•	

JUNIPER—Continued

 -Cannarti. 12 feet. A medium size tree resembling very much the type in general habit of growth, differing mostly in slower growth and a deep bronze-green color of the foliage. Each 2-2½ ft	JUNII EK-Continueu
foliage. make it very distinct and attractive. Like the Red Cedar, in all of its forms, it is of ironclad hardiness. Each 2 -2½ ft	sembling very much the type in general habit of growth, differing mostly in slower growth and a deep bronze-green color of the foliage. Each 2-2½ ft\$1.25 elegantissima. 10 feet. A distinct and beau- tiful variety of the Red Cedar, with golden- bronze foliage, particularly attractive in Winter, when the golden bronze of the young growth is contrasted with the dark green of the older. Each $1\frac{1}{2}-2$ ft\$1.00 3 -4 ft
-Schotti. 12 feet. A bright green Cedar, of the same habit as the type, but of slower growth and brighter appearance. Each 2-3 ft	foliage. make it very distinct and attractive. Like the Red Cedar, in all of its forms, it is of ironclad hardiness. 2 -2½ ft. 3 -4 ft. 4 -5 ft. pendula. A weeping form of graceful ap- pearance. Dark green foliage. Each, \$2.00
Kalmia - Laurel latifolia (Mountain Laurel). An Evergreen of stronger growth and larger leaves than K. angustifolia. A magnificent plant, rivaling the Rhododendron in beauty. Flower buds of a delicate pink, changing to white as they expand and with advancing age. This vari- ety is an abundant bloomer in June. It is a great evergreen plant for massing, and will grow best in woodland or under a bor- der of trees. Estimates given per carload for very fine bushy plants, each with ball. 12 -15 in., (nursery grown)	 Schotti. 12 feet. A bright green Cedar, of the same habit as the type, but of slower growth and brighter appearance. Each 2-3 ft
latifolia (Mountain Laurel). An Evergreen of stronger growth and larger leaves than K. angustifolia. A magnificent plant, rivaling the Rhododendron in beauty. Flower buds of a delicate pink, changing to white as they expand and with advancing age. This vari- ety is an abundant bloomer in June. It is a great evergreen plant for massing, and will grow best in woodland or under a bor- der of trees. Estimates given per carload for very fine bushy plants, each with ball. 12 -15 in., (nursery grown)	
	latifolia (Mountain Laurel). An Evergreen of stronger growth and larger leaves than K. angustifolia. A magnificent plant, rivaling the Rhododendron in beauty. Flower buds of a delicate pink, changing to white as they expand and with advancing age. This vari- ety is an abundant bloomer in June. It is a great evergreen plant for massing, and will grow best in woodland or under a bor- der of trees. Estimates given per carload for very fine bushy plants, each with ball. 12 -15 in., (nursery grown)
	Collected plants

Mahonia

aquifolia (Holly-leaved Ashberry). A valuable
shrub having glossy green leaves and bear-
ing yellow flowers in April. In Fall and
Winter the foliage changes to a scarlet-
bronze color. Each
1 -1½ ft\$0.30
$1\frac{1}{2}-2$ ft
$2 - 2\frac{1}{2}$ it

Japonica.	А	species	from	Japan,	with	very
		foliage				Re-
quires	prote	ction in	New	Englan	d.	Each
$1 -1\frac{1}{2}f$	't					.\$0.35
$1\frac{1}{2}-2$ f	t					75

Osmanthus

Pinus - Pine

Austriaca (Austrian Pine) 25 feet Well
Austriaca (Austrian Pine). 25 feet. Well known and valuable for its hardiness and
constant and intense green color. Each
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3 -4 ft
4 -5 ft 3.50 5 -6 ft
Cembra (Swiss Stone Pine). 25 feet. Of
dwarf habit and dense foliage, ultimately
attaining good size. A desirable tree.
$\begin{array}{c} 11_{2} -2 & \text{ft.} \\ 2 & -21_{2} & \text{ft.} \\ \end{array} $
2 -2 ¹ / ₂ ft 2.00
densiflora. A Japanese Pine. Spreading habit. Foliage dark green; similar to variety
named below.
named below. Each 18-24 in\$1.00
-Tanyosho (Japanese Table Pine). A tree
imported from Japan, of spreading habit,
foliage bright green, the whole plant being
very distinct in appearance. Each 1½-2 ft. across \$1.50 2 -2½ ft. across \$2.00 to 3.00
excelsa (Bothan Pine). 40 feet. Resembles
the white Pine, but with longer and pen- dulous leaves. Very graceful and attractive.
Each
2-3 ft\$1.00 3-4 ft
4-5 ft\$2.00 to 3.50
Flexilis (Limber Pine). Resembles in habit of growth the Cembra Pine. Is a more
rapid grower and more spready.
rapid grower and more spready. Each 18 in
Montana (Swiss Mountain Pine). Forms a
medium size, spready tree. Of dark green
foliage. Each 10 2 ft\$2.00 \$17.50
Mughus (Dwarf Mountain Pine). 4 feet.
Of low and spreading growth. Each
12 -18 in. across\$1.00
11/2- 2 ft. across 1.50 2 ft. across 2.00
monticola (Mt. White Pine). The White Pine
of the West. Does not grow so large as
Pinus Strobus, but is a valuable tree and
not subject to diseases. 75c each. parviflora glauca. 15 feet. Imagine a white
Pine with foliage tint of a blue Spruce and
you will have a fair idea of the beauty of
this tree. Each
4-5 ft\$3.50 ponderosa. A rapid-growing Pine, growing to
large dimensions. Silvery-green foliage.
Each 3-4 ft\$1.50
4-5 ft

PINE-Continued

resinosa (Red Pine). 30 feet. A fine native species; rare and choice. Needles dark green, long, drooping and soft to the touch.
18-24 in\$0.75 rigida (Pitch Pine). 50 feet. Forms an open irregular pyramid with spreading branches. Thrives well near the sea and in poor and sterile soil. Each 3-4 ft
Strobus (White Pine). 50 feet. The well-
known American timber tree. Hardy and
reliable on dry, upland soil. Each 2-3 ft
4-5 ft
5-6 ft
growing, handsome tree, especially when
young. Good for windbreaks. Each 2-3 ft
4-5 ft 2.50
5-6 ft
growing tree with rich, dark green foliage
and long needles; good for grouping effects.
Each
2-3 ft\$1.00

Retinispora - Japan Cedar

Botanists include all Retinisporas in two species—Obtusa and Pisifera—but we classify them as received, and in accordance with general custom. The whole family is especially desirable because of its varying forms, habits and character. Being of medium growth, they are adapted for small places and for use in Evergreen beds. They bear any amount of shearing, with improvement in density of foliage and change of form if desired. In addition to sorts here named, we offer a limited number of rare varieties.

- ericoides. Grows very bushy. Feathery foliage; bronze green. Each

- -aurea (Young). 20 feet. Identical with the preceding, except in color, which is of a pronounced golden tint. This is a most desirable tree because of its color, form and habit. Each
- **3-4 ft.** \$2.00 **--compacta.** 4 feet. This is a magnificent form of Obtusa, very dense, with beautiful concave fronds, like green shells. Each 12 -18 in. \$0.75 $1\frac{1}{2}$ - 2 ft. 1.00 2 - $2\frac{1}{2}$ ft. 1.50

--gracilis. 8 feet. A most graceful and hardy little tree of good form. habit and color. One of the best semi-dwarf trees known.

Each
$1\frac{1}{2}$ -2 ft\$1.00 2 -2 $\frac{1}{2}$ ft\$1.50
$2 - 2\frac{1}{2}$ ft. 1.50
$2\frac{1}{2}$ -3 ft 2.00
3 ft 2.50
Distinct and rare. Each 1½-2 ft\$1.00
$1\frac{1}{2}$ -2 ft\$1.00
2 ft 1.25
-Lycopodioides (Club Moss). A peculiar growing evergreen; its foliage growing in
growing evergreen; its foliage growing in

variety of the above. Very desirable where a small Evergreen is wanted. Each 15 in. \$1.25 $1\frac{1}{2}$ ft. \$1.50 to 2.0015 -aurea. A golden form of the preceding sort. 12-18 in.\$1.00 **pisifera** (Pea Fruited Cypress). 25 feet. Fine feathery foliage; branches glaucous under-neath. A beautiful evergreen. Each
 $2 -2\frac{1}{2}$ ft.
 \$1.25

 $2\frac{1}{2}$ ft.
 \$1.75

 $2\frac{1}{4}$ ft.
 \$2.00

 -aurea (Golden Pea Fruited).
 25 feet.

 Of
 Of

 loose and open habit; decidedly pendulous. Color constant and good. A choice variety. $\begin{array}{c} 2 & -2\frac{1}{2} \text{ ft.} & \text{Each} \\ 2 & \frac{1}{2}\frac{1}{2} \text{ ft.} & \frac{1.25}{2}\frac{1}{2}\frac{1}{2} \text{ ft.} & \frac{1.75}{3} \text{ -4} \text{ ft.} & \frac{1.75}{2}\frac{1}{2}\frac{1}{2} \text{ ft.} & \frac{1.75}{2}\frac{1}{2}\frac{1}{2}\frac{1}{3} \text{ ft.} & \frac{1.75}{2}\frac{1}{2}\frac{1}{2}\frac{1}{3} \text{ ft.} & \frac{1.75}{2}\frac{1}{2}\frac{1}{2}\frac{1}{3$ most desirable evergreen of compact growth and delicate glaucous green foliage. growth makes this plant appear to be covered with snowflakes in the summer. Each aurea (Golden Retinispora). 25 feet. Widely known and popular, and of great merit.

 2
 -2¹/₂ ft.
 1.25

 2¹/₂-3
 ft.
 1.50

 3
 -4
 ft.
 2.00

 4
 -5
 ft.
 2.50

 5
 -6
 ft.
 2.50

 6
 -7
 ft.
 5.00 to 7.50

 -filifera
 (Thread Branched).
 A beautiful evergreen, with long, thread-like pendant foliage.

 Each
 Each

 Each foliage.

 IOIIage.
 Each

 $2 - 2\frac{1}{2}$ ft.
 \$1.50

 $2\frac{1}{2}$ -3 ft.
 \$1.75

 3 - 4 ft.
 \$2.50

 4 - 5 ft.
 \$3.50 to 5.00

 5 - 6 ft.
 \$5.00 to 7.00

 ---aurea.
 10 feet.
 Like the preceding, ex
 cept in color, which is a bright golden. More dwarf in habit. Each 18 in., bushy 2 ft., bushy -lutescens. A dwarf-growing variety of pretty and compact habit. Foliage bright and yellow. Very good for formal plantings. feet. A most distinct and valuable sort; foliage of compact, tufted character; color steel gray. Grows quite large, bears shearing to almost any size or form. Each Ing to almost any size of form.Each $1\frac{1}{2}$ -2 ft.\$1.002 - $2\frac{1}{2}$ ft.\$1.25 $2\frac{1}{2}$ -3 ft.\$1.503 -4 ft.\$2.004 -5 ft.\$2.505 -6 ft.\$3.50 to 5.006 -8 ft.\$5.00 to 7.50---sulphurea.A sulphur yellow form of theabove named variety.Each



Planting of Rhododendron Everestianum-View from our Office.

Rhododendrons

There has been much money and labor wasted in futile efforts to grow Rhododendrons. These failures are occasioned by a number of reasons. First, the effort to grow sorts that are not hardy in our climate; second, to planting in thin and barren soil, and in exposed situations, where the winds of Winter rapidly evaporate the moisture in the plant.

Successful culture of Rhododendrons requires that the ground selected for the bed be prepared thoroughly by trenching and enriching, if possible, with leaf mould or decaying vegetable matter. They are moisture loving, liking partial shade and will be found naturally near streams and along the borders of woodlands. Reproduce these natural conditions as much as you can and plant in masses for best effect.

Do not dig about the plants since they are largely surface rooting. Let their leaves lie where they fall and add others. Such practice will conserve moisture. If you can, water copiously, particularly in late Autumn.

They are the most imposing and attractive of all shrubs in foliage, and when in bloom the most gorgeous. The hybrid sorts range in color from pure white to deep purple and singly or in masses are most striking and effective.

We offer hardy sorts and urge that selection be not extended. There are sorts bearing finer flowers but their possession will disappoint. The foliage is not good and the flower buds are often destroyed.

Catawbiense Alba, Boule de Neige, Chas. Dickens, Purpureum Elegans and Roseum Elegans are most reliable and satisfactory. For mass planting on borders of woodland use our native Rhododendron maximum.

Pick the flower clusters when faded. They are unsightly and seed making is exhaustive. In doing this be careful not to break out the new leaf buds which are developing from the base of the flower clusters.

Rhododendrons make a grand show in Winter and Summer alike, with their dark, shining Evergreen foliage, but are particularly attractive in early Summer, when their great masses of bloom of various colors and shades attract the attention of all. Where practicable, we urge their planting in masses, and a good plan is to have the foreground or border plants of Azaleas. The seed pods should be removed after flowering.

In arranging the larger native Rhododendrons (R. maximum) as a background, these hardy named varieties produce a beautiful and striking effect planted in front toward the grass border.

RHODODENDRONS—Continued

	eutensiense, grundmorus i ur
Great care has been exercised in including only such varieties as may be relied upon as entirely hardy in the Central and Northern States. And in the severe climate of New England these tested varieties of "ironclad" hardiness succeed with ordinary treatment. Each 10 11/2-2 ft., well budded	 1½-2 ft., well budded -2½ ft., well budded 2½-3 ft., well budded maximum (Great Laurel). hardy plants, blooming prolong after the Catawbiense a are out of bloom. Flowers borne in dense trusses; colotimes shaded with shell pint plants have decidedly pink-Largely used, in carload loand woodland planting.
Caractacus. Rich purplish crimson; fine.	plants of different sizes, 2 fully selected with ball, an
delicatissimum. Blush white, tinted pink.	quantity, by the carload at
Dr. Torrey. Pink.	prices.
Everestianum. Rosy lilac, spotted and fringed; an excellent bloomer; fine foliage.	1½-2 ft., nursery grown 2 -3 ft., nursery grown 3 -4 ft., nursery grown
Grandiflora. Red.	-4 ft., nursery grown
Macrantha. Pink.	with good foliage. Flowers
roseum elegans. Large leaves; rose-colored flowers.	1½-2 ft.
roseum superbum. Good, clear rose color.	Dwarf Varieti
Each 10 1½-2 ft., well budded\$1.50 \$12.50 2 -2½ ft., well budded2.00 17.50	Specially adapted to border ing.
atrosanguineum. Intense blood red.	Good plants
Abraham Lincoln. Beautiful rosy red. One of the best dark-colored varieties.	Ferrugineum. A dwarf growing ers mauve pink. Good folia
Boule de Neige. Pure white; dwarf, compact habit.	Hirsutum. A species from t Flowers pale red.
Charles Dickens. Dark scarlet; excellent foli-	Myrtifolium (Myrtle Leaved

age and habit.

General Grant. Bright rosy scarlet; fine.

Kettledrum. Deep red and fine.

Lady Armstrong. Beautiful pale rose, spotted. Mrs. Milner. Rich crimson; good habit.

H. W. Sargent. Enormous truss; rich crimson.

Sciadopitys

verticillata (Umbrella Pine). 20 feet. A beau-tiful and hardy Evergreen from Japan. Shining dark green foliage arranged in whorls of umbrella-like tufts. Of slow growth but rare and desirable. E. a.h

Lac	
$2 -2\frac{1}{2}$ ft	50
2 ¹ / ₂ -3 ft 3.8	50
3 -31/2 ft 4.8	50
4 ft 6.8	50
5-6 ft \$7.00 to 10.0	00

Taxus - Yew

baccata (English Yew). 10 feet. A most de-
sirable dark green foliage plant, suited for
single specimens or will make a good hedge.
Each, \$1.50 to \$3.00.

- pyramidalis. A very pyramidal form of English Yew. Adapted for formal effects, Each 3 ft.\$2.00
- Canadensis (Canadian Yew). 6 feet. Low-spreading, bushy form; grows 4 to 5 feet high, with short leaves, and the bark is of a darker hue than the common Yew. Has small, red berries. Each

12 in.\$1.00

Catawbiense, grandiflora. Purple. Each 10 $1\frac{1}{2}$ -2 ft., well budded

$\begin{array}{c} \dots \dots & 10 \\ \dots \dots & 1.00 \\ \dots & 1.25 \\ \dots & 1.50 \end{array}$ Strong-growing,

ofusely in July, and its varieties s of good size, lor white, some-nk; indeed some -shaded flowers. lots, for border Collected, bushy to 6 feet, carere furnished in very reasonable Each\$0.75 **1.5**0 **2.0**0 ndron maximum s light pink. Each 10\$1.00 \$7.50

ies

and rock plant-Each

-\$1.00 to \$1.50 g species. Flowlage.
- the Swiss Alps.
- Rhododendron). Beautiful, small pink flowers. A compact grower with good dark green leaves.
- punctatum. Flowers pink. Foliage larger than of the other kinds, also a more robust grower.
- Wilsoni. A dwarf, dense form with splendid foliage. Pinkish flowers.

Cuspidata (Japanese Yew). In habit resembling the English Yew, but perfectly hardy and will make an excellent plant. Each -brevifolia. 8 feet. From Japan and the hardiest of all Yews. Branches somewhat ascending, with dark green foliage. Each 12 -18 in.\$1.00

1/2-	4	IL.	٠	٠	•	•	• •	٠	•	•	•	٠	•	•	•	• •							•	•	•	•	۰\$	51.50	to	2.00
2 -	$2\frac{1}{2}$	ft.	•	•	•	•		•	•	•	•	•	•	•	•	• •	• •	 •	•	•	•	•	•	•	•	•	•	2.00	to	3.00

- capitata. Resembles in habit of growth that of Taxus baccata. It is a native from Japan, perfectly hardy, and a high-class novelty, which will without doubt win high favor when better known and more distributed. Each 12-18 in.\$1.25 18-24 in.\$1.50 to 2.50
- repandens (Spreading Yew). 4 feet. A low spreading tree or Evergreen bush: very luxuriant, with intensely dark green foliage. Entirely hardy. A specimen will cover a circle 15 feet in diameter, and is an object of great beauty.

			Each
12 -18 in.			\$0.75
1½- 2 ft.	•••••	• • • • • • • • • • • • • • • • •	· · · · · · · · · · · · 1.50

Thuya - Arborvitae

Inuya - Arborvitae
occidentalis (American Arborvitae). 30 feet. A well-known and very valuable Evergreen for screens, windbreaks and hedges. Each 10
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
-aurea lutea (George Peabody). 15 feet. A most desirable Golden Arborvitae. Color pronounced and constant. 2-3 ft. 3-4 ft. 2.00
 4-5 ft. 2.50 5-6 ft. 3.50 —Boothi. Foliage resembles that of compacta; grows in globe form. Each
12 -18 in. \$0.75 1½- 2 ft. 1.00 Columbian. 10 feet. Of pyramidal form;
new growth tipped with white, making the plant conspicuous and attractive all Summer. 12 -18 in. 14/2- 2 ft. 1.00
-compacta (Parsons'). 8 feet. Form hemi- spherical; light green foliage. A good dwarf, hardy sort. Each
12 -18 in. \$0.75 $1\frac{1}{2}$ - 2 ft. 1.00 2 - 2\frac{1}{2} ft. 1.50 —Ellwangeriana. Foliage feathery-bronze
green. A very pleasing variety. Forms a medium size tree. Each 12 -18 in
-globosa (Globe Arborvitæ). Globular form; foliage fine and delicate. 15 -18 in
 1½- 2 ft. 1.25 2 ft. 1.50 —Hoveyi (Hovey's Golden Arborvitæ). 4 feet. More upright habit, with yellowish-
feet. More upright habit, with yellowish- green foliage. Each 12 -18 in. $\$0.75$ $1\frac{1}{2}$ - 2 ft. 1.00 2 - 2\frac{1}{2} ft. 1.25
-Plicata (trivifolia). A very hardy and at- tractive variety; the leaves resembling the fern fronds. Color bronze green. Each
3-4 ft
feet. Of columnar shape; distinct light green, compact foliage. 2-3 ft
3-4 ft. 1.50 12.50 4-5 ft. 1.75 15.00 5-6 ft. 2.50 rosedale hybrid. (See Biota.)
-Rosenthali. A deep green. Very hardy and handsome variety. 11/2-2 ft
-Spaethii. An odd-growing kind. Foliage quite peculiarly shaped; dwarf. Each
$\begin{array}{cccccccccccccccccccccccccccccccccccc$

-umbraculifera. A dark green; globe-shaped kind. Very good color.
$\begin{array}{cccccccc} & & & & & & & & \\ 15 & -18 \text{ in.} & & & & & & \\ 1\frac{1}{2} - 2 & \text{ft.} & & & & & & 1.25 \end{array}$
-Vervaeneana. 10 feet. Of similar form and denser habit than the type. Foliage hand- somely variegated with yellow.
Each 3-4 ft
-Warreana (Siberian Arborvitæ). 10 feet. Most hardy of all Arborvitæs. Foliage dark green and dense. Valuable for hedges.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Thuyopsis Borealis
A conical-shaped evergreen with pleasing bluish green foliage.
Each 2-2½ ft\$1.00
Standish (Japanese Arborvitae). Graceful drooping habit; dark green foliage.
Fach

Tsuga - Hemlock

3-4 ft.\$1.75 **4-5** ft.\$2.00 to 3.00

Each

A small genus, frequently classed with the Abies, but botanically distinct. As a class they possess remarkable grace and beauty.

Canadensis (Hemlock Spruce). 40 feet. The well-known tree of our American forests. Growth loose and open; habit extremely graceful. Bears shearing well, and makes the most ornamental evergreen hedge.

			Lach	10
	$-21/_{2}$		·····\$1.00	\$ 9.00
$-2\frac{1}{2}$	2-3	ft.	1.25	10.00
3	-4	ft.	1.75	15.00
4	-5	ft.		
5	-6	ft.	\$3.50 to 5.00	
6	-7	ft.	5.00 to 10.00	

-macrophylla. 8 feet. A sport from our common Hemlock. Very dwarf and compact, and of dark green color. A very choice Evergreen and rare. Each

- Caroliniana (Carolina Hemlock). A new species from the Carolina mountains, not so stately as the common species. Small trees. Each
- Sargenti pendula (Sargent's Weeping Hem-lock). 10 feet. Compact and spreading habit, with graceful. spray-like pendulous branches. Permanent weeping habit. Beautiful Evergreen. Each

Yucca

filamentosa (Adam's Needle). Broad pointed leaves and in Mid-Summer immense panicles of Lily-like white flowers from center of plant attaining height of 4 to 5 feet.

2

		10
vr.	\$0.25	\$2.00
vr.		2.50
5		2.00



Perennial Rock Garden, Viewed from our Office.

HARDY HERBACEOUS PLANTS

The great and increasing popularity of this class of plants has induced us to offer a select list, which we made upon the advice of the best authorities in America, concerning the most effective and desirable plants for lawns and gardens.

Our list, while not so extensive as many, is the very cream of all, and every sort described may be depended on to give entire satisfaction.

Planted in the shrubbery border, or in beds alone, judiciously arranged, they will afford great satisfaction at much less cost than can be obtained by plants from the greenhouse that must be replaced annually. In truth, the one supplements the other, and the bright foliage and flowers of bedding plants, with the more enduring herbaceous ones, are both needed for the complete adornment of rural and suburban homes, but the latter are the most essential and appeal most strongly to our affections, appearing annually as old friends to greet us in Spring, after their Winter sleep.

A suitable selection will give a constant succession of bloom, from early Summer until late Autumn, and increase in size and beauty from year to year.

Figures after specific names indicate approximate height of the plants when in flower. Prices of Perennials, except where otherwise noted, 15 cents each, \$1.25 per ten, \$10.00 per hundred. 5 plants of one kind will go at the 10 rate, 25 at the 100 rate.

ACHILLEA - Milfoil, Yarrow

- millefolium roseum. 1 to 2 feet. Very hand-some Fern-like foliage, flowers deep pink; July to September. One of the best.
- ptarmica (The Pearl). 1 to 2 feet. Double white; very effective; good for cutting; blooms all Summer. June to October. -Boule de Neige. 1 to 2 feet. Double white
- flowers, resembling blossoms of Bridalwreath Spirea; continual bloomer; good for cutting. May to September. tomentosa. 8 to 12 inches. June to Septem-
- ber. A neat growing creeping evergreen, with bright yellow flowers; useful for cutting.

ACONITUM

- autumnale (Monkshood, or Helmet Flower). 3 to 4 feet. Flowers blue, in panicles. A fine flower for cutting. September. 25c each.
- Fischeri. 18 inches. A dwarf variety with very large, pale blue flowers in September and October.
- Napellus. 3½ feet. June to September. Flowers dark blue. Fine.
- albus. A fine white flowered form. August. 25c each, \$2.00 per 10.
- -bicolor. Large blue and white flowers; one of the prettiest. August.

ALTHÆA

rosea (Hollyhock). 4 to 5 feet. Of this oldfashioned and popular flower we offer a good assortment of colors, including the newly introduced and improved Allegheny Hollyhock and the single-flowering varieties.

ALYSSUM

- saxatile (Rock Madwort). 1 foot. Golden yellow flowers, fragrant and showy. One of the best perennials. April and May.
- -compactum. (Basket of Gold, Gold Tuft, Rock-madwort). 1 foot. Similar to Saxatile, except the plant is more dwarf and flowers more freely.

ANCHUSA

Italica (Sea Bugloss). 4 feet. A fine species, blooming from May to September. Clear blue flowers. 20c each.

ANEMONE

All 20c each, \$1.50 per 10.

- Japonica (Japan Windflower). 2 feet. Rosy pink flowers in September and October.
- -alba. 2 feet. White; large flowers. September and October.
- -Queen Charlotte. 2 feet. Large, semi-double flowers; silvery pink in color. September.
- -rosea. 2 feet. Very floriferous. Flowers semi-double, rosy purple in color. September.
- -Whirlwind. 2 feet. Producing double white flowers in great profusion in September and October.

ANTHEMIS

tinctoria, Kelwayi (Marguerite). 1 to 2 feet. Flowers deep yellow. July to October.

AQUILEGIA

Columbine. 1 to $2\frac{1}{2}$ feet. In colors; early Spring bloom. April to July.

ARABIS

alpina (Rock Cress). 6 to 8 inches. Flowers white, in small racemes in early Spring. April to June.

rosea. Pink flowered Arabis.

ARMERIA

formosa (Thrift). 12 inches. Pink to white. May to August.

ARENARIA

cæpitosa (Sandwort). 3 inches. Dwarf Evergreen plants, tufted foliage, forming carpets of verdure. May.

ASCLEPIA.

tuberosa (Butterfly Weed). 2 feet. Orange-colored flowers. July and August. 20c each.

ASTER

- alpinus. 9 inches. Purple flowers in July.
- Amellus (Perry's Favorite). 3 feet. New, of very fine pink color. Beauty of Colwall. 3 feet. Novelty, fine
- double purple.
- Novæ-Angliæ. 4 feet. tember and October. Showy purple. Sep-

.

- Robert Parker. 5 feet. Large sprays of large soft lavender-blue flowers with yellow center. Fine.
- Snowflake. 3 feet. White, dainty small flowers; very free.White Queen. 5 feet. Large white, free flowers.
- ering.

BOCCONIA

cordata (Plume Poppy). 6 to 7 feet. White flowers. August.

BOLTONIA

asteroides (False Chamomile). 4 feet. White

flowers. August and September. latisquama. 4 feet. Light lilac. August and September.

CAMPANULA.

- Carpatica (Bell Flowers). 9 inches. A dwarf plant bearing blue flowers in June. -alba. 9 inches. White flowers. June and
- July.
- Media (Canterbury Bells). 3 feet. Late in June and July. Flowers blue, white and pink. Very showy. Is biennial.
 Calycanthema. 3 feet. Cup and saucer Canterbury Bells. Flowers resemble in shape a cup and saucer. June to July.
- a cup and saucer. June to July. persicifolia. 1¹/₂ feet. Flowers blue. June and
- July.
- -alba plena. 11/2 feet. Double white. July. -Moerheimi. 2 feet. June and July. An
- excellent variety; large, pure white flowers; semi-double.
- pyramidalis. 3 feet. Blue flowers.

CENTAUREA

- macrocephala (Corn Flower). 3 feet. July to September. Tall habit, fine foliage and terminal stems of deep yellow flowers.
- Montana. 20 inches. June to September. Showy, large purple flowers; fine for cutting. 25c each, \$2.00 per 10.

CHRYSANTHEMUMS

 $1\frac{1}{2}$ to $2\frac{1}{2}$ feet. In colors. Autumnal blooming plants of much beauty and exceedingly profuse bloom. Hardy sorts only.

- Shasta Daisy. 1 to 2 feet. White, flowers all Summer.
- uliginosum (Pyrethrum, Giant Daisy). 2 feet. White. August and September.

CLEMATIS

Davidiana. 2 to 3 feet. Very showy and fragrant blue flowers in August and September.

CONVALLARIA

majalis (Lily of the Valley). 4 to 8 inches. White, pendent, fragrant flowers in early Spring. Clumps. 20c each.

COREOPSIS

grandiflora (Tickseed). 1½ to 2 feet. Deep orange vellow; excellent for cutting. June and July.

rosea. 12 to 18 inches. July and August. Rosy flowers, very free.

DAHLIAS

Good assortment.

DELPHINIUM

elatum (Hardy Larkspur). 3 to 4 feet. Blue flowers from June to August.

Bella Donna. 3 feet. A beautiful soft shade of blue. Very distinct; flowers all summer. 20c each \$1.50 per 10.

20c each, \$1.50 per 10. coelestium. 1½ to 3 feet. Double, pale blue flowers: center violet and dark blue.

flowers; center violet and dark blue. formosum. 3 feet. The common Larkspur. Large dark blue flowers. June to August. Sinensis. 3 feet. Fine cut foliage; blue flow-

ers. July. -Alba. Same as above; flowers white.

DESMODIUM—See Deciduous Shrubs

DIANTHUS

- barbatus. 1 foot. The old and deservedly popular Sweet William. Various colors mixed. June to July.
- -latifolia atrococcinea. 1 foot. Fiery crimson flowers in large clusters throughout the Summer and Fall.
- plumaris (Scotch Pink, or Cinnamon Pink). 1 foot. Very fragrant double flowers. June and July.
- -Carmen. 1 foot. Light pink, fragrant flowers.
- -Gertrude. 1 foot. Rosy carmine, veined with silvery white.
- -Her Majesty. 1 foot. Very large, double white and exceedingly fragrant. Flowers in June.

DICENTRA

spectabilis (Bleeding Heart). 1¹/₂ feet. Pink flowers in May. 20c each, \$1.50 per 10.

DICTAMNUS

fraxinella (Gas Plant). 2 feet. Flowers purple, borne on upright stems in June. 20c each.

DIGITALIS

Foxglove. 2 to 3 feet. An old and wellknown species bearing on long spikes an abundance of large and showy blossoms, varying from white to purple. July.

ECHINACEA

purpurea (Cone Flower). 3 feet. Enduring rosy purple flowers. July to September. 25c each, \$2.00 per 10.

EUPATORIUM

purpureum (Perennial Ageratum). 5 to 6 feet. A strong-growing plant with branching heads of purple flowers in late Autumn.

FUNKIA

- lancifolia variegata (Plantain Lily). 1 foot. Handsome foliage distinctly margined with creamy white and yellow. Flowers light purple in July.
- subcordata (White Day Lily). 1 foot. Pure white trumpet-shaped flowers and very fragrant. September. 20c each, \$1.50 per 10.

GAILLARDIA

grandiflora (Blanket Flower). 2 feet. Large yellow flowers with maroon center. All Summer.

GEUM

atrosanguinea (Avens). Attractive, low-growing border plant of easy culture. Large dark red flowers in open heads; blooms all Summer. 1 to 2 feet.

GYPSOPHILA

paniculata (Baby's Breath). 2 feet. Small white flowers in great abundance. July to September.

HELENIUM

- autumnale superbum (Rock, or Sun Rose). 4 feet. Flowers yellow, in profusion in September.
- Riverton Gem. 3-4 feet. Yellow with bronzered shading.

HELIANTHUS

- multiflora, fl. pl. (Sunflower). 4 feet. Large, double yellow flowers. July to October.
- Miss Mellish. 6 feet. A tall growing kind; large foliage and bright orange-yellow flowers; fine. August to September.
- Mollis. 5 feet. August and September. Elegant lemon-yellow flowers and heavy velvety foliage.

HELIOPSIS

Pitcheriana (Orange Sunflower). 2 to 3 feet. An improved Heliopsis blooming profusely in August and September. Yellow or orangecolored flowers.

HEMEROCALLIS

- aurantiaca major. 2¹/₂ feet. A robust-growing sort bearing an abundance of large bright orange-colored flowers in July.
- **Dumortieri.** 1½-2 feet. May to July. Orangeyellow flowers with bronze tint.
- flava (Yellow Day Lily). 2 feet. One of the best hardy plants, bearing yellow, fragrant flowers in June.

HEUCHERA

sanguinea (Alum Root). 1½ feet. Flowers bright red, borne on long stems projecting above the foliage. Blooms all Summer.

HIBISCUS

Moscheutos (Mallow; malva). 3 feet. Pink flowers in July and August.

-Crimson Eye. White flowers with crimson center. July and August.

HOLLYHOCKS—See Althea Rosea

IRIS - Fleur de Lis

This is the well-known Flag of our meadows. Always a sightly plant in bloom, but recently much improved in size of flowers and in colors, which are, indeed, indescribable. They do best in deep, moist soil, but will reward the planter with abundant showy flowers in all situations.

Germanica (German Iris). 1½ feet. Blooming in latter May and June.

- Kaempferi (Japan Iris). 2 feet. These are later blooming and, if possible, have more gorgeous colors and greater variety of bloom. June to August. 20c each. \$1.50 per 10.
- pallida dalmatica. 2 feet. Flowers light blue, large and fragrant. June.
- pumila cyanea. ¹/₂ to 1 foot. Dwarf kind, blue flowers, very early. April and May.
- Sibirica. 2 feet. Deep blue flowers in clusters. A fine bloomer. One of the best Iris. May.



Papaver Orientalis—Oriental Poppy. (See page 55.)



Peony, Festiva Maxima. (See page 55.)



Platycodon grandiflora—Bellflower. (See page 57.)



Anemone Japonica Japanese Wind Flower. (See page 52.)



Stokesia Cyanea—Stokes Aster. (See page 57.)



Hardy Aster—Michaelmas Daisy. (See page 52.)

IBERIS

sempervirens (Evergreen Candytuft). 6 to 12 inches. A hardy and attractive plant at all times, but particularly when covered with its white flowers in April.

LATHYRUS

latifolia (Hardy Sweet Pea). 6 feet. A rampant growing and trailing plant bearing all Summer flowers in purple, rose and white colors. Good for covering rocks and stumps. July to September.

LIATRIS

elegans (Blazing Star, or Gay Feather). 1 foot. Bluish-purple flowers. August.

LINUM - Flax

perenne. 18 inches. May to August. Handsome, light blue flowers.

LOBELIA

cardinalis (Cardinal Flower). 1½ feet. Scar-let. August and September.

LYCHNIS

- Chalcedonica (Scarlet Lychnis). 3 feet. Brilliant scarlet flowers in large clusters. June.
- diurna fl. pl. 2 feet. Flowers double, crimson. Blooms at intervals all Summer. Good for borders.
- viscaria. 11/2 feet. Bears rosy-pink flowers in masses on long spikes. Very brilliant and showy. June.

LYSIMACHIA

clethroides (Loosestrife). 1¹/₂ feet. flowers. July to September. White

LYTHRUM

salicaria roseum. 2 feet. Rosy purple flowers. Very showy. June and August.

MALVA

- moschata (Mallow). 2 feet. July to September. Fragrant flowers in clusters, of a rosy tint.
- var. alba. Exceptionally attractive; white fragrant flowers.

MONARDA

didyma (Horse Mint, Oswego Tea). 2 feet. Scarlet. August and September.

MYOSOTIS

palustris (Forget-Me-Not). 6 inches. Light blue flowers with yellow centers, blooming May to August.

ŒNOTHERA

Evening Primrose. 15 to 18 inches. Snowy white and yellow flowers. June to August.

PACHYSANDRA

terminalis (Japanese Spurge). A low dense evergreen plant with glossy foliage, forming large mats, well adapted for covering the ground, especially in moist or shaded situ-ations. Native of Japan. Flowers white, disposed in small terminal spikes in mid Spring.

PÆONIAS

No flower, old or new, is more rapidly or more deservedly advancing in reputation today than the Pæony. Its easy culture and its entire freedom from insects and disease would alone recommend it, but when, in addition. you consider its most attractive foliage, and more especially its immense double flowers in almost all shades of color, and generally their delightful perfume, you have a record of valuable points that no other flower can equal. Price, 35c each, \$2.50 per ten.

Anemone flora rubra. Semi-double; bright scarlet.

- Couronne d'Or. White. Yellow stamens.
- Delachi. Dark purplish. crimson; large and fine.
- Duchess de Nemours. Creamy white; fine. new sort
- Duke of Wellington. Sulphur white. A new importation.
- Edulis superba. One of the finest. Silvery pink.
- festiva. White; free blooming.
- -maxima. White with carmine markings in center; extra large and fine. Faust. Pink.
- globosa. Pink; large full flower.
- grandiflora rubra. Red. Lady Dartmouth. White tinged with blush. Louis van Houtte. Bright red.

- Mac Mahon. Wine-red. Magnifica. Light pink. Marion des Holmes. White. Meissonier. Deep red.
- Modiste Guerin. Deep pink; large flower. officinalis rubra. Early. Satiny crimson.
- -mutabilis. Nearly white. -rosea. Deep rosy pink.
- -tenuifolia flore pleno. Bright red.
- Pulcherrina. Salmon pink.
- purpurea. Red.
- Rose d'Amour. Delicate Pink.
- roseum elegans. Pink.
- rubra triumphans. Bright red. solfatare. Sulphur yellow. Zoe Calot. Delicate rose.

PAPAVER

- nudicaule (Iceland Poppy). 1 foot. A dwarf variety with deeply lobed leaves and yellow and white flowers. June to August. orientale (Oriental Poppy). 2 feet. Orange
- and scarlet. June.

PENTSTEMON

barbatus (Beard Tongue). 2 to 3 feet. Scarlet. June to August.

PHLOX

- decussata or paniculata. 1 to 3 feet. The va-rieties of these most satisfactory perennials have been greatly multiplied in recent years, but the sorts we offer run through nearly the whole range of color and shades, and will, in general effectiveness, be quite as satisfactory as a hundred varieties. Of course, the col-lector and the enthusiast will only be satisfied with all, and he will enjoy the pursuit probably more than the possession.

- Anthony Mercier. Bluish white. Coquelicot. Fiery red flowers. Eclaireur. Purple carmine, white center; large flower.
- Elizabeth Campbell. Best pink.
- Fraulein von Lassburg. Pure white, large flower.
- Gen. van Heutz. One of the latest introductions, salmon pink, of a delicate shade.



Aquilegia—Columbine. (See page 52.)



Campanula Carpatica—Bell Flower or Harebell. (See page 52.)



Digitalis—Foxglove. (See page 53.)



Achillea—Yarrow. (See page 51.)



Coreopsis—Tickseed. (See page 52.)



Hibiscus-Mallow. (See page 53.)

PHLOX-Continued

- Joan of Arc. White.
- Independence. White; large.
- La Vogue. Silvery pink: large flower.
- Madam Langier. Salmon pink; dark eye.
- Matador. Large flower, brilliant orange red with cherry-red eye.
- R. von Hochsburg. Deep wine red.
- Selma. White, rose center. Fine.
- Terre Neuve. Light lavender; a dwarf sort.
- **Thebaide.** Light pink; dwarf; free flowering. **Suffruticosa.** A species much like the preceding, but the foliage is much better and the bloom in the two sorts named comes earlier and lasts longer; indeed, they bloom intermittently all Summer.
- -Laphami. A new kind, clear sky-blue delicate flowers. Very handsome. 20c each, \$1.50 per 10.
- --Indian Chief. Deep magenta with crimson eye. Very early, flowering in May.
- -Miss Lingard. 2 feet. White with pink eye. amœna (Creeping Phlox). Pink flowers in early Spring.
- subulata. Pink and white. 4 inches. Good for rockwork, borders or bedding, literally covering the ground in April with a mass of flowers.

PHYSOSTEGIA

denticulata (False Dragon Head). 4 feet. Faint rosy-pink flowers. July and August.

PLATYCODON

- grandiflorum (Balloon Flower, or Japanese Bell-Flower). 1½ feet. Blue and white bellshaped flowers. June to September.
- Japonica fl. pl. 1¹/₂ feet. Double deep blue flowers. June to October.

PLUMBAGO

Larpentæ (Leadwort). 9 inches. Purplishblue flowers in abundance. September and October.

PRIMULA

- veris superba (English Cowslip). 8 inches. A fine variety, with large yellow flowers. April and May.
- vulgaris (English Primrose). 6 to 9 inches. One of the earliest Spring flowers; pale yellow, very fragrant.

PYRETHRUM - Persian Daisy

 $1\frac{1}{2}$ feet. A most valuable class of hardy plants bearing, on long stems, flowers in different shades of color, pink. white and red. Flowers are much like the double Aster. Especially good for cutting, as the flowers are very lasting. Named varieties. May and June.

RUDBECKIA

- laciniata fl. pl. (Golden Glow). 5 feet. Very showy, well-known and popular; late Summer.
- nitida (Autumn Glory). Very tall; large, yellow, single blooms. August till October.
- **purpurea** (Cone Fower). 2 to 3 feet. July to October. Large, handsome, crimson-purple flowers, with dark central disk.

SALVIA

azurea (Meadow Sage). 2 feet. Blue flowers in July and August.

SAXIFRAGA - Rock Foil

cordifolia. 1 foot. Large feathery foliage, deep green during the Summer, turning to bronze-red in Winter. A good rockery and border plant.

SCABIOSA - Mourning Bride

- caucasica. 2 feet. Lilac-blue flowers, on good stems for cutting. June to September.
- Japonica. 2 feet. A Japanese variety producing beautiful blue flowers in great abundance. August to September.

SEDUM

- acre (Wall Pepper). 3 inches. Handsome evergreen foliage and bright yellow flowers. A good carpet plant.
- Kamtschaticum. 4 to 9 inches. July, August. Bright pulpy evergreen foliage, with golden flowers in flat clusters.
- **spectabile** (Stone Crop, Showy Sedum). 2 feet. Rosy-purple flowers in flat cymes in late Summer.

SOLIDAGO

- **Canadensis** (Golden Rod). 4 feet. Yellow. September and October.
- lanceolata. 3 feet. Yellow; August and September.

STOKESIA

cyanea (Cornflower Aster). 1 foot. Lavender blue. A free-flowering, handsome plant suitable for the border or rockery. July to October.

TRADESCANTIA

- Virginica (Spider Wort). 1 foot. Blue flowers. June to September.
- -alba. 1 foot. Like the preceding, except that the flowers are white.

TRITOMA

Uvaria (Red Hot Poker Plant). 3 feet. Orange scarlet to salmon; an extremely profuse bloomer; good for bedding. July to October.

TROLLIUS - Globe Flower

Europæus. 18 inches. A valuable border perennial, with large globular, lemon-colored, buttercup-like flowers on long stems. Grows in almost any soil.

THYMUS - Thyme

lanuginosus (Woolly Thyme). A trailing plant, with small leaves of grayish color, making it a handsome variety for edging.

VERONICA - Speedwell

- spicata. 1 foot. Silvery leaves; slender spikes of blue flowers. June to August.
- longifolia subsessilis. 2 feet. Amethystineblue flowers; very fine. August to September.

VINCA

minor (Periwinkle). 6 inches. Blue flowers in May.

The Periwinkles are valuable for covering bare spots under trees and on banks.

VIOLA CORNUTA - Violas or Tufted Pansies

The improved forms of Viola Cornuta are one of the important bedding plants of Europe. They are but little known here, but are certain to become general favorites. If planted in a partially shaded bed, they will flower continuously for nearly eight months in the year; and while their flowers are not so large

as those of the Pansy, their bright colors and floriferousness will make them welcome additions to any garden.

-Admiration. Soft purple with dark blotch. --Blue. Sweet-scented, lavender-blue flowers in Spring; prefers moist, open places.

-Geo. Werning. A fine, new variety, of a pretty blue shade, much resembling in color the hardy Violet.

- -White Perfection. A white-flowered variety; sweet scented.
- odorata (Prince of Wales). Deep, violet blue; sweet scented.

YUCCA—See Evergreens

To aid purchasers in selecting plants specially adapted for certain locations or specific purposes, we make here some short lists that will, we believe, prove helpful.

FOR CUT FLOWERS Digitalis. Purple and white. July. Gaillardia. Maroon and yellow. All Summer. Gypsophila paniculata. White. July and Sept. Helenium autumnale. Yellow. Sept. Heliopsis. Yellow and orange. Aug. and Sept. Heuchera sanguinea. Coral red. July. Iris Germanica. All colors. June. Iris Kæmpferi. All colors. July. Pæony. All colors. June. Phlox decussata. All colors. July to Oct. Pyrethrum. Pink, red and white. June. Spiræa. Red and white. June and July.

Achillea ptarmica. White. All Summer. Althæa rosea. (Hollyhocks.) All colors. July. Anemone Japonica. All colors. Sept. and Oct. Anthemis tinctoria. Yellow. June and July. Aquilegia. All colors. April and May. Asters. Purple and rose. Sept. and Oct. Boltonia. Lilac and white. Aug. and Sept. Campanula. Blue and white. June and July. Chrysanthemum. All colors. Sept. and Oct. Coreopsis. Yellow. June and July. Delphinium. Blue. June and July. Dianthus. All colors. June and July. Dicentra spectabilis. Pink. May.

Anemone. (Wind Flower.) White. Lysimachia. (Moneywort.) Yellow. Myosotis palustris. (Forget-Me-Not.) Blue.

FOR THE ROCK GARDEN AND DRY ARID LAND Heuchera sanguinea. (Alum Root.) Coral red. Iberis. (Candytuft.) In variety. White. Lathyrus latifolia. (Hardy Pea.) In colors. Liatris. (Liatris.) Blue. Lychnis. (Tar Pink.) In variety. Pink and red. Pachysandra terminalis. (Pachysandra.) White. Phlox subulata. (Phlox.) Pink and white. rose and vellow.

FOR CARPETING THE GROUND

Aquilegia.(Columbine.)In variety and colors.Heuchera sanguinArabis Alpina.(Rock Cress.)White.Iberis.(CandytuArmeria maritima.(Sea Pink.)Rosy purple.Lathyrus latifoliaAsclepias tuberosa.(Milk Weed.)Orange yellow.Liatris.(Liatris.Campanulas.(Harebell.)Blue and white.Lychnis.(Tar HDianthus.(Sweet William.)In variety and colors.Pachysandra terrGypsophila paniculata.(Baby's Breath.)White.Phlox subulata.Sedum.(Stonecrop.)Pink,rose and yellow.

FOR LOW GROUNDS

Hibiscus Moscheutos.(Marsh Mallow.)Pink and white.Lobelia cardinalis.(CardinIris Germanica.(German Iris.)In all colors.Monarda didyma.(Horse Torset)Iris Kæmpferi.(Japan Iris.)In all colors.Myosotis palustris.(Forget)Spiræa, Herbaceous.(Meadow Rue.)In variety and colors.

Lobelia cardinalis. (Cardinal Flower.) Brilliant red. Monarda didyma. (Horse Mint.) Red. Myosotis palustris. (Forget-Me-Not.) Sky blue.

Phlox subulata. (Creeping Phlox.) Pink and white.

Blue.

(Periwinkle.)

Sedum. (Stonecrop.) Yellow. Veronica. (Iron Plant.) Blue

Vinca minor.

Hardy Grasses

All the ornamental Grasses are suitable for planting as single specimens, in masses or along the shrubbery border, and we highly recommend their use.

15c to 20c each, \$10.00 per hundred.

ARUNDO

donax (Giant Reed). 10 to 15 feet. A hand-some tropical-looking plant; very effective and striking. Needs some protection during the Winter.

ARUNDINARIA

nitida. 5 feet. A handsome hardy Grass of recent introduction.

PHALARIS

arundinacea variegata (Ribbon Grass). Large variegated foliage; valuable for bouquets and for edging large beds.

EULALIA

- 5 to 6 feet. A beautiful hardy Japonica. Grass from Japan; foliage a deep green surmounted in Autumn with long flower spikes, bearing purplish flowers of very enduring character. Can be cut and dried for Winter decoration.
- gracillima univittata. 5 to 6 feet. Fine, hardy. ornamental Grass; leaves narrow and dark green; silver white midrib; very handsome and attractive.
- variegata. 4 to 5 feet. Similar to the preceding in all respects except its leaves are beautifully variegated with white and some-times pink and yellow stripes.
- zebrina. 4 to 5 feet. The leaves of this sort are marked with broad yellow bands at right angles, and are very striking and handsome.

FRUIT DEPARTMENT

We have greatly abridged our former lists, retaining what we believe are the most desirable kinds. We do not attempt here to give cultural directions, further than to state that all fruit trees delight in a good, well-drained soil. We advise enough pruning to admit air and light freely. In small gardens and yards we urge the advisability of using dwarf trees rather than standards, or, if the latter are used, that the heads be kept low. By doing so it will be much easier to treat the trees and to control the insect pests that are so generally distributed throughout the country.

Intending purchasers who propose planting in large quantity are requested to correspond with us, naming number and sorts of trees wanted, when special quotations will be given.

Apples

The first fruit, both in importance and general culture, is the Apple. Its period, unlike that of other fruits extends nearly or quite through the year. By planting judicious selections of Summer, Autumn and Winter sorts, a constant succession can be easily obtained of this indispensable fruit for family use.

APPLES AND CRABS

	Each	
Extra, 1 ¹ / ₈ in	\$1.00	\$8.50
Extra, 1 in., 6-8 ftX		
First grade, ³ / ₄ in., 5-7 ftA		
Med. grade, $5/8 - 3/4$ in., 4-6 ftB	.35	2.50
DWARF		

3-4 ft.	A	.75	6.50
2-3 ft.		.50	3.50

SUMMER VARIETIES.

- *Astrachan, Red. Large, nearly covered with deep crimson, overspread with a thick bloom. August.
- *Early Harvest. Medium size; round; straw color; tender, sub-acid and fine; productive. August.
- Sweet Bough. Large; pale greenish yellow; tender and sweet. August.
 - *Yellow Transparent. A very early Russian Apple of good quality. Color pale yellow. Last of July.

AUTUMN VARIETIES.

- ***Fall Pippin.** Very large, yellow; tender, juicy and rich. October.
 - *Gravenstein. Large and beautiful; tender. juicy and high flavored. September and October.
 - Maiden's Blush. Large, smooth, with a fine, red cheek; flesh white. September and October.
 - **Oldenburg.** Medium to large size; skin yellow, streaked with red; flesh juicy and good. September.
 - *Wealthy. Medium, roundish; skin smooth, oily, mostly covered with dark red; flesh white, fine, juicy, vinous. sub-acid, very good. Very hardy. A variety of great value, on account of its hardiness. October.

WINTER VARIETIES.

- *Baldwin. Large, deep bright red; very productive. The most popular Winter Apple. January to April.
 - Ben Davis. Large, handsome and of fair quality; productive; a late keeper. December to March.

- Greening, Northwestern. Fruit medium to large, averaging from 7 to 8 ounces each and very uniform in size. Color greenish yellow. Tree is very hardy and a thrifty grower, an early and continuous bearer. January to June.
- *Greening, Rhode Island. Large; light greenish yellow; tender and juicy. November to March.
- Grimes Golden. Highest quality: medium to large; golden yellow, sub-acid, spicy and rich. January to March.
- King Tompkins. Large and handsome; striped red and yellow. November to May.
- *McIntosh. Large, roundish, skin mostly covered with bright red; flesh white, tender, sub-acid, sprightly, very good. Handsome; hardy. November to February.
- *Northern Spy. Large, with the sunny side nearly covered with purplish red; rich and delicious flavor. January to June.
- **Russet, Golden.** Medium size, dull russet, with a tinge of red; flesh greenish, crisp, juicy and highly flavored; hardy, bears well. November to April.
- Stayman Winesap. One of the finest Apples grown for appearance, flavor and juiciness. A favorite for cider. Medium size, conical; mostly covered with red on yellow ground; flesh fine, crisp and high-flavored. November to April, but keeps well to May.
- *Spitzenburg (Esopus). Medium to large; deep red; flesh crisp, high flavor. November to April.
- Winesap. Medium; dark red; sub-acid, excellent; abundant bearer. December to May.
- York Imperial. Medium, white, shaded with crimson; flesh firm and sub-acid. December to February.
 - *Can be supplied in dwarf form.

Apples, Crab

As an ornamental fruit, and for jellies, preserving, etc., the Crab Apple is unequaled. All are hardy and prolific, come into bearing when young, and command a ready and profitable market.

- Hyslop. Large, dark red, with a blue bloom; flesh yellow; excellent for cider; hardy.
- Siberian, Red. Medium, round, dark red; for preserving.
- Siberian, Yellow. Amber or golden color. Fine for preserves.
- **Transcendent.** Tree immensely productive. Fruit of good size. Color red and yellow.



Bartlett Pear (1/2 size). (See page 62.)



Moore Grape. (See page 63.)




Wealthy Apple (1/2 size). (See page 59.)



Carman Peach (½ size). (See page 61.)



Imperial Gage (½ size). (See page 62.)



Black Tartarian (1/2 size). (See page 61.)

Apricots

The Apricot, in quality and appearance, is between the Plum and the Peach, combining quality of both. Its very early season of ripening and delightful flavor make it one of the most valuable fruits. We are now able to offer varieties that are extremely hardy and will endure severest climates. The Apricot requires the same cultivation as the Plum or Peach, and for curculio the same treatment as the Plum. \$1.00, 75c and 50c each.

Cherries

The Cherry tree universally requires a dry soil and is naturally a hardy tree, succeeding in the lightest soils or driest situations. The Heart and Bigarreau varieties are of rapid growth, with large, glossy leaves, forming fine, pyramid-shaped heads, and producing large crops of luscious fruit; are well adapted for planting along streets or in yards as shade trees. We especially recommend Cherry trees as most suitable and satisfactory for gardens and small yards in towns and villages.

	Each	10
Extra, 1 ¹ / ₈ in., 6-8 ftXX	\$1.00	
Extra, 1 in., 6-7 ftX	.75	\$6.50
First grade, 34-7% in., 5-7 ftA	.50	3.50
Med. grade, 5/8-3/4 in., 4-5 ftB		

HEART AND BIGARREAU.

- **Black Tartarian.** Very large; excellent flavor. June.
 - Gov. Wood. Light red; juicy, rich and delicious; tree healthy and a great bearer. June. Napoleon. Very large; pale yellow or red;
 - Napoleon. Very large; pale yellow or red; very firm, juicy and sweet. July. Windsor. Fruit large, liver colored; flesh re-
 - Windsor. Fruit large, liver colored; flesh remarkably firm, sweet and of fine quality. July.
 - Yellow Spanish. Large; pale yellow. with red cheek; one of the best light-colored Cherries. June.

DUKE AND MORELLO.

These are for the most part round-shaped trees; fruit generally acid, though some varieties have a very mild, pleasant flavor. The trees are smaller than the preceding class, and well adapted for dwarfs. The Morellos are more slender and spreading in habit than the Dukes, which are of a stocky, upright growth. Both are more hardy than the Hearts and Bigarreaus.

- **Early Richmond.** Medium size; dark red; sprightly acid flavor. This is one of the most valuable and popular of the acid Cherries. June.
- Large Montmorency. A large, red, acid Cherry; larger than Early Richmond, and fully ten days later. June.
 May Duke. An old, well-known, excellent
 - May Duke. An old, well-known, excellent variety; large. dark red; juicy, sub-acid, rich. Middle of June.

Mulberries

See Deciduous Ornamental Trees.

Nectarines

The Nectarine requires the same culture and management as the Peach, from which it differs only in having smooth skin like the Plum. 75c each.

Nut Trees

CHESTNUTS.

American. Our native species; sweet, excellent Nuts. \$1.00 each.

Japan. Nuts very large, often five in a burr; commence bearing at an early age. \$1.00 each.

FILBERT.

English. Fruit larger than our native species and preferable in localities where it will succeed. In sorts named. 50c each.

SHELLBARK - Hickory.

Our trees are grown from extra fine thinshelled Nuts. \$1.00 each.

WALNUT.

- Black. The well-known native species; hardy, prolific and valuable for timber and Nuts. \$1.00 each.
- English. This rich and fine-flavored Nut is quite hardy with us, and makes a vigorous growth. \$1.00 each.
- growth. \$1.00 each. Japan. From Northern Japan, and as hardy as an Oak. The leaves are of immense size and of a charming shade of green. The Nuts, produced in abundance, grow in clusters. The meat is sweet, of best quality; vigorous tree of handsome form. They bear young and are hardier and more productive than the English Walnut. \$1.00 each.

PERSIMMON. \$1.50 each.

Peaches

The Peach tree requires a well-drained, moderately rich soil—a warm, sandy loam is best.

In order to preserve the continued healthy growth of the trees and the fine quality of the fruit, the trees should have the shoots and branches shortened every year, so as to preserve a round, vigorous head, with plenty of young wood.

Examine the trees carefully and extract and destroy the borer. Use potash manures liberally.

	Each	10	100
3/4-1 in., 5-7 ftXX	\$0.50		
$Extra, \frac{5}{8}-\frac{3}{4}$ in., 5-6 ftX	.35		
First grade, 9-16-5% in., 4-6 ftA	.25	\$2.00	\$12.00
Medium, 1/2 in., 4-5 ft	.20	1.50	10.00
Second grade, 7-16 in., 3-4 ftB	.15	1.00	7.00
Third class, 2-3 ftC	.10	.75	5.00

EARLY PEACHES

Carman. August. Large, bright red cheek; white flesh, good flavor and regular bearer. Champion. August. White freestone peach;

- rich, sweet and juicy. Crawford's Early. August and September. A
- large yellow peach of good quality. Greensboro. July. Good size; round, with red cheek; flesh white; medium quality. Heavy bearer.
- Hiley (Hiley Early Belle). July. Large size with delightful red cheek; flesh is white, tender and exceedingly juicy; free. One of the best shippers among the early peaches and invariably brings top prices. Should be planted freely to make full assortment for commercial orchards.
- Mountain Rose. August. Red, freestone Peach, wtih white flesh; rich, juicy, sweet.

PEACHES—Continued

- **Ray.** August. Fruit extremely large; skin creamy white, tinted with crimson and shades of yellow. One of the handsomest Peaches we have ever seen. Flesh white, with no stain at the stone; of the most excellent quality, juicy, delicious, tender and keeps well. An excellent shipper, of fine appearance, even after much handling. An exceedingly strong grower; shapely and symmetrical.
- St. John. July. Yellow; free.

MID-SEASON PEACHES

- Belle of Goergia. August and September. Freestone; white; excellent flavor and a regular bearer. Best of its season.
- **Elberta.** Early September. A very large, yellow, freestone peach; rich. sweet and juicy. A vigorous grower and splendid sort for preserving.
- Fitzgerald. August and September. Large, round freestone; red cheek; flesh yellow, sub-acid and agreeable.
- Old Mixon Free. September. Large, white freestone; of excellent flavor and productive.
- **Stump.** September. Large freestone; white with red cheek; firm, juicy and excellent quality.
- Willett. A new variety said to be of excellent quality; largest yellow Peach of medium late season.

LATE PEACHES

- **Crawford's Late.** September. Large, yellow freestone; good quality.
- Fox Seedling. Late September. Reliable freestone; white flesh; best of its season.
- V Iron Mountain. October. Late freestone; flesh white. A productive, reliable late Peach of good quality.
 - **Reeves Favorite.** September. Large yellow, with fine red cheek; delicious, juicy. Freestone; best quality. Shy bearer.
 - **Smock.** Late September. Large; oval; light yellow, mottled red; freestone.

Pears

Standard Pear trees prefer a strong loam, but succeed well in a great variety of soils, and upon almost any land that will produce good crops of vegetables or grain. The fruit will keep longer and the flavor be greatly improved by picking before they are quite mature, and ripening them in the house. By judicious selection of varieties their season can be extended from July to January.

Dwarf Pears are suited to garden culture, or where space is limited. Can be planted 8 to 10 feet apart, and deep enough to cover the union of the stock and scion, and be trained low by proper shortening of the terminal branches.

The letters "D" and "S" appended to the description of varieties, indicate favorable growth. either as "dwarfs" or "standards" or both. Those designated as "moderate growers" are usually smaller trees.

PEARS-Standard

	Each	10	
1 ¹ / ₈ in., 6-8 ftXX	\$1.00		
Extra, 7/8 and 1 in., 6-7 ftX	.75	\$6.50	
First grade, 34-7/8 in., 5-7 ftA	.50	3.50	
Medium grade, 5%-34 in., 4-5 ftB	.35	2.50	
PEARS—Dwarf			
1/8 and 1 in., 3-4 ftX	.75	6.50	

First grade, 34-7	/s in., 3-4 ft	A .50	3.50
Medium grade, 1/	$\frac{1}{2}$ -5% in., 2-3 ft	B .35	2.50

SUMMER VARIETIES.

Bartlett. Large size; juicy and high flavored. D. and S. August and September.

- Clapp's Favorite. Large size; vinous, melting and rich. D. and S. August.
- Wilder. Medium size, fine grained; flavor sub-acid; quality very good. S. August.

AUTUMN VARIETIES.

- Beurre d'Anjou. Large; greenish russet, with a rich excellent flavor. D. and S. October to January.
- **Duchesse d'Angouleme.** Very large; very juicy, with a rich flavor. Succeeds well as a dwarf. D. and S. October and November.
- **Flemish Beauty.** Large, rich and fine. D. and S. August and September.
- **Kieffer.** A robust-growing and handsome tree, practically immune from all insect attacks. A most prolific and early bearer of large and, when properly ripened, handsome fruit, of fair and sometimes superior quality, the condition of soil and treatment determining the last factor. For canning it is unrivaled. S. October and November.
- Lawrence. Large; yellow, flesh slightly granular with a rich, aromatic flavor. S. November and December.
- Seckel. Small; yellowish brown when ripe, with a brownish red cheek; flesh fine grained; highest flavored Pear known. D. and S. September and October.
- Sheldon. Good size; yellow or russet; flesh juicy with a brisk, vinous flavor. S. October.

Plums

A heavy soil is undoubtedly best for the Plum. The ravages of the curculio have proven a great drawback to the culture of this delicious fruit. The most successful cultivators save their crops by spreading a sheet under the tree, and then by sudden jars the diseased fruit and insects will be shaken off; these should be carefully destroyed.

 $1\frac{1}{4}$ in., 6-8 ft.Each10100 $1\frac{1}{4}$ in., 6-8 ft.1 in., 5-7 ft.XX\$1.00Extra, $\frac{7}{8}$ and 1 in., 5-7 ft..75\$6.50First grade, $\frac{3}{4}$ - $\frac{7}{8}$ in., 5-6 ft..75\$6.50Medium, $\frac{5}{8}$ in., 4-5 ft..352.50

- Abundance. Japan. An early bearer; fruit very large and tender, with a rich sweetness; has a small stone which parts readily from the flesh. First of August.
- **Bradshaw.** European. Fruit very large; dark violet red; flesh yellowish green, juicy and pleasant. August.
- Burbank. Japan. Crimson purple; very handsome and of good quality; hardy and productive. August.

PLUMS—Continued

- **Fellemberg.** French or Italian Prune. Large, oval; purple; juicy and delicious; parts from the stone; fine for drying. September.
- German Prune. European. A large, long, oval variety, much esteemed for drying; color dark purple, of very agreeable flavor. September.
- Imperial Green Gage. European. Fruit large, oval, skin pale green; flesh juicy and sweet. August.
 - Lombard. European. Medium, rounded oval; violet red; juicy, pleasant and good; adheres to the stone; a valuable market variety. August.
 - October Purple. One of Luther Burbank's Hybrids and considered by him one of his best. Large purple; yellow flesh; very late.
- Red June. Recommended by Prof. Bailey as the best Japanese Plum, ripening before Abundance. August.
 - Wickson. Originated by Mr. Burbank, who says: "Among the many thousand Japan Plums I have fruited so far this one stands pre-eminent in its rare combination of good qualities."
 - Yellow Egg. European. Very large, oval; yellow, with white bloom; flesh yellow; sweet. Middle of August.

Quinces

	Each	10	100
Extra, 34-1 in., 4-6 ftXX	\$1.00		
Extra, ⁵ / ₅ in., 3-5 ftX	.75	\$6.50	
First grade, 7-16 in., 3-4 ftA			\$25.00
Medium grade, 1/2 in., 21/2-3 ft M			

- Apple, or Orange. Large; bright golden yellow; the most popular variety. October.
- Bourgeat. Vigorous grower, producing abundantly fine fruit of good quality.
- **Champion.** A prolific and constant bearer; fruit larger than Orange, and ripens later. October and November.
- Meeches'. Productive of fine fruit of best quality. Unsurpassed for culinary use.

Blackberries

10c each, \$5.00 per hundred.

Plant in good soil, moderately manured. Rows 7 feet by 3 feet for field culture. Cut away old, and cut back new wood in Winter. Form a hedge or tie to wire. Cultivate shallow.

- **Blowers.** A new large Blackberry; very hardy and productive.
- Early Harvest. Very early and reliable; berries small but sweet and of the highest quality.
- Erie. Early, hardy and productive. Fruit large and sweet.
- Lucretia (Dewberry). A trailing form of the Blackberry, bearing large, luscious fruit. 15c each.
- Rathbun. Berries extra large, jet black. Flesh juicy, high flavored.

Currants

15c each, \$9.00 per hundred.

The Currant worm is easily controlled by using white hellebore or Paris green in solution, and using it in season, before the bushes are defoliated. Cut out all old wood and as much new as may be necessary to give room for proper development of leaves and fruit. Currants and Gooseberries love a deep moist soil, and a heavy mulch is excellent.

Black Lees. Very large; fine for jams or jellies.

Cherry. The largest of all the red Currants. **Fay.** Color deep red; an excellent sort.

White Grape. Large; yellowish white; excellent quality; finest white sort.

Perfection. Extra large red berries. 25c each.

Grapes, Hardy Varieties

We urge everyone to plant Grape Vines to supply their own table. No fruit is more easily grown or is more luscious and wholesome. Soil should be warm and dry and of good quality. Under such conditions the Grape will thrive in a very limited space. Plant 6 to 8 feet apart, and from 4 to 6 inches deep, pressing the dirt firmly around the roots. Dig the hole large enough to take in the roots without crossing each other. Grape vines can be trained over fences. trellises or doorways, and thus be ornamental as well as useful. 25c each.

BLACK GRAPES.

Campbell. An early Grape of good quality.

- **Concord.** Well known and popular. The best variety.
- Moore. A seedling of Concord; of good quality.
- Worden. A seedling of Concord, which it greatly resembles in appearance and flavor; but ripens several days earlier.

RED GRAPES.

- Agawam. Rogers' No. 15. Large; peculiar aromatic flavor.
- Brighton. Bunches large; berries medium size; flesh sweet and of the highest quality.
- Catawba. Bunches large and loose; berries large.
- Delaware. Best quality; berries small; flesh very juicy; vine moderately vigorous.
- Salem. Rogers' No. 22. Berry large: thick skin; free from hard pulp; sweet and sprightly.

WHITE GRAPES.

- Green Mountain. Vine hardy, vigorous and productive; skin thin; ripens early. 35c each.
- **Diamond.** Vine a vigorous grower and prolific; bunches large and compact; color delicate greenish white, with rich yellow tinge when fully ripe. Ripens before Concord.
- Niagara. A strong grower and hardy; bunches large and compact; berries as large as Concord; quality good. Best all-around white Grape.

Gooseberries

Require the same treatment as Currants; good high culture, and relentless warfare against the Currant worm.

AMERICAN VARIETIES.

Downing. Fruit large, roundish, light green, with distinct veins; juicy and good; vigor-ous and productive. 20c each.

Houghton. Medium size, bears abundant and regular crops; fruit smooth, red. 15c each.

Red Jacket. A new Gooseberry of high promise. 15c each.

ENGLISH VARIETIES.

The varieties of English Gooseberries are almost innumerable; the fruit large and handsome and of high quality. We offer only the sorts best adapted to our climate, most of them being unreliable because of mildew.

Industry. Vigorous upright growth; very pro-ductive and a good market variety. Color dark red; of agreeable flavor. 25c each.

White Smith. Fruit large, roundish, oblong; best quality. 25c each.

Raspberries

10c each, \$5.00 per hundred.

- The best blackcap Raspberry. Cumberland. Size large; of highest quality.
- Cuthbert (Queen of the Market). Red; very productive. The standard red Raspberry.
- Golden Queen. Hardy, vigorous, productive and of good quality.
- Japan Wineberry. A showy plant. It bears large crops of fruit of exceptional value for jams and jellies.

Kansas. A superior blackcap.

Regis. A variety said to produce fruit for four months. Brilliant crimson; good St. Regis. quality.

DISTANCE BETWEEN TREES OR PLANTS IN PLANTATIONS

Standard Apples. 30 to 40 feet apart each way. In poor soil, 25 feet may be enough.

- Standard Pears and Cherries. 20 feet apart each way. Cherries will do at 18 feet and the dwarf-growing sorts, Dukes and Morrellos, even at 16 feet.
- Standard Plums, Peaches and Apricots. 16 to 18 feet apart each way.

Quinces. 10 to 12 feet apart each way.

- Dwarf Pears. 10 to 12 feet apart each way. S greater distance is better where land is not scarce. The
- Dwarf Apples on Paradise Stock (Bushes). 6 feet apart. Currants, Gooseberries and Raspberries. 3 to 4 feet apart.

Blackberries. 6 to 7 feet apart.

Grapes. 8 to 10 feet apart.

Strawberries. (See under Strawberries.)

INSECT REMEDIES

- White Hellebore and Pyrethrum. Preferably in water, 1 ounce to 3 gallons; or dry, mix with $\frac{1}{4}$ part of flour to make it adhesive. Hellebore and Pyrethrum are used chiefly on ripening fruit, as they lose their poison-ous properties when exposed to the air for a few hours.
- Arsenate of Lead. 1 to 5 pounds per 100 gallons. It does not burn the foliage. It is especially desirable for

Strawberries

Layer plants in April, October and November.

Pot-grown plants in August, September and April.

Plant in April, September to November, in good ground, deeply worked and well manured. Set in rows 3 feet by 15 inches for field cul-ture, and 15 inches each way for garden, leav-ing a pathway at every third row. Cultivate clean, mulch late in the Fall, uncover crown early in the Spring. Make new plantations annually in rich, well prepared soil. Pot-grown plants, \$2.50 per 100. Layer plants, \$1.00 per 100. Those marked (P) have pistillate or import

Those marked (P) have pistillate or imperfect flowers and must be planted near perfect-flowering kinds, in order that the flowers may be fertilized to obtain fruit.

- Chesapeake. An exceedingly handsome, highcolored large berry of extra fine quality; ripens early.
- Gandy. One of the standard market berries; ripens late; firm and of good quality.
- Glen Mary. A superb variety which unites large size, great productiveness and good quality. Early. Oom Paul. A good berry.

Asparagus

To make a good Asparagus bed the plants may be set in the Fall or early Spring. Pre-pare a piece of fine, loamy soil, to which has been added a liberal dressing of manure. Select two-year or strong one-year plants, and for a garden set in rows 20 by 12 inches.

We offer **Conover** and **Palmetto.** per 100. \$1.00

Rhubarb or Pieplant

This affords the earliest material for pies and tarts; continues long in use and is valuable for canning. Make the border very rich and deep. 15c each.

its sticking properties for all fruits and for some truck crops. It is also easy to prepare and easy to apply.

- **Tobacco Water.** Boil stems and strain liquid. Add water to make 2 gallons of liquid to each pound of stems used. For soft-bodied insects: The efficiency of tobacco water will be increased by stirring in 1 pound of whole oil scene to ach for a light of whale oil soap to each 50 gallons.
- ime-Sulphur. Lime, 20 pounds; sulphur, 15 pounds; water to make 50 gallons. Boil one to two hours with a small quantity of water, then dilute to 50 gallons with boiling water. Do not let mixture become cold; spray while yet warm. For Winter or early Spring use. Lime-Sulphur.
- Kerosene Emulsion. Hard soap, ½ pound; boiling water, 1 gallon; kerosene, 2 gallons. Dissolve the soap in the water, add the kerosene, and churn with a pump for five or ten minutes. Dilute 10 to 25 times before ap-plying. Use strong emulsion for all scale insects. For insects which suck, as plant lice, mealy bugs, red spider, thrips, bark-lice or scale. Cabbage worms, and all insects which have soft bodies, can also be success-fully treated. fully treated.
- Soluble Oil Preparation. There are now a number of these on the market that are giving most excellent re-sults, and are particularly recommended for the treat-ment of plants infested with San Jose scale.

SPRAYING

In regard to this all important subject we would rec-ommend our patrons to communicate with the Experi-ment Station in the state in which they live and get definite instructions about spraying for their particular locality, in bulletins published for this purpose.

General Index

Abelia 16	Cephalanthus 19	Golden Flower 23	Malus 9	Sambucus 32
Abies	Cerasus	Golden Glow 57	Malva	Sandwort 52
Acacia 26	Cercidiphyllum . 6	Golden Rod 57	Maple	Saxifraga 57
Acer	Cercis 19 Chamomile, False 52	Gooseberries 64 Goumi 21	Matrimony Vine38 Mespilus16	Scabiosa 57
Achillea 51 Aconitum 51	Chaste Shrub 35	Grapes 63	Milfoil	Sciadopitys 49 Scotch Broom 21
Actinidia 37	Cherries 61	Grasses 58	Mock Orange 25	Sea Buckthorn 23
Adam's Needle 50	Cherry, Flowering 6	Groundsel Bush 17	Monarda55	Sedum 57
Aesculus 3	Chestnuts5, 61	Guelder Rose 34	Monkshood51	Sheep Berry 34
Ageratum 53	Chinese Cork Tree 10	Gymnocladus 7	Morus10	Shellbark 61
Ailanthus 5 Akebia 37	Chionanthus 19 Chokeberry 17	Gypsophila 53	Mountain Ash13 Mourning Bride57	Shrubs, Deciduous
Alder, Black 23	Chrysanthemums 52	Halesia 21	Mulberry10	Siberian Pea Tree 19
Almond, Flwg 17	Cinquefoil 25	Hamamelis 21	Myosotis55	Silver Bell 21
Althea	Cladrastis 6	Hawthorn 6 Hazel Nut 20	Myrica24	Silver Vine 37
Alum Root 53	Clematis $\dots 37, 52$	Heather \dots 43	Nectarines61	Snowball 34 Snowberry 33
Alyssum 52 Amelanchier 16	Clethra 19 Clover, Bush 24	Hedera 37	Nettle Tree19	Solidago 57
Amorpha16-17	Columbine 52	Helenium 53	Ninebark 32	Sophora 13
Ampelopsis 37	Colutea 19	Heliopsis 53	Nut Trees61	Sorbus 13
Amygdalus5, 17	Comptonia 19	Helmet Flower 51	Nyssa10	Sorrel Tree 25
Anchusa 52	Cone Flower 53, 57	Hemerocallis 53 Hemlock 50	Oak11	Sour Gum 10
Andromeda 17, 25, 42 Anemone 52	Convallaria 52 Corchorus23-24	Herbaceous	Oenothera55	Speedwell 57 Spice Bush 24
Anthemis 52	Coreopsis $\ldots 52$	Plants51-58	Olive $\dots 46$	Spider Wort 57
Apples 59	Cornelian Cherry, 20	Hercules Club 17	Olive, Russian 21	Spiraea 32
Apple, Flowering 9	Corn Flower 52	Heuchera 53	Osmanthus 46 Ostrya 10	Spruce
Apricots 61	Corn Flower Aster 57	Hibiscus $\dots 23, 53$	Oswega Tea 55	Spurge 55
Aquilegia 52	Cornus6. 20	Hickory5, 61 High Bush Cran-	Oxydendrum 25	St. John's Wort 23
Arabis 52	Cotopeaster 43	berry 34	Pachysandra 55	Stagger Bush 17 Staphylea 33
Aralia 17 Arborvitae42, 50	Cotoneaster 43 Cowslip 57	Hills of Snow 23	Pachysanura $\dots 55$ Paeonies $\dots 25, 55$	Stephanandra 33
Arenaria 52	Crab Apples 59	Hippophae 23	Pagoda Tree 13	Stokesia 57
Aristolochia 37	Crab, Flowering. 9	Holly 43	Pansies 58	Stone Crop 57
Armeria 52	Cranberry, High	Hollyhock 52 Honey Locust 7	Papaver 55	Straunsvesia 33
Aronia 17	Bush \dots 34 Creteorus 6 43	Honeysuckle	Paulownia 10 Pavia	Strawberries 64 Strawberry Shrub 19
Arrow-Wood 34 Asparagus 64	Crataegus6, 43 Cryptomeria 43	Hop Tree 10	Pavia	Strawberry Tree. 21
Arundinaria 58	Cucumber Tree . 9	Hornbeam 5	Peach, Flowering 5	Stuartia 33
Arundo 58	Currants 63	Horse Chestnut 3, 25	Pearl Bush 21	Styrax 33
Asclepia 52	Currant, Flower-	Horse Mint 55 Hydrangea23, 37	Pears 62	Sumach25-26
Ash	ing 26	Hypericum 23	Pentstemon55 Periwinkle 58	Sunflower, Orange 53 Sun Rose 53
Ash, Mountain 13 Ashberry 46	Cydonia 20 Cypress 47		Persian Daisy 57	Sweet Fern 19
Aster 52	Cytissus 6	Iberis 55	Persimmon 6	Sweet Gum 7
Avens 5?	Cytissus	Ilex23, 43 Indian Bean 5	Phalaris 58	Sweet Pea 55
Azalea17, 42	Dahlias 52	Indian Currant 33	Phellodendron 10	Sweet Pepper
Baby's Breath 53	Daisies52, 57	Iris 53	Philadelphus 25	Bush 19
Baccharis 17	Daphne20, 43 Day Lily 53	Iron Wood 10	Phlox	Sweet Shrub 19 Sycamore 10
Balloon Flower . 57	Delphinium 53	Itea 23	Picea	Symphoricarpos. 33
Balm of Gilead. 10	Desmodium20, 24	Ivy 37	Pieplant 64	Syringa25, 33
Barberry 17-19, 42	Deutzia $20-21$	Japan Quince 20	Pine	Syringa, Tree 13
Bayberry 24 Beard Tongue 55	Dianthus $\ldots 53$	Japanese Bell-	Pinus	Tamarisk33-34
Beech 7	Dicentra 53 Dictamnus 53	Flower 57	Pink 53 Plane Tree 10	Tamarix33-34
Bell Flowers 52	Diervilla 21	Jasminum 23 Jersey Tea19	Plantain Lily 53	Taxus 49
Berberis17-19, 42	Digitalis 53	Judas Tree19	Platanus 10	Thorn
Betula	Diospyros 6	Juglans7	Platycodon 57	Thyme 57
Bignonia 37 Biota 42	Dogwood6, 20	Juneberry16	Plumbago 57	Thymus 57
Birch	Dragon Head, False 57	Juniper 45-46	Plume Poppy 52 Plums	Thuyopsis 50
Black Alder 23	Dutchman's Pipe. 37	Junipertus45-46	Plum, Flowering. 25	Tickseed 52
Blackberries 63	Dyer's Greenwood 21	Kalmia46	Poplar 10	Tilia 13 Tradescantia 57
Bladder Nut 33		Katsura 6	Poppy	Trees, Deciduous 3-15
Bladder Senna 19 Blanket Flower . 53	Echinacea 53 Elder 32	Kentucky Coffee 7	Populus 10	Tree of Heaven. 5
Blazing Star 55	Eleagnus 21	Kerria23-24 Koelreuteria 7	Potentilla 25 Primrose55, 57	Tritoma 57
Bleeding Heart . 53	Elm 13	Kudzu Vine	Primula 57	Trollius 57
Blue Spirea 19	Empress Tree 10	Larch 7	Privet	Trumpet Vine 57 Tsuga 50
Bocconia 52 Boltonia 52	Enkianthus \dots 21	Larix 7	Prunus	Tulip Tree 7
Boltonia 52 Boston Ivy 37	Eulalia	Larkspur53	Ptelea 10 Dunple Eninge 25	Ulmus 13
Box	Eunatorium 53	Lathyrus55	Purple Fringe 25 Pyrethrum52, 57	Umbrella Pine 49
Bridal Wreath 32	Evergreens 39-50	Laurel	Pyrus	Umbrella Tree5, 9
Broom, Scotch 21	Exochorda 21	Laurus		Vaccinium 34
Buckthorn 25 Buddleia 19	-	Leadwort	Quercus 11 Quinces 63	Varnish Tree 7
Burning Bush 21	Fagus 7 Fetter Bush 42	Lespedeza24	Quince. Flowering 20	Veronica 57
Butterfly Weed . 52	Filbert 61	Leucothoe42		Viburnum 34
Button Bush 19	Fir	Liatris	Raspberries 64 Raspberry, Flwg. 32	Vinca
Buttonwood 10	Flax 55	Ligustrum24 Lilác23	Raspberry, Flwg. 32 Rhubarb 64	Vines
Buxus 42-43	Fleur de Lis 53	Lilac, Weeping	Red Hot Poker	Virginia Creeper 37
Callicarpa 19	Forget-me-not 55 Forsythia 21	Lily of the Valley 52	Plant 57	Virginian Willow 23
Calluna 43	Fothergilla 21	Lilv of the Valley	Retinispora 47	Vitex 35
Calycanthus 19	Foxglove 53	Tree	Rhamnus 25	Wall Pepper 57
Camellia 33	Fraxinus 6	Lime	Rhododendrons 48-49 Rhodotypos 25	Walnut
Campanula 52 Candleberry 24	Fringe, Purple 25	Linum	Rhus	Wax Myrtle 24
Candytuft 55	Fringe, White 19	Liquidambar 7	Ribes	Wayfaring Tree. 34 Weigela21, 35
Canterbury Bells 52	Fruit Depart- ment59-64	Liriodendron7	Robinia	Weigela
Caragana 19	Funkia 53	Lobelia	Rock Cress 52	Willow
Cardinal Flower. 55		Locust7, 11, 26	Rock Foil 57 Rock Rose 53	Willow, Virginian 23
Carpinus 5	Gaillardia 53	Lonicera24, 38 Loosestrife55	Rock Rose 55 Rosa	Windflower 52
Carya 5 Caryopter!s 19	Garland Flower 43	Lychnis	Roses	Wistaria 38
Castanea 5	Gas Plant 53 Gay Feather 55	Lycium	Rose of Sharon 23	Witch Hazel 21
Catalpa 5	Genista 21	Lysimachia55	Rubus 32	Xanthoceras 35
Ceanothus 19	Geum 53	Lythrum55	Rudbeckia 57	Xanthorrhiza 35
Cedar 43, 45, 47	Ginkgo 11	Madwort52	Russian Olive 21	Yarrow 51
Cedrus 43 Celastrus 37	Gleditschia 7 Clobe Flower 57	Magnolia	Sage	Yellow Root 35
Celtis 19	Globe Flower 57 Golden Bell 21	Mahonia46 Maidenhair Tree11	Salisburia 11 Salix11-13	Yellow Wood 6 Yew 49
Centaurea 52	Golden Chain 6	Mallow53, 55	Salvia 57	$\begin{array}{c} 1 \text{ ew} & \dots & 43 \\ \text{Yucca} & \dots & 50 \end{array}$

A. B. MORSE COMPANY, ST. JOSEPH, MICHIGAN



F. AND F. NURSERIES Springfield, union county, new jersey